FOR OFFICIAL USE.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN SIXTEEN OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

JANUARY 1915.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by
J. SKINNER & Co., Ltd., Thistle Street.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of January 1915 there were registered in the Sixteen Principal Towns of Scotland, those burghs which at the date of the 1911 Census had populations of over 30,000, the births of 5100 living children, of whom 2615 were male, and 2485 female. The male children number 144 more than registered during the previous month, and the female children number 3 more. The total children registered number 147 more than those of the previous month, and 137 more than the mean of the numbers during the preceding three months, but are 106 less than those of January of last year. The equivalent annual birth-rate is 25·6 per thousand of the estimated aggregate population of these towns, a rate which is 0·2 more than that of the previous month, but is 0·1 less than the mean of those of the three preceding months, and 1·1 less than that of January of last year. In the individual towns the birth-rate of the month ranged from 35·0 in Coatbridge, and 32·6 in Motherwell and Hamilton, to 16·6 in Perth, 20·0 in Edinburgh, 21·3 in Falkirk, and 21·8 in Aberdeen. In Greenock the birth-rate of the month was 29·7; in Glasgow, 27·4; in Paisley, 27·0; in Leith, 25·5; in Kirkcaldy, 25·1; in Dundee, 24·8; in Clydebank, 24·1; in Kilmarnock, 23·3; and in Ayr, 22·8.

Of the 5100 children registered, 4752, or 93·2 per cent., were legitimate, while 348, or 6·8 per cent., were illegitimate. The illegitimate children of the month are of the same number as those of the previous month, but are 17 less than the mean of the numbers of the three preceding months, and 42 fewer than those of January of last year. The illegitimate rate of the month is 0·2 less than that of the previous month, 0·5 less than the mean of those of the three preceding months, and 0·7 less than that of January of last year. In the individual towns the illegitimate rate of the month ranged from 18·0 in Perth, and 13·4 in Aberdeen, to 1·7 in Leith, 2·2 in Clydebank, 2·3 in Coatbridge, and 2·6 in Motherwell. In Edinburgh this rate was 9·1; in Hamilton, 8·4; in Dundee, 7·8; in Paisley, 7·0; in Kirkcaldy, 6·9; in Glasgow, 6·3; in Greenock, 5·1; in Falkirk, 4·8; in Ayr, 4·6; and in Kilmarnock, 4·1.

Marriages registered numbered 2272. They are 346 more than in the previous month, and 697 more than the mean of the numbers of the preceding three months,

but are 97 fewer than in January of last year. The equivalent annual marriage-rate is 11·4 per thousand, which is 1·5 more than that of the previous month, and 3·2 more than the mean of those of the three preceding months, but is 0·8 less than that of the corresponding month of last year. In the individual towns the marriage-rate of the month ranged from 14·1 in Kilmarnock, 12·8 in Motherwell, 12·3 in Glasgow, and 12·0 in Falkirk, to 7·7 in Coatbridge, 9·2 in Leith, 9·5 in Hamilton, and 9·8 in Clydebank. In Kirkcaldy the marriage-rate was 11·8; in Ayr, 11·6; in Perth, 11·3; in Paisley, 11·1; in Dundee, 10·9; in Aberdeen, 10·9; in Greenock, 10·4; and in Edinburgh, 10·1.

Deaths registered in these towns during the month numbered 4266, 2098 being of males, and 2168 of females. The deaths registered include those of 201 persons not resident in the town of registration, while deaths of the same number, 201, of residents of these towns were registered elsewhere in Scotland. Thus the corrected number of deaths of the month is the same as the number registered. The deaths of the month are 626 more than those of the previous month, 1032 more than the mean of those of the preceding three months, and 298 more than those of January of last year. The death-rate of the month is 21·4 per thousand. It is 2·7 more than that of December, 4·6 more than the mean of those of October, November, and December, and 1·0 more than that of January of last year.

In the individual towns the death-rate of the month, corrected, ranged from 27·8 in Dundee, 24·4 in Greenock, and 23·6 in Aberdeen, to 11·9 in Motherwell, 17·1 in Leith, and 17·2 in Clydebank. In Falkirk the death-rate was 22·3; in Glasgow, 22·2; in Kirkcaldy, 21·6; in Paisley, 19·9; in Hamilton, 18·9; in Ayr, 18·9; in Coatbridge, 18·7; in Perth, 18·6; in Kilmarnock, 18·5; and in Edinburgh, 18·3.

Of the 4266 deaths, 1386, or 32·5 per cent., were of children of less than five years old; 1714, or 40·2 per cent., were of persons of more than five but less than sixty-five years old; and 1166, or 27·3 per cent., were of persons of over sixty-five. Deaths under five number 155 more than in December, and 104 more than in January of last year. Deaths of persons aged five to sixty-five number 166 more than in December, and 74 more than in January of last year. Those over sixty-five number 305 more than in December, and 120 more than in January of last year.

Deaths of children of less than one year old numbered 789. They are 20 more than in December, 107 more than the mean of the numbers of the three preceding months, and 24 more than in January of last year. The infantile mortality rate of the month is 151 per thousand of the average number of births registered monthly during the preceding twelve months. This rate is 4 more than that of the previous month, and 19 more than the mean of those of the three preceding months, but is the same as that of January of last year. In the individual towns this rate ranged from 207 in Clydebank, 192 in Greenock, and 189 in Dundee and Falkirk, to 81 in Hamilton, 111 in Motherwell, and 112 in Edinburgh. In Aberdeen this rate was 182; in Leith, 169; in Perth, 153; in Glasgow, 151; in Coatbridge, 145; in Kilmarnock, 132; in Paisley, 129; in Kirkcaldy, 128; and in Ayr, 125.

Deaths from the principal epidemic diseases, namely, enteric fever, measles, scarlet fever, whooping-cough, diphtheria, and the diarrhœas of childhood, numbered 460. They are 77 more than in December, 99 more than the mean of the numbers of the three preceding months, and 87 more than in January of last year. The monthly death-rate from these causes is 2·3 per thousand, and is 0·3 more than that of December, 0·4 more than the mean of the rates of the three preceding months, and 0·4 more than that of January of last year. In the individual towns this death-rate ranged from 6·0 in Dundee, 2·6 in Glasgow, and 2·4 in Aberdeen, to 0·3 in Perth, Hamilton, and Falkirk. In Paisley this rate was 1·9; in Clydebank,

1·9; in Greenock, 1·7; in Motherwell, 1·7; in Kilmarnock, 1·6; in Edinburgh, 1·3; in Leith, 1·2; in Ayr, 0·7; in Kirkcaldy, 0·6; and in Coatbridge, 0·5.

Deaths from enteric fever numbered 12; from measles, 32; from scarlet fever, 53; from whooping-cough, 261; from diphtheria, 53; and from the diarrhœas of childhood, 49. No deaths from small-pox occurred in these towns during the month. Compared with the returns of the previous month, deaths from whooping-cough are 105 more, from measles 13 more, and from enteric fever 1 more, but those from scarlet fever are 18 fewer, from diphtheria 13 fewer, and from the diarrhœas of childhood 11 fewer.

No deaths from typhus fever occurred in these towns during the month. Deaths from malignant disease numbered 205; from rheumatic fever, 20; from meningitis (not tuberculous), 51; from organic heart disease, 344; from puerperal sepsis, 8; and from violent causes, 139, of which 4 were attributed to suicide.

Deaths from pneumonia numbered 528, constituted 12·4 per cent. of the total deaths of the month, and are equal to an annual death-rate of 2·7 per thousand. These deaths are 96 more than in December, and 65 more than in January of last year. Deaths from bronchitis numbered 532, constituted 12·5 per cent. of the total, and are equal to an annual death-rate of 2·7 per thousand. They are 202 more than those of December, and 89 more than those of January of last year.

Deaths from all forms of tuberculous disease numbered 343. They constitute 8·0 per cent. of the total deaths of the month, and are equal to an annual death-rate of 1·7 per thousand. These deaths are 24 fewer than in December, and 34 fewer than in January of last year. Of them 250 were ascribed to phthisis, which deaths constitute 5·9 per cent. of the total of the month, and are equal to an annual death-rate of 1·3 per thousand. The deaths from phthisis number 5 fewer than in December, but 4 more than in January of last year. In the individual towns, the phthisis death-rate of the month ranged from 1·9 in Dundee, 1·5 in Glasgow, and 1·4 in Kirkcaldy and in Ayr, to 0 in Motherwell, 0·3 in Hamilton, 0·5 in Paisley, and 0·6 in Kilmarnock. In Edinburgh this death-rate was 1·1; in Aberdeen, 1·1; in Greenock, 1·1; in Perth, 1·0; in Falkirk, 1·0; in Leith, 0·9; in Coatbridge, 0·8; and in Clydebank, 0·8.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. Watt, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

JANUARY 1915.

Mean barometric pressure, 29·483 in.; less than the average of 1856–1905 by 0·342 in.

Mean temperature, 37°·6; less by 0°·4.

Mean daily range of temperature, 7°·9; less by 1°·1.

Rain, number of days, 16; less by 1 day.

Rain, depth in inches, 2·57; less by 0·91 in.

Wind, direction of: a 2 days' excess of winds from S.E. and a two days' excess from N.W.

Hence the month was characterised by an abnormally low mean pressure; a slightly low mean temperature, with a rather low mean daily range; a rather low mean rainfall; and an excess of winds from both S.E. and N.W.

The mean pressure of 29·483 in., as much as 0·342 in. below the normal, followed a very low pressure during the preceding month, and so low a January mean has not been experienced in Scotland since 1871. Violent fluctuations of the barometer occurred on 1st, 10th, about 15th, and especially on 20th and 21st, when

(8133.) Wt. 22/598. 1150. 2/15. J.S.&Co., Ltd. Group IV/11.

there was a fall of about 1·20 in. within 24 hours. At Leith, at sea-level pressure reached 30 in. only from 17th to 19th, and was below 29 in. on 1st, 2nd, 3rd, 11th, and 21st, the extremes there being 30.428 in. on 18th, and 28·497 in. on 2nd.

The mean temperature was 37°·6, or 0°·4 below the normal, the result being due entirely to a deficiency in the day temperatures. At Aberdeen and Edinburgh the means for the month were slightly above the normal. Cold weather occurred around 10th and 17th, with lowest readings at many places on 10th ; but generally speaking the thermometer remained at a fairly high level until about 24th, and on 14th and 20th the nights were exceptionally mild in various districts. The last week of the month was decidedly cold, with lowest readings at many stations from 24th to 26th. At the chief towns the extremes were 52° at Leith on 13th, and 23° at Perth on 26th. At Braemar the thermometer in screen fell to 10° on night of 9th-10th.

The mean rainfall was 2·57 in., or 26 per cent. below the normal. Towards the north east there was an excess, nearly 50 per cent. at Aberdeen, but from the Tay southwards there was in most districts a fairly well defined shortage, Edinburgh, Glasgow and Paisley having only two-thirds or less of the normal. The weather of the first half of the month was more or less unsettled and wet, though most districts had some dry days during that period, and from 10th to 14th or 15th considerable falls occurred, especially towards the north-west. From 16th onwards eastern districts remained practically rainless, whilst elsewhere almost the only interruptions to a continued dry spell occurred around 20th and at the very end of the month. Towards north-east, however, rain fell on 16th and 17th. At the chief towns the greatest fall in a day was 0·95 in. at Greenock on 14th.

At various points around our coasts a south-easterly gale was experienced on 1st, and northerly to north-easterly strong winds or gales on 16th and 17th. Considerable snowfalls occurred in various districts from 8th to 10th, on 17th, and on 31st.

A thunderstorm at Paisley very early on 15th.

TABLE I. ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES in the Principal Towns, January 1915.

TOWNS.	POPULATION.		BIRTHS.					MARRIAGES.	DEATHS.					
	Census. 1911.	Estimated to middle of 1915.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.	Out.	In.	Total Corrected.
GLASGOW,	1,008,487	1,078,400	1262	1248	2510	2351	159	1128	1019	1020	2039	78	73	2034
EDINBURGH,	320,769	328,700	294	265	559	508	51	283	250	274	524	54	40	510
DUNDEE,	176,085	177,300	184	189	373	344	29	164	197	224	421	10	7	418
ABERDEEN,	163,891	164,800	153	152	305	264	41	153	155	170	325	18	23	330
PAISLEY,	84,455	87,700	99	102	201	187	14	83	68	79	147	3	4	148
LEITH,	80,601	80,500	106	68	174	171	3	63	57	52	109	4	12	117
GREENOCK,	75,140	78,100	101	96	197	187	10	69	78	84	162	3	3	162
PERTH,	35,854	35,500	30	20	50	41	9	34	30	29	59	5	2	56
Total (Eight Towns)	1,945,282	2,031,000	2229	2140	4369	4053	316	1977	1854	1932	3786	175	164	3775
COATBRIDGE,	43,290	44,100	70	61	131	128	3	29	36	32	68	1	3	70
MOTHERWELL	40,380	41,600	62	53	115	112	3	45	23	16	39	0	3	42
KIRKCALDY	39,601	40,800	46	41	87	81	6	41	27	43	70	0	5	75
HAMILTON,	38,644	38,600	55	52	107	98	9	31	26	34	60	5	7	62
CLYDEBANK,	37,548	44,600	51	40	91	89	2	37	35	25	60	4	9	65
KILMARNOCK,	34,728	36,900	40	33	73	70	3	44	29	34	63	7	2	58
FALKIRK,	33,574	34,300	31	31	62	59	3	35	37	27	64	5	6	65
AYR,	32,986	33,600	31	34	65	62	3	33	31	25	56	4	2	54
Total (Sixteen Towns)	2,246,033	2,345,500	2615	2485	5100	4752	348	2272	2098	2168	4266	201	201	4266

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES in the Principal Towns, JANUARY 1915.

TOWNS	Birth-Rate per 1000 of Population.	Illegitimate Birth-Rate per 100 Births.	Marriage-Rate per 1000 of Population.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuberculosis.	Phthisis.	All Respiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncorrected.	Corrected.						
GLASGOW, .	27·4	6·3	12·3	22·3	22·2	2·6	1·9	1·5	6·7	380	151
EDINBURGH, .	20·0	9·1	10·1	18·8	18·3	1·3	1·4	1·1	3·8	64	112
DUNDEE, . .	24·8	7·8	10·9	28·0	27·8	6·0	2·3	1·9	7·0	72	189
ABERDEEN, .	21·8	13·4	10·9	23·2	23·6	2·4	1·6	1·1	4·6	62	182
PAISLEY, . .	27·0	7·0	11·1	19·7	19·9	1·9	1·1	0·5	5·0	26	129
LEITH, . .	25·5	1·7	9·2	16·0	17·1	1·2	1·9	0·9	3·5	30	169
GREENOCK, .	29·7	5·1	10·4	24·4	24·4	1·7	2·0	1·1	6·0	41	192
PERTH, . .	16·6	18·0	11·3	19·6	18·6	0·3	1·0	1·0	6·0	9	153
TOTAL . . (EIGHT TOWNS)	25·3	7·2	11·5	22·0	21·9	2·5	1·8	1·3	5·9	684	153
COATBRIDGE, .	35·0	2·3	7·7	18·2	18·7	0·5	1·6	0·8	5·3	17	145
MOTHERWELL,	32·6	2·6	12·8	11·1	11·9	1·7	0·6	0·0	2·8	12	111
KIRKCALDY, .	25·1	6·9	11·8	20·2	21·6	0·6	1·7	1·4	6·6	11	128
HAMILTON, .	32·6	8·4	9·5	18·3	18·9	0·3	1·2	0·3	6·7	9	81
CLYDEBANK, .	24·1	2·2	9·8	15·9	17·2	1·9	1·1	0·8	5·8	23	207
KILMARNOCK,	23·3	4·1	14·1	20·1	18·5	1·6	0·6	0·6	4·2	10	132
FALKIRK, . .	21·3	4·8	12·0	22·0	22·3	0·3	1·4	1·0	7·9	14	189
AYR, . . .	22·8	4·6	11·6	19·6	18·9	0·7	1·8	1·4	3·2	9	125
TOTAL . . (SIXTEEN TOWNS)	25·6	6·8	11·4	21·4	21·4	2·3	1·7	1·3	5·8	789	151

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR JANUARY 1915, and for the Corresponding Month of the Preceding Ten Years, in the PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth-rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature. (Eight Towns only.)
					Enteric Fever.	Smallpox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria and Croup.	Diarrhœa (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
JAN. 1915, .	**25·6**	**6·8**	**11·4**	**21·4**	**12**	**0**	**32**	**53**	**261**	**53**	**49**	**151**	**37°·6**
JAN. 1914, .	26·7	7·5	12·2	20·4	4	0	183	45	29	65	47	151	38°·7
JAN. 1913, .	28·1	7·2	10·8	18·9	8	0	13	22	174	46	49	133	37°·6
JAN. 1912, .	26·7	6·3	11·6	18·5	14	0	205	33	72	53	38	132	37°·5
JAN. 1911, .	25·9	8·1	11·0	17·4	12	0	7	21	78	42	47	119	39°·9
JAN. 1910, .	25·8	7·3	10·4	19·6	15	0	208	26	26	38	55	140	36°·4
JAN. 1909, .	28·1	7·3	10·2	19·4	9	0	5	19	147	39	50	138	39°·0
JAN. 1908, .	29·2	6·8	11·3	25·0	12	2	359	18	116	32	–	173	37°·8
JAN. 1907, .	29·1	7·8	10·8	22·1	18	0	33	12	88	32	–	140	38°·5
JAN. 1906, .	29·9	6·8	12·1	20·2	7	0	128	9	28	41	–	141	40°·2
JAN. 1905, .	29·3	7·4	11·6	21·8	17	1	52	11	176	23	–	151	39°·8

For all years up to and including 1911, figures are for Eight only of the Principal Towns.
Figures in Columns 5–13 have, for 1913 and subsequent years, been corrected for non-resident deaths

CAUSES OF DEATH (corrected for Transfers).

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—January 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	12	–	–	–	2	3	1	2	1	3	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	32	6	22	3	–	1	–	–	–	–	–	–
Scarlet Fever	53	5	30	12	5	1	–	–	–	–	–	–
Whooping-cough	261	90	163	7	1	–	–	–	–	–	–	–
Diphtheria and Croup	53	3	35	7	3	1	–	–	1	1	2	–
Influenza	23	1	–	–	–	–	4	–	2	5	1	10
Erysipelas	15	2	–	–	–	1	–	–	3	3	4	2
Phthisis, Pulmonary Tuberculosis	250	–	8	5	6	51	67	55	35	19	3	1
Tuberculous Meningitis	40	14	14	8	3	1	–	–	–	–	–	–
Abdominal Tuberculosis	31	6	10	3	4	3	2	2	–	1	–	–
Other Tuberculous Diseases	22	–	5	3	4	4	–	3	2	–	1	–
Cancer, Malignant Disease	205	–	1	–	–	1	7	22	37	64	43	30
Rheumatic Fever	20	–	–	2	5	5	3	3	1	1	–	–
Meningitis	51	16	21	4	–	6	–	1	2	1	–	–
Organic Heart Disease	344	–	1	4	7	12	21	17	48	71	94	69
Bronchitis	532	104	47	4	1	4	8	19	35	91	104	115
Pneumonia (all forms)	528	135	143	11	3	15	20	28	38	51	49	35
Other Diseases of Respiratory Organs	91	15	16	–	2	6	3	5	6	14	13	11
Diarrhœa and Enteritis (under 2 years)	49	38	11	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	12	–	–	1	1	4	3	1	–	2	–	–
All Liver Diseases (not Malignant)	23	–	–	–	–	–	–	5	3	9	4	2
Other Diseases of Digestive System (under 2 years)	20	16	4	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	117	1	6	2	–	2	7	12	20	28	24	15
Puerperal Sepsis	8	–	–	–	–	1	4	3	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	27	–	–	–	–	1	17	9	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	250	246	1	1	–	1	1	–	–	–	–	–
Violent Deaths, excluding Suicide	135	11	16	7	3	11	9	19	16	18	13	12
Suicide	4	–	–	–	–	–	–	–	1	3	–	–
Other Defined Diseases	961	75	35	12	7	21	37	64	87	147	219	257
Diseases Ill-defined or Unknown	97	5	8	–	–	1	2	6	13	29	21	12
All Causes	4266	789	597	96	57	157	216	276	351	561	595	571

GLASGOW—January 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	10	–	–	–	1	3	1	2	–	3	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	4	–	2	1	–	1	–	–	–	–	–	–
Scarlet Fever	29	2	15	8	3	1	–	–	–	–	–	–
Whooping-cough	158	53	101	3	1	–	–	–	–	–	–	–
Diphtheria and Croup	17	1	9	2	3	–	–	–	–	1	1	–
Influenza	12	–	–	–	–	–	2	–	2	2	–	6
Erysipelas	10	1	–	–	–	1	–	–	2	–	4	2
Phthisis, Pulmonary Tuberculosis	133	–	7	3	3	21	34	33	19	10	2	1
Tuberculous Meningitis	17	5	6	2	3	1	–	–	–	–	–	–
Abdominal Tuberculosis	14	3	4	3	2	2	–	–	–	–	–	–
Other Tuberculous Diseases	11	–	4	–	2	3	–	1	–	–	1	–
Cancer, Malignant Disease	78	–	–	–	–	1	3	9	16	24	14	11
Rheumatic Fever	8	–	–	2	1	2	1	2	–	–	–	–
Meningitis	29	8	15	3	–	3	–	–	–	–	–	–
Organic Heart Disease	137	–	–	3	2	7	11	8	19	30	35	22
Bronchitis	278	52	31	4	1	3	4	11	21	51	52	48
Pneumonia (all forms)	275	70	75	6	2	8	13	13	21	28	23	16
Other Diseases of Respiratory Organs	61	13	13	–	2	2	3	3	5	6	6	8
Diarrhœa and Enteritis (under 2 years)	22	17	5	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	9	–	–	–	1	4	3	1	–	–	–	–
All Liver Diseases (not Malignant)	9	–	–	–	–	–	–	3	–	4	2	–
Other Diseases of Digestive System (under 2 years)	10	7	3	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	59	1	4	2	–	2	3	6	10	11	15	5
Puerperal Sepsis	6	–	–	–	–	–	3	3	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	11	–	–	–	–	1	7	3	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	114	112	1	–	–	–	1	–	–	–	–	–
Violent Deaths, excluding Suicide	59	3	6	2	1	4	3	12	9	6	7	6
Suicide	1	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases	393	30	15	8	4	6	15	31	39	63	78	104
Diseases Ill defined or Unknown	60	2	7	–	–	1	2	5	10	18	10	5
All Causes	2034	380	323	52	32	77	109	146	174	257	250	234

CAUSES OF DEATH (corrected for Transfers).

EDINBURGH—January 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	1	–	–	–	–	–	–	–	1	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	3	1	2	–	–	–	–	–	–	–	–	–
Whooping-cough	12	5	6	1	–	–	–	–	–	–	–	–
Diphtheria and Croup	16	–	14	2	–	–	–	–	–	–	–	–
Influenza	4	–	–	–	–	–	1	–	–	2	1	–
Erysipelas	2	1	–	–	–	–	–	–	–	1	–	–
Phthisis, Pulmonary Tuberculosis	31	–	–	1	–	6	10	7	2	5	–	–
Tuberculous Meningitis	1	–	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	4	1	–	–	1	–	–	1	–	1	–	–
Other Tuberculous Diseases	4	–	1	–	–	–	–	1	2	–	–	–
Cancer, Malignant Disease	44	–	–	–	–	–	3	1	9	15	9	7
Rheumatic Fever	3	–	–	–	–	1	1	1	–	–	–	–
Meningitis	3	3	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	64	–	–	–	1	2	4	1	11	10	19	16
Bronchitis	41	3	1	–	–	–	–	1	2	4	14	16
Pneumonia (all forms)	55	9	11	2	–	1	6	2	3	6	9	6
Other Diseases of Respiratory Organs	9	–	–	–	–	–	–	1	–	5	2	1
Diarrhœa and Enteritis (under 2 years)	5	5	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	5	–	–	–	–	–	–	–	–	2	1	2
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	21	–	1	–	–	–	–	2	3	3	5	7
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	26	24	–	1	–	1	–	–	–	–	–	–
Violent Deaths, excluding Suicide	22	2	2	2	–	2	1	2	4	3	2	2
Suicide	1	–	–	–	–	–	–	–	–	1	–	–
Other Defined Diseases	124	9	4	–	–	6	5	6	14	15	36	29
Diseases Ill-defined or Unknown	7	–	–	–	–	–	–	–	–	1	5	1
All Causes	510	64	42	10	2	19	32	26	51	74	103	87

DUNDEE—January 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	
Measles	24	4	18	2	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	57	12	43	2	–	–	–	–	–	–	–	–
Diphtheria and Croup	2	–	1	–	–	–	–	–	–	–	1	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	1	–	–	–
Phthisis, Pulmonary Tuberculosis	29	–	–	–	2	8	9	1	5	3	1	–
Tuberculous Meningitis	4	1	2	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	2	1	–	–	–	–	–	1	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	12	–	–	–	–	–	1	2	–	4	2	3
Rheumatic Fever	1	–	–	–	–	–	1	–	–	–	–	–
Meningitis	2	–	–	–	–	2	–	–	–	–	–	–
Organic Heart Disease	39	–	–	–	2	1	2	3	6	7	13	5
Bronchitis	55	9	5	–	–	1	1	2	5	6	10	16
Pneumonia (all forms)	48	8	20	–	1	3	1	1	5	4	3	2
Other Diseases of Respiratory Organs	3	–	–	–	–	–	–	–	–	1	1	1
Diarrhœa and Enteritis (under 2 years)	7	4	3	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	–	–	–	–	–	1	–	–
All Liver Diseases (not Malignant)	4	–	–	–	–	–	–	1	–	2	1	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	7	–	1	–	–	–	–	–	–	6	–	–
Puerperal Sepsis	1	–	–	–	–	1	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	5	–	–	–	–	–	2	3	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	24	24	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	6	2	2	–	–	–	–	–	–	–	1	1
Suicide	1	–	–	–	–	–	–	–	–	1	–	–
Other Defined Diseases	78	4	4	–	–	–	3	2	5	10	23	27
Diseases Ill-defined or Unknown	4	2	–	–	–	–	–	–	1	1	–	–
All Causes	418	72	99	5	5	16	20	16	28	46	56	55

CAUSES OF DEATH (corrected for Transfers).

ABERDEEN—January 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	9	1	6	1	1	–	–	–	–	–	–	–
Whooping-cough	8	3	4	1	–	–	–	–	–	–	–	–
Diphtheria and Croup	11	1	6	2	–	1	–	–	1	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	1	–	–	–	–	–	–	–	–	1	–	–
Phthisis, Pulmonary Tuberculosis	16	–	1	1	–	4	3	4	2	1	–	–
Tuberculous Meningitis	4	2	2	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	–	–	1	1	–	–	–	–	–	–	–
Cancer, Malignant Disease	19	–	–	–	–	–	–	2	4	4	5	4
Rheumatic Fever	3	–	–	–	2	–	–	–	1	–	–	–
Meningitis	2	–	–	–	–	–	–	1	–	1	–	–
Organic Heart Disease	20	–	–	–	–	–	–	2	2	3	7	6
Bronchitis	30	6	1	–	–	–	–	–	–	4	9	10
Pneumonia (all forms)	32	7	3	1	–	2	–	4	–	4	5	6
Other Diseases of Respiratory Organs	3	–	–	–	–	1	–	–	1	1	–	–
Diarrhœa and Enteritis (under 2 years)	4	4	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	1	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	4	3	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	14	–	–	–	–	–	2	1	4	4	2	1
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	3	–	–	–	–	–	2	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	16	16	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	12	2	1	–	–	–	3	–	–	3	2	1
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	106	17	2	1	–	3	6	4	9	13	18	33
Diseases Ill-defined or Unknown	6	–	–	–	–	–	–	–	1	1	2	2
All Causes	330	62	29	9	4	11	16	19	26	40	50	64

PAISLEY—January 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	1	–	–	–	1	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	1	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	8	–	5	2	1	–	–	–	–	–	–	–
Whooping-cough	2	–	2	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	1	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	–	1	–	–
Phthisis, Pulmonary Tuberculosis	4	–	–	–	–	1	–	1	2	–	–	–
Tuberculous Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	2	–	1	–	1	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	–	1	–	–	–	–	–	–	–
Cancer, Malignant Disease	9	–	–	–	–	–	–	3	1	1	2	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	13	–	–	–	–	–	2	–	1	4	2	4
Bronchitis	20	1	1	–	–	–	1	3	1	8	2	3
Pneumonia (all forms)	13	4	2	–	–	–	–	3	–	2	2	–
Other Diseases of Respiratory Organs	4	–	1	–	–	2	–	–	–	–	–	1
Diarrhœa and Enteritis (under 2 years)	2	1	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	13	13	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	4	–	2	–	–	1	1	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	46	5	2	1	1	1	1	–	1	6	13	15
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	148	26	18	3	5	5	6	10	6	23	21	25

LEITH—January 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	2	1	1	–	–	–	–	–	–	–	–	–
Whooping-cough	4	3	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	–	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	6	–	–	–	–	2	2	2	–	–	–	–
Tuberculous Meningitis	3	3	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	4	1	1	–	–	–	2	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	5	–	–	–	–	–	–	1	–	2	1	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	12	–	–	1	–	–	–	–	–	2	5	4
Bronchitis	11	2	–	–	–	–	–	2	–	3	2	2
Pneumonia (all forms)	12	4	5	–	–	–	–	1	1	–	1	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	1	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	–	–	1	–	1	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	3	1	–	–	–	–	–	2	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	1	–	–
Other Defined Diseases	36	6	1	–	–	–	2	3	3	10	7	4
Diseases Ill-defined or Unknown	4	–	–	–	–	–	–	–	1	2	–	1
All Causes	117	30	9	2	–	2	6	13	6	21	16	12

GREENOCK—January 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	1	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	–	1	–	–	–	–	–	–	–	–
Whooping-cough	5	4	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	7	–	–	–	–	1	5	1	–	–	–	–
Tuberculous Meningitis	4	2	2	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	1	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	8	–	–	–	–	–	–	1	–	4	2	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	4	2	1	1	–	–	–	–	–	–	–	–
Organic Heart Disease	23	–	–	–	2	1	–	2	2	7	4	5
Bronchitis	23	10	2	–	–	–	–	–	–	4	2	5
Pneumonia (all forms)	15	4	4	–	–	1	–	1	1	2	2	–
Other Diseases of Respiratory Organs	2	–	1	–	–	1	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	2	1	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	–	–	–	1	–	–	1
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	16	16	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	10	–	1	2	–	1	1	–	3	2	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	29	–	2	–	–	–	–	3	1	5	9	9
Diseases Ill-defined or Unknown	3	–	–	–	–	–	–	–	–	3	–	–
All Causes	162	41	18	5	2	5	6	9	8	28	19	21

PERTH—January 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever		–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	3	–	–	–	–	–	2	–	1	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	4	–	–	–	–	–	–	–	1	2	–	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	7	–	–	–	–	1	–	–	1	1	2	2
Bronchitis	8	2	1	–	–	–	–	–	–	2	1	2
Pneumonia (all forms)	9	3	2	–	–	–	–	–	–	2	2	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	–	–	–	1	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	–	–	–	–	–	1	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	15	–	–	1	–	1	–	3	–	2	3	5
Diseases Ill-defined or Unknown	2	–	–	–	–	–	–	–	–	1	1	–
All Causes	56	9	4	1	–	2	2	3	3	11	11	10

COATBRIDGE—January 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	3	–	–	–	–	3	–	–	–	–	–	–
Tuberculous Meningitis	3	–	–	3	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	–	2	–	1	–
Rheumatic Fever	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis	2	–	2	–	–	–	–	–	–	–	–	–
Organic Heart Disease	5	–	1	–	–	–	–	–	2	1	–	1
Bronchitis	7	–	1	–	–	–	–	–	1	2	1	2
Pneumonia (all forms)	12	5	6	–	–	–	–	–	–	–	1	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Enteritis (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	–	–	–	–	–	1	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	–	1	–	–	–
Puerperal Sepsis	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	8	8	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	1	1	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	14	–	1	–	1	–	–	1	1	3	6	1
Diseases Ill-defined or Unknown	3	1	1	–	–	–	–	1	–	–	–	–
All Causes	70	17	13	3	1	4	1	3	7	7	10	4

MOTHERWELL—January 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	5	3	2	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	1	–	2	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	1	–	–
Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	1	–	–	–	–	–	–	1	–	–	–	–
Bronchitis	4	2	–	–	–	–	–	–	–		1	1
Pneumonia (all forms)	6	4	1	–	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	–	–	–	1	1	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	–	–	–	1	–	–	–	1	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	10	–	–	–	–	–	1	4	1	1	1	2
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	–	–	1
All Causes	42	12	5	–	–	2	1	7	2	6	2	5

KIRKCALDY—January 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	1	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	5	–	–	–	–	2	–	2	1	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	4	–	1	–	–	–	–	–	1	1	1	–
Rheumatic Fever	1	–	–	–	1	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	6	–	–	–	–	–	1	–	–	–	4	1
Bronchitis	16	5	1	–	–	–	–	–	3	2	4	1
Pneumonia (all forms)	7	2	3	–	–	–	–	–	–	–	1	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	–	1	–	–	–	1	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	–	–	–	–	–	1	–	–	–	1
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	25	2	1	–	1	–	–	2	1	6	4	8
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	–	–	1
All Causes	75	11	8	–	2	3	3	5	6	9	15	13

HAMILTON—January 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	1	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	1	–	–	–	–	–	–	–	1	–	–	–
Tuberculous Meningitis	2	–	1	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	1	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	–	1	1	–
Rheumatic Fever	2	–	–	–	1	1	–	–	–	–	–	–
Meningitis	2	–	2	–	–	–	–	–	–	–	–	–
Organic Heart Disease	3	–	–	–	–	–	–	–	1	–	2	–
Bronchitis	10	3	1	–	–	–	–	–	–	1	2	3
Pneumonia (all forms)	11	2	4	–	–	–	–	3	2	–	–	–
Other Diseases of Respiratory Organs	1	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	–	–	–	–	2	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	6	–	1	–	1	2	–	–	–	1	–	1
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	13	–	1	–	–	–	–	2	2	4	1	3
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	–	1	–
All Causes	62	9	11	2	2	3	1	5	6	9	7	7

CLYDEBANK—January 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	6	4	2	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	3	–	–	–	–	1	–	2	–	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	–	–	–	–	1	–	–	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	1	–	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	2	–	–	–	–	–	–	–	–	1	1	–
Bronchitis	10	5	1	–	–	–	1	–	2	1	–	–
Pneumonia (all forms)	10	4	4	–	–	–	–	–	2	–	–	–
Other Diseases of Respiratory Organs	2	1	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	1	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	3	–	–	–	–	–	3	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	8	8	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	1	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	13	–	1	1	–	–	3	–	2	–	4	2
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	–	1	–
All Causes	65	23	9	1	1	1	8	3	8	2	7	2

KILMARNOCK—January 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	3	3	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	2
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	2	–	–	–	–	–	–	1	1	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	5	–	–	–	–	–	–	1	1	1	2	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	–	–	–	–	–	–	–	1	–	–	–
Organic Heart Disease	5	–	–	–	–	–	–	–	2	2	–	1
Bronchitis	10	2	1	–	–	–	1	–	–	2	–	4
Pneumonia (all forms)	3	2	–	–	–	–	–	–	–	1	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	3	–	–	1	–	–	–	–	–	1	1	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	19	–	–	–	–	1	–	–	3	5	6	4
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	–	1	–
All Causes	58	10	2	1	–	1	1	2	8	12	10	11

FALKIRK—January 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	3	–	–	–	–	1	1	1	–	–	–	–
Tuberculous Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	–	–	1	2	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	–	–	–	–	1	–	–	–	–	–	–
Organic Heart Disease	5	–	–	–	–	–	1	–	1	1	–	2
Bronchitis	7	2	–	–	–	–	–	–	–	–	4	1
Pneumonia (all forms)	15	5	2	2	–	–	–	–	3	1	–	2
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	–	–	–	1	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	21	–	1	–	–	1	1	2	3	2	5	6
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	1	–	–
All Causes	65	14	3	2		3	3	4	7	7	11	11

CAUSES OF DEATH (corrected for Transfers).

AYR—January 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	1	–	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	1	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	4	–	–	–	1	1	1	–	1	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	4	–	–	–	–	–	–	1	1	2	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	2	–	1	–	–	–	–	–	1	–	–	–
Organic Heart Disease	2	–	–	–	–	–	–	–	–	2	–	–
Bronchitis	2	–	–	–	–	–	–	–	–	1	–	1
Pneumonia (all forms)	5	2	1	–	–	–	–	–	–	1	–	1
Other Diseases of Respiratory Organs	2	–	–	–	–	–	–	–	–	–	2	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	3	–	–	–	–	–	–	2	–	–	–	1
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	–	–	–	1	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	19	2	–	–	–	2	–	1	2	2	5	5
Diseases Ill-defined or Unknown	2	–	–	–	–	–	–	–	–	1	–	1
All Causes	54	9	4	–	1	3	1	5	5	9	7	10

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth,

During the Month of January 1915.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-Level and 32°.	AIR TEMPERATURE. Mean of Maximum (A).	AIR TEMPERATURE. Mean of Minimum (B.)	AIR TEMPERATURE. Mean of A and B (Mean Temperature).	AIR TEMPERATURE. Difference from Average	AIR TEMPERATURE. Absolute Maximum and Minimum. Maximum	Day of Month.	Minimum.	Day of Month.	HYGROMETER. Mean at 9 A.M. and 9 P.M. Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	RAIN, AND OTHER FORMS OF PRECIPITATION. Number of Days.	Total Fall.	Difference from Average.	WIND DIRECTIONS. Number of Observations at 9 A.M. and 9 P.M. N	NE	E	SE	S	SW	W	NW	Calm or Variable.
	feet.	inch.	inch.	°		°	°	°		°			°	inch.	per cent.		inch.	inch.									
GLASGOW, Professor L. Becker, Ph.D., F.R.S.E.	184	29·282	29·490	41·7	34·5	38·1	−0·3	51	13th	28	24th	38·0	1·6	·197	86	19	2·26	−1·57	4	3	10	2	7	10	22	4	0
EDINBURGH, Professor R. A. Sampson, F.R.S.	441	29·013	29·498	41·1	34·9	38·0	+0·6	51	13th	30	10th	37·6	2·0	·188	83	16	1·22	−0·68	0	0	1	5	4	19	17	9	7
DUNDEE, John Carnochan, Curator of Cemeteries.	164	29·283	29·469	40·4	32·0	36·2	−0·4	51	13th	25	10th	35·8	0·8	·195	93	14	1·94	−0·33	2	3	0	8	1	27	6	15	0
ABERDEEN,* The Meteorological Office.	90	29·344	29·446	41·4	34·3	37·9	+0·2	49	13, 14, 19	26	11th	37·9	1·0	·209	92	13	3·22	+1·04	2	0	1	5	12	12	13	12	5
PAISLEY, The Coats Observatory.	107	29·376	29·497	42·1	33·9	38·0	−0·9	51	13th	26	24th	38·0	1·5	·199	87	18	2·74	−1·99	2	0	0	3	4	8	13	13	19
Leith,† James Bolam, Navigation School.	76	29·399	29·485	41·6	35·1	38·4	−0·5	52	13th	28	10th	39·0	1·7	·205	86	16	1·32	−0·67	2	2	2	6	4	10	26	10	0
GREENOCK,† Daniel Macalister, C.E., Greenock Waterworks.	233	29·225	29·495	42·6	32·9	37·8	−0·9	51	13th	27	24, 25,	38·7	1·2	·212	91	19	5·60	−2·30	0	2	0	20	0	14	12	14	0
PERTH, Henry Coates, F.R.S.E., The Museum.	82	29·386	29·480	41·3	31·3	36·3	−1·0	51	13, 14	23	26th	35·4	1·4	·180	87	14	2·22	−0·77	9	2	3	8	3	10	14	12	1
Means	172	29·289	29·483	41·5	33·6	37·6	−0·4	..	..	..	..	37·6	1·4	·198	88	16	2·57	−0·91	3	2	2	7	4	14	15	11	4

North Latitude.—Glasgow, 55° 51′; Edinburgh, 55° 55′; Dundee, 56° 28′; Aberdeen, 57° 9′; Paisley, 55° 51′; Leith, 55° 58′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 11′.
West Longitude.—Glasgow, 4° 13′; Edinburgh, 3° 11′; Dundee, 2° 57′; Aberdeen, 2° 7′; Paisley, 4° 27′; Leith, 3° 8′; Greenock, 4° 46′; Perth, 3° 25′; Mean, 3° 32′.

* At King's College, at 7 A.M. and 6 P.M. † At 9 A.M. only.

FOR OFFICIAL USE.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN SIXTEEN OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

FEBRUARY 1915.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by
J. SKINNER & Co., Ltd., Thistle Street.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of February 1915 there were registered in the Sixteen Principal Towns of Scotland, those burghs which at the date of the 1911 Census had populations of over 30,000, the births of 4708 living children, of whom 2423 were male, and 2285 female. The male children of the month are 192 fewer than those of January, and the female children are 200 fewer. The total children of the month are 392 fewer than those of January, 216 less than the mean of the numbers of the three preceding months, and 103 fewer than those of February of last year. The equivalent annual birth-rate is 26·2 per thousand of the estimated aggregate population of these towns, which is 0·6 more than that of the previous month, and 0·9 more than the mean of those of the three preceding months, but is 1·2 less than that of the corresponding month of last year. In the individual towns the birth-rate of the month ranged from 36·6 in Greenock, 35·2 in Coatbridge, 34·3 in Clydebank, and 33·3 in Motherwell, to 20·2 in Perth, 20·8 in Edinburgh, and 21·2 in Kilmarnock. In Hamilton this rate was 30·1; in Glasgow, 27·1; in Aberdeen, 27·1; in Leith, 26·6; in Ayr, 25·6; in Dundee, 24·0; in Kirkcaldy, 22·7; in Paisley, 22·0; and in Falkirk, 22·0.

Of the 4708 children registered, 4391, or 93·3 per cent., were legitimate, while 317, or 6·7 per cent., were illegitimate. The illegitimate children of the month are 31 fewer than those of January, 40 less than the mean of the numbers of the three preceding months, and 33 less than that of the corresponding month of last year. The illegitimate rate of the month is 0·1 less than that of January, 0·5 less than the mean of those of the three preceding months, and 0·6 less than that of February of last year. In the individual towns the illegitimate rate of the month varied from 14·5 in Perth, 10·8 in Aberdeen, 9·2 in Edinburgh, and 9·1 in Ayr, to 1·7 in Coatbridge, 2·8 in Motherwell, and 3·3 in Kilmarnock. In Dundee this rate was 7·4; in Glasgow, 6·8; in Hamilton, 4·5; in Leith, 4·3; in Kirkcaldy, 4·2; in Paisley, 4·1; in Greenock, 4·1; in Clydebank, 3·4; and in Falkirk, 3·4.

Marriages registered numbered 1187. They are 1085 fewer than registered in January, and 696 less than the mean of the numbers registered in the three preceding months, but 52 more than registered in February of last year. The

equivalent annual marriage-rate is 6·6 per thousand, which is 4·8 less than in January, 3·1 less than the mean of those of the three preceding months, but is 0·1 more than that of February of last year. In the individual towns the marriage-rate of the month ranged from 7·9 in Aberdeen, and 7·8 in Edinburgh, and in Ayr, to 2·7 in Falkirk, 2·8 in Motherwell, and 3·0 in Coatbridge. In Kilmarnock this rate was 7·1; in Glasgow, 7·0; in Hamilton, 6·8; in Leith, 6·3; in Paisley, 5·8; in Dundee, 5·4; in Kirkcaldy, 5·1; in Greenock, 5·0; in Clydebank, 4·7; and in Perth, 4·4.

Deaths registered in these towns numbered 4119, 2036 being of males, and 2083 of females. The deaths registered include those of 211 non-residents, while the deaths of 205 residents of these towns were registered elsewhere in Scotland, and the difference, 6, falls to be deducted from the registered number to obtain the corrected number, which is thus found to be 4113. The corrected number of deaths of the month is 153 less than that of the previous month, but is 426 more than the mean of those of the three preceding months, and 1074 more than that of the corresponding month of last year. The death-rate of the month is 22·9 per thousand, which is 1·5 more than that of the previous month, 3·9 more than the mean of those of the three preceding months, and 5·6 more than that of the corresponding month of last year.

In the individual towns the corrected death-rate of the month ranged from 36·2 in Dundee, 29·8 in Perth, and 25·5 in Leith, to 13·5 in Clydebank, 16·2 in Paisley, 16·5 in Hamilton, and 17·3 in Motherwell. In Greenock this rate was 24·9; in Ayr, 24·9; in Kirkcaldy, 24·6; in Falkirk, 24·3; in Aberdeen, 23·3; in Coatbridge, 23·1; in Glasgow, 22·0; in Kilmarnock, 21·9; and in Edinburgh, 20·6.

Of the 4113 deaths, 1486, or 36·1 per cent., were of children of less than five years old; 1614, or 39·3 per cent., were of persons of more than five but less than sixty-five; and 1013, or 24·6 per cent., were of persons of over sixty-five. Compared with the returns of the previous month deaths under five are 100 more, but those between five and sixty-five are 100 fewer, and those over sixty-five are 153 fewer. Compared with the returns of February of last year, deaths under five are 441 more, those over five but under sixty-five are 367 more, and those over sixty-five are 266 more.

Deaths of children of less than one year old numbered 889. They are 100 more than in the previous month, 157 more than the mean of the numbers of the three preceding months, and 245 more than in February of last year. The equivalent infantile mortality rate is 189 per thousand of the average number of births registered monthly in these towns during the preceding twelve months, which rate is 38 more than that of January, 48 more than the mean of those of the three preceding months, and 49 more than that of February of last year. In the individual towns this rate ranged from 390 in Dundee, 302 in Perth, 288 in Falkirk, and 276 in Kirkcaldy, to 80 in Hamilton, 111 in Paisley, and 129 in Clydebank. In Leith this rate was 252; in Kilmarnock, 250; in Aberdeen, 215; in Ayr, 185; in Motherwell, 184; in Edinburgh, 183; in Greenock, 173; in Glasgow, 159; and in Coatbridge, 150.

Deaths from the principal epidemic diseases, namely, enteric fever, measles, scarlet fever, whooping-cough, diphtheria, and the diarrhœas of childhood, numbered 544, and are 84 more than in the previous month, 157 more than the mean of the numbers of the three preceding months, and 212 more than in February of last year. The monthly death-rate from these causes is 3·0 per thousand, which is 0·7 more than that of the previous month, 1·0 more than the mean of those of the three preceding months, and 1·1 more than that of February of last year. In the individual towns this rate varied from 9·6 in Dundee, and 3·5 in Greenock and in Motherwell, to 0·6 in Kirkcaldy, and 0·9 in Coatbridge. In Glasgow this rate

was 3·2; in Kilmarnock, 3·2; in Clydebank, 2·9; in Paisley, 2·1; in Hamilton, 2·0; in Falkirk, 1·9; in Leith, 1·6; in Ayr, 1·6; in Edinburgh, 1·5; in Perth, 1·5; and in Aberdeen, 1·3.

Deaths from enteric fever numbered 7; from measles, 45; from scarlet fever, 47; from whooping-cough, 354; from diphtheria, 39; and from the diarrhœas of childhood, 52. Compared with the returns of the previous month, deaths from whooping-cough are 93 more, from measles 13 more, and from the diarrhœas of childhood 3 more, but those from diphtheria are 14 fewer, from scarlet fever 6 fewer, and from enteric fever 5 fewer.

No deaths from either typhus fever or from small-pox were registered in these towns during the month. Deaths from malignant disease numbered 185; from rheumatic fever, 15; from meningitis (not tuberculous), 41; from organic heart disease, 305; from puerperal sepsis, 12; and from violent causes, 140, of which 8 were attributed to suicide.

Deaths from pneumonia numbered 541, constituted 13·2 per cent. of the total deaths of the month, and are equal to an annual death-rate of 3·0 per thousand. They are 13 more than registered in these towns during January, and 197 more than during February of last year. Deaths from bronchitis numbered 537, constituted 13·1 per cent. of the total of the month, and are equal to an annual death-rate of 3·0 per thousand. These deaths are 5 more than in January, and 297 more than in February of last year.

Deaths from all forms of tuberculous disease numbered 367, constituted 8·9 per cent. of the total, and are equal to an annual death-rate of 2·0 per thousand. These deaths are 24 more than in January, and 58 more than in February of last year. Of them 257 were ascribed to phthisis, a number which is 7 more than in January, and 70 more than in February of last year. The phthisis death-rate of the month was 1·4 per thousand, which is 0·1 more than that of January, and 0·3 more than that of February of last year. In the individual towns the phthisis death-rate of the month varied from 3·5 in Ayr, 2·1 in Coatbridge, and 1·9 in Leith, to 0 in Falkirk, and 0·3 in Motherwell, in Kirkcaldy, in Hamilton, and in Clydebank. In Kilmarnock this death-rate was 1·8; in Dundee, 1·7; in Aberdeen, 1·7; in Glasgow, 1·5; in Perth, 1·5; in Edinburgh, 1·3; in Paisley, 1·0; and in Greenock, 0·7.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. Watt, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

FEBRUARY 1915.

Mean barometric pressure, 29·447 in.; less than the average of 1856–1905 by 0·415 in.

Mean temperature, 38°·3; less by 0°·4.

Mean daily range of temperature, 9°·1; less by 0°·6.

Rain, number of days, 21; greater by 6 days.

Rain, depth in inches, 4·67; greater by 1·76 in.

Wind, direction of: a 4 days' excess of winds from S. and S.W.

Hence the month was characterised by an abnormally low mean pressure; a slightly low mean temperature, with a slightly low mean daily range; a very high mean rainfall; and an excess of southerly and south-westerly winds.

The mean pressure of 29·447 in. was as much as 0·415 in. below the normal, and since observations were first organized in 1856, lower mean values for the month of February have been recorded only in 1914 (29·436 in.) and in 1910 (29·380 in.). It is noteworthy that in December and in January also pressure had been abnormally low. The most important fluctuations of the barometer occurred on 1st and 2nd;

(8228). Wt 22/598. 1150. 3/15. J.S.&Co., Ltd Group 4/11

on 7th; on 16th and 17th, when there was a fall of more than $\frac{3}{4}$ in. in 24 hours; and on 26th. At Leith, at sea-level, pressure reached 30 in. only on 16th and from 24th to 26th, the extremes there being 30·32 in. on the evening of 25th, and 28·79 in. on the morning of 19th.

The mean temperature was 38°·3, or 0°·4 below the normal, the result being due entirely to a deficiency in the day temperature. At Aberdeen and Paisley there was a trifling excess. The first few days of the month were very mild, but thereafter there were various incursions of wintry weather, especially from about 12th to 17th; on 23rd and 24th; and on 28th. At the chief towns the extremes were 53° at Edinburgh and Perth on 3rd, and 23° at Edinburgh, Greenock, and Perth on 24th. On both 23rd and 24th temperature at Aberdeen and Edinburgh did not rise above 35°, and at Braemar the thermometer in screen fell to 12° on the night of 15th-16th.

The mean rainfall was 4·67 in., or 60 per cent. above the normal. Towards the north-west amounts were at places below the normal, and in the Edinburgh area there was only a trifling excess, whilst in the southern counties, and in various inland and eastern districts to the north of the Forth, there was a very large excess. Thus Dundee, Perth, Crieff and Dumfries had at least twice the normal, and Braemar nearly thrice the normal. Heavy falls were more or less general from 1st to 3rd (1·79 in. at Greenock on 1st); from 5th to 7th (fully 1 in. at Greenock and at Dundee on 7th); on 16th and 17th; on 26th (1·72 in. at Greenock and 1·59 in. at Paisley). At Edinburgh the heaviest daily amount was only 0·31 in. on 11th and 26th. After the first few days much of the precipitation took the form of snow and sleet.

Gales of considerable violence occurred from 3rd to 6th, on 17th, and on 26th. Snow fell heavily in various districts from 7th to 12th, on 17th, on 23rd, and at the end of the month a snowstorm of considerable intensity was general. In hilly districts there was much interruption of traffic. Hail occurred at times, and a thunderstorm at various places on the afternoon of 17th.

Flooding occurred in the Tay area and elsewhere during the first week or so, and at the end of the month.

TABLE I. ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES in the Principal Towns, February 1915.

Towns.	Population.		Births.					Marriages.	Deaths.					
	Census. 1911.	Estimated to middle of 1915.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.	Out.	In.	Total Corrected.
GLASGOW,	1,008,487	1,078,400	1133	1110	2243	2091	152	580	912	929	1841	79	55	1817
EDINBURGH,	320,769	328,700	288	236	524	476	48	196	263	280	543	73	49	519
DUNDEE,	176,085	177,300	175	151	326	302	24	73	231	259	490	6	8	492
ABERDEEN,	163,891	164,800	193	150	343	306	37	100	141	136	277	11	28	294
PAISLEY,	84,455	87,700	69	79	148	142	6	39	51	55	106	3	6	109
LEITH,	80,601	80,500	89	75	164	157	7	39	75	69	144	3	16	157
GREENOCK,	75,140	78,100	107	112	219	210	9	30	72	81	153	7	3	149
PERTH,	35,854	35,500	26	29	55	47	8	12	43	48	91	10	0	81
Total (Eight Towns)	1,945,282	2,031,000	2080	1942	4022	3731	291	1069	1788	1857	3645	192	165	3618
COATBRIDGE,	43,290	44,100	60	59	119	117	2	10	33	39	72	0	6	78
MOTHERWELL	40,380	41,600	52	54	106	103	3	9	26	29	55	1	1	55
KIRKCALDY	39,601	40,800	37	34	71	68	3	16	42	32	74	2	5	77
HAMILTON,	38,644	38,600	43	46	89	85	4	20	19	22	41	1	9	49
CLYDEBANK,	37,548	44,600	63	54	117	113	4	16	24	11	35	0	11	46
KILMARNOCK,	34,728	36,900	23	37	60	58	2	20	35	30	65	6	3	62
FALKIRK,	33,574	34,300	27	31	58	56	2	7	35	28	63	3	4	64
AYR,	32,986	33,600	38	28	66	60	6	20	34	35	69	6	1	64
Total (Sixteen Towns)	2,246,033	2,345,500	2423	2285	4708	4391	317	1187	2036	2083	4119	211	205	4113

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES in the Principal Towns, February 1915.

TOWNS.	Birth-Rate per 1000 of Population.	Illegitimate Birth-Rate per 100 Births.	Marriage-Rate per 1000 of Population.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuberculosis.	Phthisis.	All Respiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncorrected.	Corrected.						
GLASGOW, .	27·1	6·8	7·0	22·3	22·0	3·2	2·1	1·5	5·8	361	159
EDINBURGH, .	20·8	9·2	7·8	21·6	20·6	1·5	1·9	1·3	6·3	94	183
DUNDEE, . .	24·0	7·4	5·4	36·1	36·2	9·6	2·3	1·7	10·1	133	390
ABERDEEN, .	27·1	10·8	7·9	21·9	23·3	1·3	2·0	1·7	6·5	67	215
PAISLEY, . .	22·0	4·1	5·8	15·8	16·2	2·1	1·9	1·0	4·5	20	111
LEITH, . .	26·6	4·3	6·3	23·3	25·5	1·6	2·6	1·9	7·0	40	252
GREENOCK, .	36·6	4·1	5·0	25·5	24·9	3·5	1·3	0·7	5·7	34	173
PERTH, . .	20·2	14·5	4·4	33·5	29·8	1·5	2·6	1·5	11·8	16	302
TOTAL . . (EIGHT TOWNS)	25·8	7·2	6·9	23·4	23·2	3·2	2·1	1·5	6·4	765	190
COATBRIDGE, .	35·2	1·7	3·0	21·3	23·1	0·9	2·7	2·1	5·6	16	150
MOTHERWELL,	33·3	2·8	2·8	17·3	17·3	3·5	0·6	0·3	5·0	18	184
KIRKCALDY, .	22·7	4·2	5·1	23·6	24·6	0·6	1·3	0·3	9·3	21	276
HAMILTON, .	30·1	4·5	6·8	13·8	16·5	2·0	0·7	0·3	5·4	8	80
CLYDEBANK, .	34·3	3·4	4·7	10·2	13·5	2·9	0·6	0·3	4·4	13	129
KILMARNOCK,	21·2	3·3	7·1	23·0	21·9	3·2	2·5	1·8	4·2	17	250
FALKIRK, . .	22·0	3·4	2·7	23·9	24·3	1·9	1·1	0·0	9·1	19	288
AYR, . . .	25·6	9·1	7·8	26·8	24·9	1·6	4·7	3·5	5·4	12	185
TOTAL . . (SIXTEEN TOWNS)	26·2	6·7	6·6	22·9	22·9	3·0	2·0	1·4	6·4	889	189

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR FEBRUARY 1915, and for the Corresponding Month of the Preceding Ten Years, in the PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth-rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature. (Eight Towns only.)
					Enteric Fever.	Smallpox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria and Croup.	Diarrhœa (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
FEB. 1915, .	**26·2**	**6·7**	**6·6**	**22·9**	**7**	**0**	**45**	**47**	**354**	**39**	**52**	**189**	**38°·3**
FEB. 1914, .	27·4	7·3	6·5	17·3	5	0	169	33	24	52	49	140	42°·8
FEB. 1913, .	26·5	8·1	5·4	20·1	8	0	21	10	196	34	42	140	40°·3
FEB. 1912, .	26·1	6·4	5·4	20·5	10	0	252	12	62	56	51	148	39°·3
FEB. 1911, .	26·1	8·0	5·9	21·2	6	0	18	22	155	36	35	145	39°·7
FEB. 1910, .	27·0	7·5	5·7	19·3	11	0	169	26	27	43	28	122	39°·1
FEB. 1909, .	27·8	7·9	5·1	21·0	12	0	9	19	173	44	40	148	38°·9
FEB. 1908, .	27·5	7·9	5·8	23·1	14	3	202	22	98	32	–	164	41°·3
FEB. 1907, .	28·1	7·2	6·2	22·7	12	0	18	8	109	37	–	142	37°·1
FEB. 1906, .	28·8	7·2	6·3	19·5	13	0	107	10	27	21	–	121	36°·6
FEB. 1905, .	28·2	7·3	6·3	19·2	16	0	21	5	107	25	–	136	40°·1

For all years up to and including 1911, figures are for Eight only of the Principal Towns.
Figures in Columns 5–13 have, for 1913 and subsequent years, been corrected for non-resident deaths

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—February 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	7	–	–	–	1	1	4	1	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	45	14	29	2	–	–	–	–	–	–	–	–
Scarlet Fever	47	3	22	18	4	–	–	–	–	–	–	–
Whooping-cough	354	144	200	10	–	–	–	–	–	–	–	–
Diphtheria and Croup	39	5	24	5	–	3	1	–	–	1	–	–
Influenza	26	2	–	–	–	1	2	6	1	2	2	10
Erysipelas	11	1	–	–	–	1	1	1	4	1	2	–
Phthisis, Pulmonary Tuberculosis	257	2	8	5	13	45	54	70	35	18	5	2
Tuberculous Meningitis	49	11	21	9	3	4	–	1	–	–	–	–
Abdominal Tuberculosis	27	5	8	4	2	1	2	1	3	1	–	–
Other Tuberculous Diseases	34	1	12	3	5	2	4	–	3	2	1	1
Cancer, Malignant Disease	185	–	–	–	–	4	4	13	35	57	45	27
Rheumatic Fever	15	–	–	5	–	3	3	–	1	2	1	–
Meningitis	41	12	12	5	2	2	–	3	3	–	2	–
Organic Heart Disease	305	4	1	2	4	16	15	25	48	63	76	51
Bronchitis	537	116	25	6	1	4	8	19	42	84	128	104
Pneumonia (all forms)	541	168	141	5	7	16	20	26	45	49	38	26
Other Diseases of Respiratory Organs	67	10	10	–	–	1	3	4	1	14	14	10
Diarrhœa and Enteritis (under 2 years)	52	42	10	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	19	–	1	3	–	5	4	1	2	3	–	–
All Liver Diseases (not Malignant)	20	–	1	–	–	–	–	2	2	6	6	3
Other Diseases of Digestive System (under 2 years)	28	19	9	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	98	4	1	2	1	3	5	11	18	20	25	8
Puerperal Sepsis	12	–	–	–	–	2	5	5	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	20	–	–	–	–	3	10	7	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	218	217	–	1	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	132	11	19	6	3	15	15	24	14	10	7	8
Suicide	8	–	–	–	–	2	1	2	1	1	1	–
Other Defined Diseases	827	90	33	10	9	17	31	57	77	123	190	190
Diseases Ill-defined or Unknown	*92	8	10	–	–	1	4	3	13	22	18	12
All Causes	*4113	889	597	101	55	152	196	282	348	479	561	452

GLASGOW—February 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	4	–	–	–	–	1	3	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	14	5	9	–	–	–	–	–	–	–	–	–
Scarlet Fever	23	1	11	10	1	–	–	–	–	–	–	–
Whooping-cough	185	70	109	6	–	–	–	–	–	–	–	–
Diphtheria and Croup	15	2	11	–	–	1	–	–	–	1	–	–
Influenza	4	–	–	–	–	1	–	–	1	–	1	1
Erysipelas	3	–	–	–	–	1	–	–	2	–	–	–
Phthisis, Pulmonary Tuberculosis	127	1	4	2	7	26	23	35	18	9	2	–
Tuberculous Meningitis	23	4	9	6	2	2	–	–	–	–	–	–
Abdominal Tuberculosis	13	2	4	3	1	–	1	1	1	–	–	–
Other Tuberculous Diseases	14	1	4	–	3	–	3	–	1	1	–	1
Cancer, Malignant Disease	75	–	–	–	–	2	2	5	16	26	16	8
Rheumatic Fever	8	–	–	4	–	–	3	–	1	–	–	–
Meningitis	19	5	8	2	–	2	–	1	–	–	1	–
Organic Heart Disease	115	2	1	2	3	8	8	10	20	22	22	17
Bronchitis	227	35	14	2	1	3	7	13	22	36	57	37
Pneumonia (all forms)	229	63	61	2	4	7	9	14	23	26	12	8
Other Diseases of Respiratory Organs	27	5	7	–	–	–	1	2	1	6	3	2
Diarrhœa and Enteritis (under 2 years)	20	14	6	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	13	–	–	3	–	4	3	–	1	2	–	–
All Liver Diseases (not Malignant)	8	–	–	–	–	–	–	–	2	1	3	2
Other Diseases of Digestive System (under 2 years)	19	15	4	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	59	2	1	2	1	2	1	10	8	13	12	7
Puerperal Sepsis	5	–	–	–	–	1	2	2	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	11	–	–	–	–	1	7	3	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	90	89	–	1	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	62	5	8	2	2	6	7	12	12	4	2	2
Suicide	5	–	–	–	–	2	–	2	1	–	–	–
Other Defined Diseases	350	34	15	5	5	8	13	26	43	56	82	63
Diseases Ill defined or Unknown	50	6	7	–	–	–	3	2	12	9	8	3
All Causes	1817	361	293	52	30	78	96	138	185	212	221	151

* Including 1 of unstated age.

CAUSES OF DEATH (corrected for Transfers).

EDINBURGH—February 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
nteric Fever	1	–	–	–	–	–	–	1	–	–	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
mall-pox	–	–	–	–	–	–	–	–	–	–	–	–
Ieasles	2	1	1	–	–	–	–	–	–	–	–	–
carlet Fever	4	1	3	–	–	–	–	–	–	–	–	–
Vhooping-cough	19	7	12	–	–	–	–	–	–	–	–	–
iphtheria and Croup	7	–	3	3	–	–	1	–	–	–	–	–
nfluenza	6	1	–	–	–	–	1	2	–	–	–	2
rysipelas	–	–	–	–	–	–	–	–	–	–	–	–
hthisis, Pulmonary Tuberculosis	33	–	–	1	1	6	7	9	3	5	–	1
uberculous Meningitis	4	2	–	2	–	–	–	–	–	–	–	–
bdominal Tuberculosis	6	1	2	–	–	1	1	–	1	–	–	–
ther Tuberculous Diseases	6	–	3	1	–	–	–	–	–	1	1	–
ancer, Malignant Disease	36	–	–	–	–	1	–	3	4	9	10	9
heumatic Fever	2	–	–	–	–	1	–	–	–	–	1	–
Ieningitis	3	2	–	–	1	–	–	–	–	–	–	–
rganic Heart Disease	49	1	–	–	–	–	1	2	7	17	13	8
ronchitis	74	15	4	1	–	–	–	1	5	13	16	19
neumonia (all forms)	72	23	9	–	2	3	3	5	7	6	7	7
ther Diseases of Respiratory Organs	13	4	–	–	–	1	–	1	–	1	4	2
iarrhœa and Enteritis (under 2 years)	4	4	–	–	–	–	–	–	–	–	–	–
ppendicitis and Typhlitis	3	–	–	–	–	1	1	1	–	–	–	–
ll Liver Diseases (not Malignant)	4	–	1	–	–	–	–	–	–	1	1	1
ther Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Iephritis and Bright's Disease	10	–	–	–	–	–	1	–	3	1	4	1
uerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
ther Diseases & Accidents of Pregnancy & Parturition	2	–	–	–	–	–	1	1	–	–	–	–
ongenital Debility and Malformation, including Premature Birth	18	18	–	–	–	–	–	–	–	–	–	–
iolent Deaths, excluding Suicide	15	3	1	1	–	3	1	1	1	–	1	3
uicide	3	–	–	–	–	–	1	–	–	1	1	–
ther Defined Diseases	117	10	4	1	1	2	4	12	13	16	30	24
iseases Ill-defined or Unknown	5	–	–	–	–	–	–	–	1	1	1	2
All Causes	519	94	43	10	5	19	23	39	45	72	90	79

DUNDEE—February 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
nteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
mall-pox	–	–	–	–	–	–	–	–	–	–	–	
Ieasles	27	6	19	2	–	–	–	–	–	–	–	–
carlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Vhooping-cough	89	36	53	–	–	–	–	–	–	–	–	–
iphtheria and Croup	6	2	3	–	–	1	–	–	–	–	–	–
nfluenza	4	–	–	–	–	–	–	2	–	–	–	2
rysipelas	2	–	–	–	–	–	1	–	–	–	1	–
hthisis, Pulmonary Tuberculosis	23	–	1	–	1	5	4	7	2	1	2	–
uberculous Meningitis	4	1	2	–	–	1	–	–	–	–	–	–
bdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
ther Tuberculous Diseases	3	–	–	1	–	2	–	–	–	–	–	–
ancer, Malignant Disease	13	–	–	–	–	–	–	–	2	5	3	3
heumatic Fever	1	–	–	1	–	–	–	–	–	–	–	–
Ieningitis	3	–	2	–	–	–	–	–	1	–	–	–
rganic Heart Disease	34	–	–	–	–	2	4	4	4	8	5	7
ronchitis	63	15	2	1	–	–	–	2	4	8	15	16
neumonia (all forms)	70	18	28	1	1	1	4	1	3	4	4	5
ther Diseases of Respiratory Organs	4	–	–	–	–	–	–	1	–	–	2	1
iarrhœa and Enteritis (under 2 years)	8	8	–	–	–	–	–	–	–	–	–	–
ppendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
ll Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
ther Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–
Iephritis and Bright's Disease	5	1	–	–	–	–	–	–	1	2	1	–
uerperal Sepsis	3	–	–	–	–	–	2	1	–	–	–	–
ther Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
ongenital Debility and Malformation, including Premature Birth	30	30	–	–	–	–	–	–	–	–	–	–
iolent Deaths, excluding Suicide	12	1	3	1	–	1	1	1	–	2	1	1
uicide	–	–	–	–	–	–	–	–	–	–	–	–
ther Defined Diseases	79	15	5	–	2	2	2	3	3	8	20	19
iseases Ill-defined or Unknown	7	–	–	–	–	–	–	–	–	2	4	1
All Causes	492	133	120	7	4	15	18	22	20	40	58	55

ABERDEEN—February 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	1	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	8	–	3	4	1	–	–	–	–	–	–	–
Whooping-cough	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	3	–	3	–	–	–	–	–	–	–	–	–
Influenza	5	1	–	–	–	–	–	–	–	–	1	3
Erysipelas	1	–	–	–	–	–	–	–	–	1	–	–
Phthisis, Pulmonary Tuberculosis	22	–	–	1	3	1	7	4	4	1	1	–
Tuberculous Meningitis	2	1	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	1	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	25	–	–	–	–	–	1	1	6	4	8	5
Rheumatic Fever	1	–	–	–	–	–	–	–	–	1	–	–
Meningitis	3	–	–	1	–	–	–	2	–	–	–	–
Organic Heart Disease	22	–	–	–	1	1	–	1	1	3	11	4
Bronchitis	41	20	–	1	–	–	–	–	1	3	11	5
Pneumonia (all forms)	37	13	7	2	–	2	2	–	1	3	5	2
Other Diseases of Respiratory Organs	4	1	1	–	–	–	–	–	–	–	2	–
Diarrhœa and Enteritis (under 2 years)	4	3	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	–	–	–	–	–	1	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	3	–	–	–	–	–	–	–	2	1	–	–
Puerperal Sepsis	2	–	–	–	–	–	–	2	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	17	17	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	10	1	1	–	–	–	–	5	1	–	–	2
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	77	7	2	–	–	2	4	3	3	15	12	29
Diseases Ill-defined or Unknown	2	1	–	–	–	–	–	–	–	–	–	1
All Causes	294	67	21	9	5	6	14	18	19	33	51	51

PAISLEY—February 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	2	–	2	–	–	–	–	–	–	–	–	–
Whooping-cough	5	2	3	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	3	–	1	2	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	7	–	–	–	–	–	3	1	3	–	–	–
Tuberculous Meningitis	2	–	1	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	3	–	1	1	1	–	–	–	–	–	–	–
Cancer, Malignant Disease	4	–	–	–	–	–	–	1	–	1	2	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	2	1	–	–	1	–	–	–	–	–	–	–
Organic Heart Disease	11	–	–	–	–	1	1	1	–	2	4	2
Bronchitis	16	2	–	–	–	–	1	1	1	2	4	5
Pneumonia (all forms)	11	4	4	–	–	–	–	–	1	–	2	–
Other Diseases of Respiratory Organs	3	–	–	–	–	–	–	–	–	1	1	1
Diarrhœa and Enteritis (under 2 years)	4	4	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	–	–	1	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	25	1	2	1	–	–	1	1	1	4	9	5
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	–	–	1
All Causes	109	20	14	6	2	1	7	6	6	11	22	14

LEITH—February 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	4	2	2	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	–	–	–	1	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	1	–	–	–	–	–	–	1	–	–	–	–
Phthisis, Pulmonary Tuberculosis	12	–	–	–	1	3	2	4	1	–	–	1
Tuberculous Meningitis	2	1	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	–	–	–	–	–	1	–	1	–	–	–
Cancer, Malignant Disease	4	–	–	–	–	–	–	1	1	–	1	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	20	–	–	–	–	1	1	2	3	3	8	2
Bronchitis	21	8	–	1	–	1	–	–	–	4	4	3
Pneumonia (all forms)	18	8	7	–	–	–	–	–	1	1	1	–
Other Diseases of Respiratory Organs	4	–	–	–	–	–	1	–	–	1	2	–
Diarrhœa and Enteritis (under 2 years)	5	3	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	3	2	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	5	–	–	–	–	–	1	–	2	–	2	–
Puerperal Sepsis	2	–	–	–	–	1	1	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	11	11	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	–	–	–	–	1	1	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	33	5	1	2	–	1	–	4	4	4	6	6
Diseases Ill-defined or Unknown	5	–	1	–	–	–	1	–	–	1	1	1
All Causes	157	40	15	3	1	8	10	13	13	14	25	15

GREENOCK—February 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	1	–	–	–	1	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	2	–	1	1	–	–	–	–	–	–	–	–
Whooping-cough	16	6	9	1	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	1	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	1	–	–	–
Phthisis, Pulmonary Tuberculosis	4	–	–	–	–	–	–	3	1	–	–	–
Tuberculous Meningitis	2	–	2	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	1	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	1	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	8	–	–	–	–	1	1	1	–	2	2	1
Rheumatic Fever	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis	6	2	–	2	–	–	–	–	1	–	1	–
Organic Heart Disease	8	–	–	–	–	1	–	1	2	1	2	1
Bronchitis	13	1	1	–	–	–	–	–	1	6	1	3
Pneumonia (all forms)	16	6	5	–	–	1	–	1	–	1	1	1
Other Diseases of Respiratory Organs	5	–	1	–	–	–	–	–	–	3	–	1
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	5	–	–	–	–	–	–	–	–	4	1	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	1	–	–	–	–	–	–	–	1	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	2	–	–	–	–	1	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	14	14	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	5	–	–	1	–	1	1	1	–	–	1	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	25	1	2	–	1	1	–	1	1	2	4	12
Diseases Ill-defined or Unknown	7	–	–	–	–	1	–	–	–	5	1	–
All Causes	149	34	23	5	2	8	3	9	7	25	14	19

PERTH—February 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	1	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	3	2	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	1	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	4	–	–	–	–	–	2	1	–	1	–	–
Tuberculous Meningitis	2	–	2	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	–	1	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	–	2	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	–	–	–	–	–	–	–	1	–	–	–
Organic Heart Disease	7	–	–	–	–	–	–	–	1	–	1	5
Bronchitis	11	2	1	–	–	–	–	–	1	2	1	4
Pneumonia (all forms)	17	8	2	–	–	–	–	1	1	2	2	1
Other Diseases of Respiratory Organs	4	–	–	–	–	–	–	–	–	2	–	2
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	3	–	–	–	–	1	–	1	–	1	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	20	–	–	–	–	–	1	2	2	2	5	8
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	1	–	–
All Causes	81	16	6	–	1	1	4	5	6	13	9	20

COATBRIDGE—February 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	1	–	–	–	–	–	1	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	7	–	1	–	–	2	2	–	1	1	–	–
Tuberculous Meningitis	1	–	–	–	1	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	–	1	–	–	–	–	–	–	–
Cancer, Malignant Disease	5	–	–	–	–	–	–	–	2	3	–	–
Rheumatic Fever	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	7	–	–	–	–	1	–	1	1	1	2	1
Bronchitis	13	1	–	–	–	–	–	2	3	4	3	–
Pneumonia (all forms)	5	2	1	–	–	–	–	–	1	1	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Enteritis (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	–	1	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	1	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	–	1	–	–	–	–	–	–	1	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	21	5	1	–	–	1	2	1	1	5	3	2
Diseases Ill-defined or Unknown	3	–	1	–	–	–	–	–	–	1	1	–
All Causes	78	16	4	1	2	6	5	4	10	16	10	4

MOTHERWELL—February 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	11	6	4	1	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	1	–	–	–	–	–	1	–	–	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	–	–	–	–	–	–	1	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	4	–	–	–	–	–	–	–	1	2	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	1	–	–	–	–	–	–	–	1	–	–	–
Bronchitis	10	3	–	–	–	–	–	–	1	3	3	–
Pneumonia (all forms)	6	3	–	–	–	–	–	2	–	1	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	3	–	–	–	–	–	–	–	–	1	2	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	–	–	–	–	–	–	–	1	1	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	12	3	–	–	–	–	–	–	1	3	3	2
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	–	1	–
All Causes	55	18	4	1	–	–	1	2	4	12	11	2

KIRKCALDY—February 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	1	–	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	1	–	1
Erysipelas	1	1	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	1	–	–	–	–	–	–	1	–	–	–	–
Tuberculous Meningitis	1	–	–	–	–	–	–	1	–	–	–	–
Abdominal Tuberculosis	2	1	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	1	–	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	8	–	–	–	–	–	–	1	–	–	5	2
Bronchitis	19	8	2	–	–	–	–	–	–	1	3	5
Pneumonia (all forms)	10	2	5	–	–	–	–	–	1	1	1	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	1	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	1	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	18	3	1	–	–	–	–	–	1	3	6	4
Diseases Ill-defined or Unknown	3	1	1	–	–	–	–	–	–	–	1	–
All Causes	77	21	13	–	–	–	1	4	3	6	17	12

CAUSES OF DEATH (corrected for Transfers).

HAMILTON—February 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	2	-	1	1	-	-	-	-	-	-	-	-
Whooping-cough	2	-	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	1	-	-	-	-	-	-	1	-	-	-	-
Erysipelas	2	-	-	-	-	-	-	-	1	-	1	-
Phthisis, Pulmonary Tuberculosis	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis	1	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	2	-	-	-	-	-	-	1	-	1	-	-
Rheumatic Fever	1	-	-	-	-	-	-	-	-	1	-	-
Meningitis	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease	3	-	-	-	-	-	-	-	1	1	-	1
Bronchitis	9	1	1	-	-	-	-	-	-	-	4	3
Pneumonia (all forms)	6	2	3	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	1	-	-	-	-	-
Diarrhœa and Enteritis (under 2 years)	2	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	1	-	1	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	3	-	-	-	-	-	1	-	1	1	-	-
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	2	-	-	-	-	1	1	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	5	1	-	-	-	-	1	-	-	-	3	-
Diseases Ill-defined or Unknown	-	-	-	-	-	-	-	-	-	-	-	-
All Causes	49	8	10	1	-	2	4	3	4	4	9	4

CLYDEBANK—February 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	2	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough	6	4	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculous Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	1	-	-	-	-	-	-	-	1	-	-	-
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	2	-	-	-	-	-	-	-	1	1	-	-
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease	3	-	-	-	-	-	-	1	2	-	-	-
Bronchitis	3	-	-	-	-	-	-	-	-	-	1	2
Pneumonia (all forms)	11	3	4	-	-	2	-	1	-	-	1	-
Other Diseases of Respiratory Organs	1	-	1	-	-	-	-	-	-	-	-	-
Diarrhœa and Enteritis (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	3	-	2	-	-	-	-	1	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	6	-	-	-	-	-	1	-	1	-	2	2
Diseases Ill-defined or Unknown	1	-	-	-	-	-	-	1	-	-	-	-
All Causes	46	13	9	1	-	2	1	5	6	1	4	4

KILMARNOCK—February 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	–	1	–	–	–	–	–	–	–	–
Whooping-cough	8	4	2	2	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	5	–	1	1	–	–	1	2	–	–	–	–
Tuberculous Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	–	–	–	–	–	1	–	–	–
Cancer, Malignant Disease	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	5	–	–	–	–	1	–	1	1	1	1	–
Bronchitis	8	2	–	–	–	–	–	–	1	2	3	–
Pneumonia (all forms)	4	2	1	–	–	–	–	–	–	–	1	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	4	–	–	–	–	1	–	1	–	–	2	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	4	1	1	–	1	–	1	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	15	2	–	1	–	–	1	2	1	2	2	4
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	–	–	1
All Causes	62	17	5	5	1	2	3	6	4	5	9	5

FALKIRK—February 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	3	–	1	–	2	–	–	–	–	–	–	–
Whooping-cough	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis	3	1	2	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	–	1	1	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	5	–	–	–	–	–	–	–	3	2	–	–
Bronchitis	5	2	–	–	–	–	–	–	–	–	1	2
Pneumonia (all forms)	19	7	3	–	–	–	1	1	3	1	1	2
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases of Digestive System (under 2 years)	2	1	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	–	–	–	1	1	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	15	3	–	–	–	–	–	2	–	2	2	6
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	64	19	8	–	2	1	2	4	7	6	5	10

CAUSES OF DEATH (corrected for Transfers).

AYR—February 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	3	3	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	9	1	1	–	–	2	2	2	1	–	–	–
Tuberculous Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	–	2	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease	7	1	–	–	–	–	–	–	1	2	2	1
Bronchitis	4	1	–	–	–	–	–	–	2	–	1	–
Pneumonia (all forms)	10	4	1	–	–	–	1	–	2	2	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	–	–	–	–	1	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	–	–	–	–	–	2	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	6	–	2	–	–	1	–	1	–	2	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	9	–	–	–	–	–	1	–	2	1	1	4
Diseases Ill-defined or Unknown	*5	–	–	–	–	–	–	–	–	2	–	2
All Causes	*64	12	9	–	–	3	4	4	9	9	6	7

* Including 1 of unstated age.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth,

During the Month of February 1915.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-Level and 32°.	AIR TEMPERATURE. Mean of Maximum (A).	AIR TEMPERATURE. Mean of Minimum (B.)	AIR TEMPERATURE. Mean of A and B (Mean Temperature).	AIR TEMPERATURE. Difference from Average	AIR TEMPERATURE. Absolute Maximum and Minimum. Maximum	Day of Month.	Minimum.	Day of Month.	HYGROMETER. Mean at 9 A.M. and 9 P.M. Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	RAIN, AND OTHER FORMS OF PRECIPITATION. Number of Days.	Total Fall.	Difference from Average.	WIND DIRECTIONS. Number of Observations at 9 A.M. and 9 P.M. N	NE	E	SE	S	SW	W	NW	Calm or Variable.
	feet.	inch.	inch.	°		°	°	°		°			°	inch.	per cent.		inch.	inch.									
GLASGOW, Professor L. Becker, Ph.D., F.R.S.E.	184	29·226	29·433	42·8	34·9	38·9	−0·1	51	3, 4	26	24th	38·1	1·6	·198	86	24	4·15	+1·01	2	4	14	3	9	10	9	5	0
EDINBURGH, Professor R. A. Sampson, F.R.S.	441	28·975	29·461	41·9	34·1	38·0	−0·7	53	3rd	23	24th	37·4	1·9	·187	84	19	1·94	+0·29	3	3	2	11	11	12	8	0	6
DUNDEE, John Carnochan, Curator of Cemeteries.	164	29·268	29·453	42·1	32·5	37·3	−0·4	52	3rd	25	24th	36·6	1·0	·197	91	21	4·48	+2·40	3	5	2	15	0	28	2	1	0
ABERDEEN,* The Meteorological Office.	90	29·344	29·446	43·0	34·1	38·6	+0·5	50	2nd	26	25th	38·1	1·4	·202	88	19	3·58	+1·34	2	1	3	13	12	9	9	6	1
PAISLEY, The Coats Observatory.	107	29·315	29·436	44·2	34·4	39·3	+0·4	52	3rd	25	24th	38·8	1·8	·201	85	23	5·66	+2·05	2	2	2	11	6	14	7	8	4
Leith, † James Bolam, Navigation School.	76	29·369	29·455	42·8	34·7	38·8	−0·9	52	3rd	27	24th	38·8	1·6	·205	87	19	1·78	+0·01	0	2	4	8	4	18	12	4	4
GREENOCK, † Daniel Macalister, C.E., Greenock Waterworks.	233	29·163	29·433	43·3	32·4	37·9	−0·8	52	3rd	23	24th	38·3	1·1	·209	91	22	10·55	+4·36	0	10	8	10	0	10	14	4	0
PERTH, Henry Coates, F.R.S.E., The Museum.	82	29·363	29·456	42·1	32·5	37·3	−0·9	53	3rd	23	1, 24	36·7	1·2	·195	90	18	5·19	+2·61	7	0	10	3	4	19	3	2	8
Means	172	29·253	29·447	42·8	33·7	38·3	−0·4	..	..	..	..	37·9	1·5	·199	88	21	4·67	+1·76	2	3	6	9	6	15	8	4	3

North Latitude.—Glasgow, 55° 51′; Edinburgh, 55° 55′; Dundee, 56° 28′; Aberdeen, 57° 9′; Paisley, 55° 51′; Leith, 55° 58′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 11′.
West Longitude.—Glasgow, 4° 13′; Edinburgh, 3° 11′; Dundee, 2° 57′; Aberdeen, 2° 7′; Paisley, 4° 27′; Leith, 3° 8′; Greenock, 4° 46′; Perth, 3° 25′; Mean, 3° 32′.

* At King's College, at 7 A.M. and 6 P.M. † At 9 A.M. only.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN SIXTEEN OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

MARCH 1915.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by
J. SKINNER & Co., Ltd., Thistle Street.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of March 1915 there were registered in the Sixteen Principal Towns of Scotland, those burghs which at the date of the 1911 Census had populations of over 30,000, the births of 5730 living children, of whom 2955 were male, and 2775 female. The male children registered in March are 532 more than those registered in February, and the female children are 490 more. The total children registered are 1022 more than in February, 397 more than in March of last year, and 810 more than the mean of the numbers in the three preceding months, December, January and February. The equivalent annual birth-rate is 28·8 per thousand of the estimated aggregate population of these towns, which is 2·6 more than that of the previous month, 3·1 more than the mean of those of the three preceding months, and 1·4 more than that of March of last year. In these towns, taken individually, the birth-rate of the month ranged from 46·4 in Hamilton, 33·8 in Clydebank, and 33·3 in Greenock, to 18·3 in Perth, 22·4 in Ayr, and 22·5 in Edinburgh. In Coatbridge the birth-rate of the month was 31·0; in Motherwell, 30·6; in Glasgow, 30·3; in Leith, 29·9; in Kilmarnock, 29·4; in Dundee, 28·2; in Paisley, 28·2; in Kirkcaldy, 28·0; in Aberdeen, 27·7; and in Falkirk, 24·7.

Of the 5730 children registered, 5356, or 93·5 per cent., were legitimate, while 374, or 6·5 per cent., were illegitimate. The illegitimate children of the month are 57 more than those of the preceding month, 36 more than the mean of the numbers of the three preceding months, and 39 more than that of the corresponding month of last year. The illegitimate rate of the month is 0·2 less than that of the previous month, and 0·3 less than the mean of those of the three preceding months, but is 0·2 more than that of March of last year. In the sixteen towns the illegitimate rate of the month ranged from 9·6 in Aberdeen, 9·4 in Ayr, and 9·1 in Perth, to 1·6 in Clydebank, 1·7 in Coatbridge, and 1·9 in Motherwell. In Edinburgh this rate was 8·7; in Falkirk, 8·3; in Kilmarnock, 7·6; in Dundee, 7·5; in Glasgow, 6·7; in Hamilton, 5·3; in Paisley, 4·3; in Kirkcaldy, 4·1; in Leith, 3·4; and in Greenock, 3·2.

Marriages registered numbered 1423. They are 236 more than registered in the previous month, and 136 more than in March of last year, but are 372 less than the mean of the numbers of the three preceding months. The marriage-rate of the month is 7·1 per thousand, which is 0·5 more than that of the previous month, and the same amount more than that of March of last year, but is 1·9 less than the mean of those of the three preceding months. In the individual towns the marriage-rate of the month ranged from 9·6 in Perth, 9·5 in Edinburgh, 8·3 in Aberdeen, and 8·0 in Kilmarnock, to 2·7 in Coatbridge, 3·2 in Clydebank, 3·4 in Hamilton, and 3·7 in Motherwell. In Paisley this rate was 7·8; in Glasgow, 7·4; in Ayr, 6·7; in Kirkcaldy, 5·8; in Falkirk, 5·8; in Leith, 5·6; in Dundee, 5·4; and in Greenock 5·3.

Deaths registered in these towns during the month numbered 4510, 2274 being of males, and 2236 of females. These deaths include those of 253 persons whose usual residence was outwith the towns, but the deaths of 209 residents of these towns were registered elsewhere in Scotland, and the difference, 44, falls to be deducted from the number registered to get the corrected number of deaths of the month, which is thus found to be 4466. The corrected number of deaths of the month is 4466, which is 353 more than that of the previous month, 460 more than the mean of those of the three preceding months, and 1113 more than that of March of last year. The corrected death-rate of the month is 22·4 per thousand, which is 0·5 less than that of February, but is 1·4 more than the mean of those of the three preceding months, and 5·2 more than that of March of last year.

In the individual towns the corrected death-rate of the month ranged from 33·2 per thousand in Dundee, 22·8 in Edinburgh, and 22·7 in Aberdeen, to 15·8 in Coatbridge, and 15·9 in Kirkcaldy and in Clydebank. In Glasgow this rate was 22·3; in Hamilton, 22·0; in Greenock, 21·9; in Kilmarnock, 21·7; in Falkirk, 21·3; in Leith, 19·9; in Paisley, 19·3; in Motherwell, 18·4; in Perth, 18·3; and in Ayr, 17·2.

Of the 4466 deaths registered, 1635, or 36·6 per cent., were of children less than five years old; 1771, or 39·7 per cent., were of persons more than five but less than sixty-five years old; while 1060, or 23·7 per cent., were of persons more than sixty-five years old. Compared with the returns of the previous month deaths of children of less than five are 149 more, those of persons of between five and sixty-five 157 more, and of persons of over sixty-five 47 more. Compared with the returns of March of last year, deaths of children of less than five years old are 602 more, of persons of between five and sixty-five 304 more, and of persons of over sixty-five 207 more.

Deaths of children of less than one year old numbered 921, and are equal to an infantile mortality rate of 176 per thousand of the average number of births registered in these towns monthly during the preceding twelve months. These deaths are 32 more than in the previous month, 105 more than the mean of the numbers of the three preceding months, and 297 more than those of March of last year. This rate is 13 less than that of the previous month, but is 14 more than the mean of those of the three preceding months, and 54 more than that of March of last year. In the individual towns this rate ranged from 343 in Dundee, 205 in Aberdeen, and 196 in Hamilton, to 93 in Motherwell, 95 in Paisley, and 118 in Kirkcaldy. In Perth this rate was 186; in Kilmarnock, 184; in Leith, 174; in Glasgow, 171; in Clydebank, 170; in Ayr, 169; in Edinburgh, 147; in Coatbridge, 144; in Greenock, 125; and in Falkirk, 125.

Deaths from the principal epidemic diseases numbered 667, and included 7 from enteric fever, 110 from measles, 51 from scarlet fever, 418 from whooping-cough, 45 from diphtheria, and 36 from the diarrhœas of childhood. These deaths collectively are 123 more than in the previous month, 205 more than the mean of the numbers of the three preceding months, and 327 more than in March of last

year. The equivalent annual death-rate from these causes is 3·4 per thousand, which is 0·4 more than that of the previous month, 1·0 more than the mean of those of the preceding three months, and 1·7 more than that of March of last year. In the individual towns this death-rate varied from 9·5 in Dundee, 3·8 in Glasgow, and 3·2 in Ayr, to 0·3 in Falkirk, 0·5 in Coatbridge, and 0·9 in Kirkcaldy. In Clydebank this rate was 2·9; in Hamilton, 2·7; in Kilmarnock, 2·6; in Greenock, 2·3; in Edinburgh, 2·1; in Aberdeen, 2·1; in Paisley, 1·7; in Motherwell, 1·4; in Leith, 1·0; and in Perth, 1·0. Compared with the returns of the previous month, deaths from measles are 65 more, from whooping-cough 64 more, from diphtheria 6 more, and from scarlet fever 4 more, but those from enteric fever are of the same number, while those from the diarrhœas of childhood are 16 fewer.

No deaths from small-pox were registered in these towns during the month, but there was one from typhus fever; it occurred in Dundee. Deaths from influenza, uncomplicated, numbered 25; from rheumatic fever, 5; from meningitis (not tuberculous), 42; from heart disease 339; from puerperal septic conditions, 6; from malignant disease, 206; and from violence 143, of which 10 were attributed to suicide.

Deaths from pneumonia numbered 528, and constituted 11·8 per cent. of the total deaths of the month; they are 13 fewer than in the previous month, but 224 more than in March of last year; they are equal to an annual death-rate of 2·7 per thousand. Deaths from bronchitis numbered 443, and constituted 9·9 per cent. of the total of the month. They are 94 fewer than in the previous month, but 187 more than in March of last year; they are equal to an annual death-rate of 2·2 per thousand.

Deaths from all forms of tuberculous disease numbered 450, and constituted 10·1 per cent. of the total deaths of the month. They number 83 more than in February, and 47 more than in March of last year. They are equal to an annual death-rate of 2·3 per thousand. Of these 450 deaths, 308 were ascribed to phthisis, which number is 51 more than in February, and 46 more than in March of last year. The phthisis death-rate of the month was 1·5 per thousand, which is 0·1 more than that of February, and 0·2 more than that of March of last year. In the sixteen towns the phthisis death-rate varied from 2·1 in Paisley, 1·9 in Dundee, and 1·6 in Glasgow, Aberdeen, Coatbridge and Kilmarnock, to 0·5 in Clydebank, 0·7 in Ayr, and 0·9 in Motherwell and in Hamilton. In Leith this death-rate was 1·5; in Edinburgh, 1·4; in Greenock, 1·4; in Kirkcaldy, 1·4; in Falkirk, 1·4; and in Perth, 1·0.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. Watt, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

MARCH 1915.

Mean barometric pressure, 29·952 in.; greater than the average of 1856–1905 by 0·138 in.

Mean temperature, 40°·8; greater by 0°·5.

Mean daily range of temperature, 12°·1; greater by 0°·5.

Rain, number of days, 14; less by 2 days.

Rain, depth in inches, 1·77; less by 0·69 in.

Wind, direction of: a 3 days' excess of winds from between N.W. and N.E.

Hence the month was characterised by a high mean pressure; a slightly high mean temperature, with a slightly high mean daily range; a somewhat low mean rainfall; and an excess of winds from a northerly quarter.

(8297.) Wt.4/607 1150. 4/15. J.S.&Co., Ltd Group 4/11.

The mean pressure of 29·952 in., or 0·138 in. above the normal, was fully half an inch above the mean for February. Pressure was rather low early in the month, and again about 18th; but at Leith, at sea-level, readings above 30 in. were recorded from 7th to 10th, from 12th to 16th, and on 22nd, 25th and 26th. The extremes at that place were 30·45 in. on morning of 9th, and 29·41 in. on morning of 1st.

The mean temperature was 40°·8, or 0°·5 above the normal, the result being due mainly to an excess of the day temperatures. Cold weather for the first two or three days was followed by mild conditions until 16th, with high night readings on 5th and 6th, and day maxima for the month very generally from 12th to 14th. From 17th onwards, with winds, as a rule, from between north-east and north-west, much cold weather was experienced, with lowest readings from 18th to 20th—as low as 11° at Balmoral on the night of 19th. At the chief towns the extremes were 61° at Perth on 14th, and 19°, also at Perth, on 19th.

The mean rainfall was 1·77 in., or 28 per cent. below the normal. In some northern and western districts there was an excess, but as a rule there was a shortage, though this was but slight in north-east and south-east. At Glasgow the aggregate for the month was less than half the normal. From 2nd to 5th rather heavy falls occurred in west and north-west—as much as 1·22 in. at Greenock on 4th; whilst from 6th to 16th dry conditions were interrupted, as a rule, only about 10th. From 17th to 24th falls of snow or rain alternated with dry days, whilst during the last week of the month some districts experienced but trifling precipitation until the night of 31st, though in others snow fell at times.

A considerable snowstorm was in progress at the end of February, and this had spent itself on 1st or 2nd March: two or three days later, with heavy rain and melting snow, rather serious flooding was experienced in Perthshire and Strathspey. On 17th snow commenced to fall heavily in the north, and on 18th a snowstorm of unusual severity for the time of year was general, with a gale from north-east in many districts. Drifting caused considerable interruption to traffic. From 25th to 28th there were various minor snowfalls, especially in north-east and south-east.

TABLE I. ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES in the Principal Towns, March 1915.

TOWNS.	POPULATION.		BIRTHS.					MARRIAGES.	DEATHS.					
	Census. 1911.	Estimated to middle of 1915.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.	Out.	In.	Total Corrected.
GLASGOW,	1,008,487	1,078,400	1435	1335	2770	2585	185	675	1095	982	2077	104	71	2044
EDINBURGH,	320,769	328,700	333	296	629	574	55	264	323	326	649	57	43	635
DUNDEE,	176,085	177,300	222	203	425	393	32	81	234	278	512	19	6	499
ABERDEEN,	163,891	164,800	186	201	387	350	37	116	148	169	317	21	22	318
PAISLEY,	84,455	87,700	108	102	210	201	9	58	70	75	145	6	5	144
LEITH,	80,601	80,500	103	101	204	197	7	38	62	63	125	4	15	136
GREENOCK,	75,140	78,100	113	108	221	214	7	35	82	64	146	7	6	145
PERTH,	35,854	35,500	25	30	55	50	5	29	32	33	65	12	2	55
Total (Eight Towns)	1,945,282	2,031,000	2525	2376	4901	4564	337	1296	2046	1990	4036	230	170	3976
COATBRIDGE,	43,290	44,100	58	58	116	114	2	10	27	28	55	0	4	59
MOTHERWELL	40,380	41,600	60	48	108	106	2	13	30	31	61	0	4	65
KIRKCALDY	39,601	40,800	49	48	97	93	4	20	25	27	52	2	5	55
HAMILTON,	38,644	38,600	77	75	152	144	8	11	31	34	65	3	10	72
CLYDEBANK,	37,548	44,600	69	59	128	126	2	12	26	29	55	3	8	60
KILMARNOCK,	34,728	36,900	44	48	92	85	7	25	33	35	68	6	6	68
FALKIRK,	33,574	34,300	39	33	72	66	6	17	30	37	67	6	1	62
AYR,	32,986	33,600	34	30	64	58	6	19	26	25	51	3	1	49
Total (Sixteen Towns)	2,246,033	2,345,500	2955	2775	5730	5356	374	1423	2274	2236	4510	253	209	4466

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES in the Principal Towns, March 1915.

TOWNS.	Birth-Rate per 1000 of Population.	Illegitimate Birth-Rate per 100 Births.	Marriage-Rate per 1000 of Population.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuberculosis.	Phthisis.	All Respiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncorrected.	Corrected.						
GLASGOW, .	30·3	6·7	7·4	22·7	22·3	3·8	2·3	1·6	5·2	433	171
EDINBURGH, .	22·5	8·7	9·5	23·3	22·8	2·1	2·1	1·4	5·8	85	147
DUNDEE, . .	28·2	7·5	5·4	34·0	33·2	9·5	2·7	1·9	8·3	131	343
ABERDEEN, .	27·7	9·6	8·3	22·7	22·7	2·1	2·2	1·6	4·6	71	205
PAISLEY, . .	28·2	4·3	7·8	19·5	19·3	1·7	2·6	2·1	4·3	19	95
LEITH, . .	29·9	3·4	5·6	18·3	19·9	1·0	2·2	1·5	4·7	31	174
GREENOCK, .	33·3	3·2	5·3	22·0	21·9	2·3	2·3	1·4	4·5	27	125
PERTH, . .	18·3	9·1	9·6	21·6	18·3	1·0	2·7	1·0	4·3	11	186
TOTAL . . (EIGHT TOWNS)	28·4	6·9	7·5	23·4	23·1	3·6	2·3	1·6	5·4	808	180
COATBRIDGE, .	31·0	1·7	2·7	14·7	15·8	0·5	2·9	1·6	4·3	17	144
MOTHERWELL,	30·6	1·9	3·7	17·3	18·4	1·4	1·1	0·9	6·0	10	93
KIRKCALDY, .	28·0	4·1	5·8	15·0	15·9	0·9	1·7	1·4	2·3	10	118
HAMILTON, .	46·4	5·3	3·4	19·8	22·0	2·7	2·1	0·9	4·9	22	196
CLYDEBANK, .	33·8	1·6	3·2	14·5	15·9	2·9	1·1	0·5	2·6	19	170
KILMARNOCK,	29·4	7·6	8·0	21·7	21·7	2·6	2·9	1·6	3·5	14	184
FALKIRK, . .	24·7	8·3	5·8	23·0	21·3	0·3	2·1	1·4	5·8	9	125
AYR, . . .	22·4	9·4	6·7	17·9	17·2	3·2	1·4	0·7	2·5	12	169
TOTAL . . (SIXTEEN TOWNS)	28·8	6·5	7·1	22·7	22·4	3·4	2·3	1·5	5·2	921	176

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR MARCH 1915, and for the Corresponding Month of the Preceding Ten Years, in the PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth-rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature. (Eight Towns only.)
					Enteric Fever.	Smallpox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria and Croup.	Diarrhœa (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
MAR. 1915, .	**28·8**	**6·5**	**7·1**	**22·4**	**7**	**0**	**110**	**51**	**418**	**45**	**36**	**176**	**40° 8**
MAR. 1914, .	27·4	6·3	6·6	17·2	4	1	165	33	44	38	55	122	40°·8
MAR. 1913, .	26·0	7·0	7·8	18·3	9	0	28	19	221	36	73	135	41°·1
MAR. 1912, .	27·1	6·5	4·6	16·3	11	0	205	31	42	32	50	121	43°·4
MAR. 1911, .	28·7	7·9	5·5	18·3	6	0	14	18	146	24	42	123	40°·6
MAR. 1910, .	28·0	7·1	6·6	18·5	9	0	193	20	37	31	49	137	43°·3
MAR. 1909, .	30·7	7·3	5·7	23·9	13	0	7	26	262	39	44	153	37°·3
MAR. 1908, .	28·9	6·6	6·5	21·1	5	1	209	21	94	17	–	146	39°·3
MAR. 1907, .	27·6	7·5	5·7	21·1	16	0	25	3	133	31	–	136	43°·1
MAR. 1906, .	29·7	7·3	5·5	19·6	10	0	113	17	50	29	–	127	39°·6
MAR. 1905, .	31·6	6·7	5·5	19·1	8	0	32	6	117	24	–	129	42°·8

For all years up to and including 1911, figures are for Eight only of the Principal Towns.
Figures in Columns 5–13 have, for 1913 and subsequent years, been corrected for non-resident deaths.

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—March 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	7	–	1	–	1	2	1	2	–	–	–	–
Typhus Fever	1	–	–	–	1	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	110	27	76	6	–	1	–	–	–	–	–	–
Scarlet Fever	51	–	34	11	1	4	–	–	1	–	–	–
Whooping-cough	418	178	230	8	1	–	1	–	–	–	–	–
Diphtheria and Croup	45	5	28	11	–	–	–	1	–	–	–	–
Influenza	25	1	–	–	–	1	–	3	–	5	6	9
Erysipelas	4	1	–	–	–	–	–	–	1	1	1	–
Phthisis, Pulmonary Tuberculosis	308	2	7	8	8	60	71	62	51	29	8	2
Tuberculous Meningitis	59	12	33	5	4	2	1	2	–	–	–	–
Abdominal Tuberculosis	37	5	15	5	4	3	2	2	–	1	–	–
Other Tuberculous Diseases	46	6	7	3	7	7	8	4	2	1	–	1
Cancer, Malignant Disease	206	–	–	–	–	6	7	16	32	61	51	33
Rheumatic Fever	5	–	1	–	1	1	1	–	1	–	–	–
Meningitis	42	15	14	4	1	4	3	–	–	1	–	–
Organic Heart Disease	339	2	1	3	4	21	12	22	45	79	85	65
Bronchitis	443	78	34	3	1	2	10	23	39	66	104	83
Pneumonia (all forms)	528	146	140	10	–	16	23	27	34	49	43	40
Other Diseases of Respiratory Organs	66	16	8	1	1	3	6	2	4	9	10	6
Diarrhœa and Enteritis (under 2 years)	36	28	8	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	16	–	–	1	6	5	2	1	1	–	–	–
All Liver Diseases (not Malignant)	24	–	1	–	–	1	–	3	5	11	2	1
Other Diseases of Digestive System (under 2 years)	30	25	5	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	137	4	1	1	2	4	11	16	31	28	27	12
Puerperal Sepsis	6	–	–	–	–	4	1	1	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	25	–	–	–	–	5	12	8	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	262	260	1	–	1	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	133	12	20	4	2	11	13	17	20	16	10	8
Suicide	10	–	–	–	–	–	1	4	4	1	–	–
Other Defined Diseases	947	88	44	17	15	25	34	64	89	153	197	221
Diseases Ill-defined or Unknown	100	10	5	1	1	1	1	9	11	26	19	16
All Causes	4466	921	714	102	62	189	221	289	371	537	563	497

GLASGOW—March 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	6	–	–	–	1	2	1	2	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	64	14	47	3	–	–	–	–	–	–	–	–
Scarlet Fever	26	–	18	5	–	2	–	–	1	–	–	–
Whooping-cough	219	84	132	2	1	–	–	–	–	–	–	–
Diphtheria and Croup	19	2	14	3	–	–	–	–	–	–	–	–
Influenza	4	1	–	–	–	–	–	–	–	–	2	1
Erysipelas	2	–	–	–	–	–	–	–	1	1	–	–
Phthisis, Pulmonary Tuberculosis	148	–	4	2	4	36	37	27	24	10	4	–
Tuberculous Meningitis	29	5	17	4	1	1	–	1	–	–	–	–
Abdominal Tuberculosis	18	1	7	4	3	2	1	–	–	–	–	–
Other Tuberculous Diseases	16	1	2	2	3	5	1	1	–	1	–	–
Cancer, Malignant Disease	82	–	–	–	–	2	4	9	14	20	23	10
Rheumatic Fever	1	–	–	–	–	–	1	–	–	–	–	–
Meningitis	22	8	8	2	–	3	–	–	–	1	–	–
Organic Heart Disease	134	2	1	2	2	7	7	10	18	37	27	21
Bronchitis	195	31	11	2	1	–	3	15	26	32	49	25
Pneumonia (all forms)	251	67	60	4	–	8	14	14	23	27	20	14
Other Diseases of Respiratory Organs	28	8	6	1	–	1	3	1	1	4	2	1
Diarrhœa and Enteritis (under 2 years)	17	14	3	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	9	–	–	1	4	1	2	–	1	–	–	–
All Liver Diseases (not Malignant)	10	–	–	–	–	–	–	–	3	5	2	–
Other Diseases of Digestive System (under 2 years)	19	14	5	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	58	3	–	–	–	1	4	4	13	13	13	7
Puerperal Sepsis	5	–	–	–	–	3	1	1	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	11	–	–	–	–	3	4	4	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	132	131	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	64	6	9	2	1	4	5	7	13	9	6	2
Suicide	3	–	–	–	–	–	1	1	1	–	–	–
Other Defined Diseases	407	39	22	3	9	13	15	29	46	69	78	84
Diseases Ill defined or Unknown	45	2	2	–	–	1	1	3	8	13	8	7
All Causes	2044	433	369	42	30	95	105	129	193	242	234	172

CAUSES OF DEATH (corrected for Transfers).

EDINBURGH—March 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	1	–	–	–	–	–	–
Scarlet Fever	3	–	1	–	–	2	–	–	–	–	–	–
Whooping-cough	37	15	21	1	–	–	–	–	–	–	–	–
Diphtheria and Croup	13	–	8	5	–	–	–	–	–	–	–	–
Influenza	12	–	–	–	–	1	–	1	–	2	4	4
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	40	–	–	–	1	5	7	8	9	8	1	1
Tuberculous Meningitis	8	1	4	–	1	–	1	1	–	–	–	–
Abdominal Tuberculosis	2	–	–	–	–	–	–	1	–	1	–	–
Other Tuberculous Diseases	9	–	1	1	3	–	2	1	1	–	–	–
Cancer, Malignant Disease	36	–	–	–	–	–	1	3	6	9	11	6
Rheumatic Fever	4	–	1	–	1	1	–	–	1	–	–	–
Meningitis	5	2	1	–	1	–	1	–	–	–	–	–
Organic Heart Disease	64	–	–	–	1	3	2	3	6	17	14	18
Bronchitis	71	13	3	–	–	1	2	2	2	7	13	28
Pneumonia (all forms)	75	14	15	1	–	2	3	6	1	10	13	10
Other Diseases of Respiratory Organs	15	3	–	–	1	1	1	–	2	1	4	2
Diarrhœa and Enteritis (under 2 years)	4	3	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	1	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	8	–	–	–	–	–	–	2	2	3	–	1
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	23	–	–	–	–	–	1	4	7	3	5	3
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	2	–	–	–	–	–	–	2	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	21	20	–	–	1	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	12	–	2	–	1	–	3	1	–	1	2	2
Suicide	2	–	–	–	–	–	–	1	1	–	–	–
Other Defined Diseases	159	14	5	4	3	2	7	10	16	19	31	48
Diseases Ill-defined or Unknown	8	–	1	–	–	–	–	–	–	1	4	2
All Causes	635	85	64	12	15	19	31	46	54	82	102	125

DUNDEE—March 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	1	–	–	–	1	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	
Measles	37	11	24	2	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	104	46	56	2	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	1	–	1
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	29	1	1	3	2	2	4	10	2	3	1	–
Tuberculous Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	3	–	2	–	–	–	–	1	–	–	–	–
Other Tuberculous Diseases	8	2	2	–	–	1	2	–	–	–	–	1
Cancer, Malignant Disease	16	–	–	–	–	–	–	1	2	4	2	7
Rheumatic Fever	–	–	–		–	–	–	–	–	–	–	–
Meningitis	5	3	1	–	–	–	1	–	–	–	–	–
Organic Heart Disease	32	–	–	–	1	2	1	1	6	5	11	5
Bronchitis	47	11	8	–	–	–	2	2	5	3	6	10
Pneumonia (all forms)	71	18	31	2	–	–	3	2	3	2	4	6
Other Diseases of Respiratory Organs	7	1	–	–	–	–	–	1	–	2	2	1
Diarrhœa and Enteritis (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	2	–	–	–	1	1	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	5	5	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	10	–	–	–	–	1	1	–	–	3	5	-
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	1	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	23	23	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	7	2	–	1	–	1	1	–	–	1	–	1
Suicide	1	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases	76	6	–	1	1	2	1	4	7	12	22	20
Diseases Ill-defined or Unknown	8	–	2	–	–	–	–	1	–	1	3	1
All Causes	499	131	128	11	6	11	16	23	26	38	56	53

ABERDEEN—March 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	4	–	3	1	–	–	–	–	–	–	–	–
Scarlet Fever	9	–	6	2	1	–	–	–	–	–	–	–
Whooping-cough	5	4	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	5	1	3	–	–	–	–	1	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	–	–	1	–
Phthisis, Pulmonary Tuberculosis	23	1	–	–	–	3	6	4	4	3	2	–
Tuberculous Meningitis	3	–	2	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	1	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	4	1	1	–	1	–	1	–	–	–	–	–
Cancer, Malignant Disease	20	–	–	–	–	2	–	2	3	7	2	4
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	2	–	2	–	–	–	–	–	–	–	–	–
Organic Heart Disease	42	–	–	–	–	2	–	2	9	8	12	9
Bronchitis	28	4	2	–	–	–	–	1	–	4	13	4
Pneumonia (all forms)	32	16	4	3	–	2	–	2	2	1	–	2
Other Diseases of Respiratory Organs	4	1	1	–	–	–	1	–	–	–	1	–
Diarrhœa and Enteritis (under 2 years)	6	5	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	2	–	–	–	–	2	–	–	–	–	–	–
All Liver Diseases (not Malignant)	2	–	–	–	–	–	–	1	–	1	–	–
Other Diseases of Digestive System (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	5	–	–	–	–	–	–	–	1	2	1	1
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	2	–	–	–	–	–	1	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	19	19	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	11	2	4	–	–	1	–	1	2	–	–	1
Suicide	1	–	–	–	–	–	–	1	–	–	–	–
Other Defined Diseases	79	13	6	–	1	1	2	5	3	14	16	18
Diseases Ill-defined or Unknown	6	1	–	–	1	–	–	–	2	1	1	–
All Causes	318	71	36	7	4	13	11	21	26	41	49	39

PAISLEY—March 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	1	–	1	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	2	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	3	–	3	–	–	–	–	–	–	–	–	–
Whooping-cough	5	4	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	1	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	16	–	1	–	–	9	1	2	2	1	–	–
Tuberculous Meningitis	2	–	2	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	–	–	–	1	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	9	–	–	–	–	–	–	–	3	2	4	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	4	1	1	1	–	–	1	–	–	–	–	–
Organic Heart Disease	5	–	–	–	–	1	–	–	1	2	–	1
Bronchitis	18	2	3	–	–	1	–	–	1	3	6	2
Pneumonia (all forms)	12	2	5	–	–	–	–	–	1	–	2	2
Other Diseases of Respiratory Organs	2	–	1	–	–	1	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	6	–	–	1	1	–	1	1		2	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	6	–	–	1	–	3	1	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	1	1	–	–	–
Other Defined Diseases	34	–	2	3	–	2	2	1	3	7	9	5
Diseases Ill-defined or Unknown	6	1	–	–	–	–	–	–	–	1	1	3
All Causes	144	19	21	6	1	17	8	6	12	19	22	13

LEITH—March 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
nteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
mall-pox	–	–	–	–	–	–	–	–	–	–	–	–
leasles	–	–	–	–	–	–	–	–	–	–	–	–
carlet Fever	1	–	–	1	–	–	–	–	–	–	–	–
Vhooping-cough	4	4	–	–	–	–	–	–	–	–	–	–
iphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
nfluenza	–	–	–	–	–	–	–	–	–	–	–	–
rysipelas	–	–	–	–	–	–	–	–	–	–	–	–
hthisis, Pulmonary Tuberculosis	10	–	–	1	–	3	2	2	1	–	–	1
uberculous Meningitis	2	1	–	–	1	–	–	–	–	–	–	–
bdominal Tuberculosis	3	2	–	–	–	1	–	–	–	–	–	–
ther Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
ancer, Malignant Disease	6	–	–	–	–	–	1	–	–	5	–	–
heumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
eningitis	–	–	–	–	–	–	–	–	–	–	–	–
rganic Heart Disease	14	–	–	–	–	1	–	3	–	1	6	3
ronchitis	12	2	2	–	–	–	–	–	–	2	6	–
neumonia (all forms)	16	5	5	–	–	–	–	–	1	3	1	1
ther Diseases of Respiratory Organs	4	2	–	–	–	–	–	–	–	1	–	1
iarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
ppendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
ll Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	–	1	–	–
ther Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
ephritis and Bright's Disease	8	1	–	–	–	–	1	–	4	–	2	–
uerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
ther Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	1	–	–	–	–	–
ongenital Debility and Malformation, including Premature Birth	8	8	–	–	–	–	–	–	–	–	–	–
iolent Deaths, excluding Suicide	7	1	–	–	–	–	1	1	3	1	–	–
uicide	1	–	–	–	–	–	–	–	–	1	–	–
ther Defined Diseases	34	4	2	1	–	1	2	3	1	8	6	6
iseases Ill-defined or Unknown	2	–	–	–	–	–	–	–	–	–	1	1
All Causes	136	31	10	3	1	6	8	9	10	23	22	13

GREENOCK—March 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
nteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
mall-pox	–	–	–	–	–	–	–	–	–	–	–	–
leasles	–	–	–	–	–	–	–	–	–	–	–	–
carlet Fever	1	–	1	–	–	–	–	–	–	–	–	–
Vhooping-cough	10	4	4	1	–	–	1	–	–	–	–	–
iphtheria and Croup	2	–	1	1	–	–	–	–	–	–	–	–
nfluenza	–	–	–	–	–	–	–	–	–	–	–	–
rysipelas	–	–	–	–	–	–	–	–	–	–	–	–
hthisis, Pulmonary Tuberculosis	9	–	1	–	–	–	1	2	4	1	–	–
uberculous Meningitis	3	1	2	–	–	–	–	–	–	–	–	–
bdominal Tuberculosis	2	–	1	–	1	–	–	–	–	–	–	–
ther Tuberculous Diseases	1	–	–	–	–	–	1	–	–	–	–	–
ancer, Malignant Disease	10	–	–	–	–	1	–	–	1	5	2	1
heumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
eningitis	1	–	1	–	–	–	–	–	–	–	–	–
rganic Heart Disease	11	–	–	–	–	1	1	1	2	1	2	3
ronchitis	12	4	–	–	–	–	1	–	2	4	–	1
neumonia (all forms)	17	4	5	–	–	1	1	–	2	1	–	3
ther Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	–	1
iarrhœa and Enteritis (under 2 years)	2	–	2	–	–	–	–	–	–	–	–	–
ppendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
ll Liver Diseases (not Malignant)	1	–	1	–	–	–	–	–	–	–	–	–
ther Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
ephritis and Bright's Disease	6	–	–	–	–	1	–	1	3	–	–	1
uerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
ther Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
ongenital Debility and Malformation, including Premature Birth	10	10	–	–	–	–	–	–	–	–	–	–
iolent Deaths, excluding Suicide	10	–	–	–	–	2	2	2	1	1	1	1
uicide	–	–	–	–	–	–	–	–	–	–	–	–
ther Defined Diseases	30	1	1	1	–	–	2	2	2	3	13	5
iseases Ill-defined or Unknown	5	2	–	–	–	–	–	–	–	2	1	–
All Causes	145	27	20	3	1	6	10	8	17	18	19	16

PERTH—March 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	3	1	2	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	3	–	–	–	–	–	1	2	–	–	–	–
Tuberculous Meningitis	2	2	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	1	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	–	–	3	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	4	–	–	–	–	–	–	–	–	2	2	–
Bronchitis	8	–	1	–	–	–	–	1	–	1	4	–
Pneumonia (all forms)	5	4	1	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	1	–	–	–	1	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	1	–	–	–	–	1	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	16	–	–	–	–	–	1	1	2	1	4	–
Diseases Ill-defined or Unknown	2	1	–	–	–	–	–	–	1	–	–	–
All Causes	55	11	6	–	–	2	2	5	3	8	10	–

COATBRIDGE—March 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	77
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	1	–	–	–	–	–	–	–	–	–
Whooping-cough	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	6	–	–	–	–	–	1	3	1	1	–	–
Tuberculous Meningitis	3	–	3	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	2	–	2	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	5	–	–	–	–	–	–	1	1	–	2	–
Bronchitis	6	–	–	–	–	–	1	–	1	1	2	–
Pneumonia (all forms)	10	3	4	–	–	–	–	–	–	2	1	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	10	10	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	–	–	–	–	–	1	–	1	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	9	–	1	–	1	1	1	–	1	1	–	–
Diseases Ill-defined or Unknown	3	2	–	1	–	–	–	–	–	–	–	–
All Causes	59	17	11	1	1	1	3	5	4	6	5	–

MOTHERWELL—March 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
nteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
mall-pox	–	–	–	–	–	–	–	–	–	–	–	–
leasles	–	–	–	–	–	–	–	–	–	–	–	–
carlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Vhooping-cough	2	1	1	–	–	–	–	–	–	–	–	–
iphtheria and Croup	2	–	–	2	–	–	–	–	–	–	–	–
nfluenza	1	–	–	–	–	–	–	–	–	–	–	1
rysipelas	–	–	–	–	–	–	–	–	–	–	–	–
hthisis, Pulmonary Tuberculosis	3	–	–	1	–	–	1	–	1	–	–	–
uberculous Meningitis	1	–	–	–	–	1	–	–	–	–	–	–
bdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
ther Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
ancer, Malignant Disease	1	–	–	–	–	–	–	–	–	1	–	–
heumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
leningitis	–	–	–	–	–	–	–	–	–	–	–	–
rganic Heart Disease	4	–	–	–	–	1	1	–	–	–	2	–
ronchitis	8	1	1	1	–	–	1	–	–	1	3	–
neumonia (all forms)	10	2	4	–	–	–	1	1	–	1	–	1
ther Diseases of Respiratory Organs	3	–	–	–	–	–	1	–	1	–	1	–
iarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
ppendicitis and Typhlitis	1	–	–	–	–	1	–	–	–	–	–	–
ll Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
ther Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
ephritis and Bright's Disease	3	–	–	–	–	–	1	1	1	–	–	–
uerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
ther Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	1	–	–	–	–	–	–
ongenital Debility and Malformation, including Premature Birth	5	5	–	–	–	–	–	–	–	–	–	–
iolent Deaths, excluding Suicide	2	–	–	–	–	–	–	1	1	–	–	–
uicide	–	–	–	–	–	–	–	–	–	–	–	–
ther Defined Diseases	14	–	3	1	–	–	–	1	–	4	1	4
iseases Ill-defined or Unknown	3	–	–	–	–	–	–	1	–	1	–	1
All Causes	65	10	9	5	–	4	6	5	4	8	7	7

KIRKCALDY—March 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
nteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
mall-pox	–	–	–	–	–	–	–	–	–	–	–	–
leasles	–	–	–	–	–	–	–	–	–	–	–	–
carlet Fever	1	–	–	1	–	–	–	–	–	–	–	–
Vhooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
iphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
nfluenza	1	–	–	–	–	–	–	–	–	1	–	–
rysipelas	–	–	–	–	–	–	–	–	–	–	–	–
hthisis, Pulmonary Tuberculosis	5	–	–	–	–	1	2	–	1	1	–	–
uberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
bdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
ther Tuberculous Diseases	1	–	–	–	–	–	–	1	–	–	–	–
ancer, Malignant Disease	6	–	–	–	–	–	1	–	–	2	1	2
heumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
leningitis	–	–	–	–	–	–	–	–	–	–	–	–
rganic Heart Disease	2	–	–	–	–	–	–	–	–	–	1	1
ronchitis	6	1	1	–	–	–	–	2	–	–	–	2
neumonia (all forms)	2	–	1	–	–	–	–	–	–	1	–	–
ther Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
iarrhœa and Enteritis (under 2 years)	2	1	1	–	–	–	–	–	–	–	–	–
ppendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
ll Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
ther Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
ephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
uerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
ther Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	1	–	–	–	–	–
ongenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
iolent Deaths, excluding Suicide	–	–	–	–	–	–	–	–	–	–	–	–
uicide	–	–	–	–	–	–	–	–	–	–	–	–
ther Defined Diseases	22	3	–	2	–	–	–	1	–	5	2	9
iseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	1	–	–
All Causes	55	10	3	3	–	1	4	4	1	11	4	14

HAMILTON—March 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	
Small-pox	–	–	–	–	–	–	–	–	–	–	–	
Measles	–	–	–	–	–	–	–	–	–	–	–	
Scarlet Fever	2	–	1	1	–	–	–	–	–	–	–	
Whooping-cough	4	2	2	–	–	–	–	–	–	–	–	
Diphtheria and Croup	2	1	1	–	–	–	–	–	–	–	–	
Influenza	1	–	–	–	–	–	–	–	–	–	–	
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	
Phthisis, Pulmonary Tuberculosis	3	–	–	–	1	–	1	–	–	1	–	
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	
Abdominal Tuberculosis	2	1	1	–	–	–	–	–	–	–	–	
Other Tuberculous Diseases	2	1	1	–	–	–	–	–	–	–	–	
Cancer, Malignant Disease	5	–	–	–	–	–	–	–	–	1	3	
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	
Meningitis	1	1	–	–	–	–	–	–	–	–	–	
Organic Heart Disease	6	–	–	–	–	1	–	1	–	1	2	
Bronchitis	6	2	–	–	–	–	–	–	2	1	–	
Pneumonia (all forms)	10	3	2	–	–	3	–	1	–	–	1	
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	
Appendicitis and Typhlitis	1	–	–	–	–	–	–	1	–	–	–	
All Liver Diseases (not Malignant)	1	–	–	–	–	1	–	–	–	–	–	
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	
Nephritis and Bright's Disease	1	–	1	–	–	–	–	–	–	–	–	
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	
Other Diseases & Accidents of Pregnancy & Parturition	2	–	–	–	–	–	1	1	–	–	–	
Congenital Debility and Malformation, including Premature Birth	6	6	–	–	–	–	–	–	–	–	–	
Violent Deaths, excluding Suicide	1	–	1	–	–	–	–	–	–	–	–	
Suicide	–	–	–	–	–	–	–	–	–	–	–	
Other Defined Diseases	13	3	1	1	–	–	–	3	–	1	3	
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	1	–	–	–	
All Causes	72	22	11	2	1	5	2	8	2	5	9	

CLYDEBANK—March 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	
Typhus Fever	–	–	–	–	–	–	–	–	–		–	
Small-pox	–	–	–	–	–	–	–	–	–	–	–	
Measles	1	–	1	–	–	–	–	–	–	–	–	
Scarlet Fever	2	–	2	–	–	–	–	–	–	–	–	
Whooping-cough	8	4	4	–	–	–	–	–	–	–	–	
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	
Influenza	1	–	–	–	–	–	–	1	–	–	–	
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	
Phthisis, Pulmonary Tuberculosis	2	–	–	–	–	1	–	1	–	–	–	
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	
Abdominal Tuberculosis	1	–	–	1	–	–	–	–	–	–	–	
Other Tuberculous Diseases	1	–	–	–	–	–	–	–	1		–	
Cancer, Malignant Disease	3	–	–	–	–	1	–	–	1	1	–	
Rheumatic Fever	–	–	–	–	–	–	–			–	–	
Meningitis	–	–	–	–	–	–	–	–	–	–	–	
Organic Heart Disease	2	–	–	–	–	–	–	–	–	2	–	
Bronchitis	5	2	–	–	–	–	–	–		2	–	
Pneumonia (all forms)	4	4	–	–	–	–		–	–	–	–	
Other Diseases of Respiratory Organs	1	1	–	–	–	–		–	–	–	–	
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	
Nephritis and Bright's Disease	3	–	–	–	–	–	1	–	1	1	–	
Puerperal Sepsis	1	–	–	–	–	1	–	–	–	–	–	
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	
Congenital Debility and Malformation, including Premature Birth	5	5	–	–	–	–	–	–	–	–	–	
Violent Deaths, excluding Suicide	7	1	3	–	–	–	–	1	–	2	–	
Suicide	–	–	–	–	–	–	–	–	–	–	–	
Other Defined Diseases	11	2	1	–	–	–	–	2	3	1	1	
Diseases Ill-defined or Unknown	2	–	–	–	–	–	–	1	–	–	–	
All Causes	60	19	11	1	–	3	1	6	6	9	1	

KILMARNOCK—March 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
nteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
mall-pox	–	–	–	–	–	–	–	–	–	–	–	–
easles	–	–	–	–	–	–	–	–	–	–	–	–
carlet Fever	1	–	–	1	–	–	–	–	–	–	–	–
Vhooping-cough	7	3	3	1	–	–	–	–	–	–	–	–
iphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
nfluenza	–	–	–	–	–	–	–	–	–	–	–	–
rysipelas	1	1	–	–	–	–	–	–	–	–	–	–
hthisis, Pulmonary Tuberculosis	5	–	–	1	–	–	2	1	1	–	–	–
uberculous Meningitis	3	1	2	–	–	–	–	–	–	–	–	–
bdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
ther Tuberculous Diseases	1	–	–	–	–	–	–	1	–	–	–	–
ancer, Malignant Disease	3	–	–	–	–	–	–	1	–	–	2	–
heumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
eningitis	–	–	–	–	–	–	–	–	–	–	–	–
rganic Heart Disease	4	–	–	–	–	–	–	–	1	–	2	1
ronchitis	8	2	1	–	–	–	–	–	–	1	–	4
neumonia (all forms)	2	1	1	–	–	–	–	–	–	–	–	–
ther Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	1	–	–
iarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
ppendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
ll Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
ther Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
ephritis and Bright's Disease	6	–	–	–	1	–	1	–	1	2	1	–
uerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
ther Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	1	–	–	–	–	–
ongenital Debility and Malformation, including Premature Birth	5	5	–	–	–	–	–	–	–	–	–	–
iolent Deaths, excluding Suicide	2	–	–	–	–	–	–	–	–	–	1	1
uicide	–	–	–	–	–	–	–	–	–	–	–	–
ther Defined Diseases	17	1	–	–	–	2	–	1	1	2	5	5
iseases Ill-defined or Unknown	1	–	–	–	–	–	–	1	–	–	–	–
All Causes	68	14	7	3	1	2	4	5	4	6	11	11

FALKIRK—March 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
nteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
mall-pox	–	–	–	–	–	–	–	–	–	–	–	–
easles	–	–	–	–	–	–	–	–	–	–	–	–
arlet Fever	1	–	1	–	–	–	–	–	–	–	–	–
hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
phtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
fluenza	–	–	–	–	–	–	–	–	–	–	–	–
ysipelas	–	–	–	–	–	–	–	–	–	–	–	–
thisis, Pulmonary Tuberculosis	4	–	–	–	–	–	3	–	1	–	–	–
uberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
bdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
her Tuberculous Diseases	1	–	–	–	–	–	1	–	–	–	–	–
ncer, Malignant Disease	4	–	–	–	–	–	–	–	2	–	–	2
eumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
eningitis	–	–	–	–	–	–	–	–	–	–	–	–
ganic Heart Disease	8	–	–	–	–	2	–	–	1	2	2	1
onchitis	9	2	1	–	–	–	–	–	–	2	2	2
eumonia (all forms)	8	2	1	–	–	–	1	1	1	–	1	1
her Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
arrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
ppendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
l Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
her Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
phritis and Bright's Disease	2	–	–	–	–	–	–	2	–	–	–	–
erperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
her Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
ngenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
olent Deaths, excluding Suicide	–	–	–	–	–	–	–	–	–	–	–	–
icide	–	–	–	–	–	–	–	–	–	–	–	–
her Defined Diseases	17	1	–	–	–	1	1	1	2	3	5	3
seases Ill-defined or Unknown	3	–	–	–	–	–	–	–	–	3	–	–
All Causes	62	9	4	–	–	3	6	4	7	10	10	9

CAUSES OF DEATH (corrected for Transfers).

AYR—March 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	
Small-pox	–	–	–	–	–	–	–	–	–	–	–	
Measles	–	–	–	–	–	–	–	–	–	–	–	
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	
Whooping-cough	9	5	3	1	–	–	–	–	–	–	–	
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	
Influenza	2	–	–	–	–	–	–	1	–	–	–	
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	
Phthisis, Pulmonary Tuberculosis	2	–	–	–	–	–	2	–	–	–	–	
Tuberculous Meningitis	2	1	–	–	1	–	–	–	–	–	–	
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	–	1	1	
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	
Meningitis	2	–	–	1	–	1	–	–	–	–	–	
Organic Heart Disease	2	–	–	1	–	–	–	–	–	1	–	
Bronchitis	4	1	–	–	–	–	–	–	–	2	–	
Pneumonia (all forms)	3	1	1	–	–	–	–	–	–	1	–	
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	
Nephritis and Bright's Disease	4	–	–	–	–	–	–	3	–	1	–	
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	
Other Diseases & Accidents of Pregnancy & Parturition	2	–	–	–	–	–	2	–	–	–	–	
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	
Violent Deaths, excluding Suicide	–	–	–	–	–	–	–	–	–	–	–	
Suicide	–	–	–	–	–	–	–	–	–	–	–	
Other Defined Diseases	9	1	–	–	–	–	–	–	2	3	1	
Diseases Ill-defined or Unknown	4	1	–	–	–	–	–	1	–	2	–	
All Causes	49	12	4	3	1	1	4	5	2	11	2	

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, During the Month of March 1915.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-Level and 32°.	AIR TEMPERATURE. Mean of Maximum (A).	AIR TEMPERATURE. Mean of Minimum (B.)	AIR TEMPERATURE. Mean of A and B (Mean Temperature).	AIR TEMPERATURE. Difference from Average	AIR TEMPERATURE. Absolute Maximum and Minimum. Maximum	Day of Month.	Minimum.	Day of Month.	HYGROMETER. Mean at 9 A.M. and 9 P.M. Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	RAIN, AND OTHER FORMS OF PRECIPITATION. Number of Days.	Total Fall.	Difference from Average.	WIND DIRECTIONS. Number of Observations at 9 A.M. and 9 P.M. N	NE	E	SE	S	SW	W	NW	Calm or Variable.
	feet.	inch.	inch.	°	°	°	°	°		°		°	°	inch.	per cent.		inch.	inch.									
GLASGOW, Professor L. Becker, Ph.D., F.R.S.E.	184	29·755	29·963	46·3	36·0	41·2	+0·7	54	14*th*	28	18, 28, 29	40·5	2·0	·212	84	14	1·17	-1·34	7	13	4	2	2	5	23	6	0
EDINBURGH, Professor R. A. Sampson, F.R.S.	441	29·475	29·968	45·4	35·3	40·4	+0·5	58	14*th*	28	18, 19, 29	39·6	2·3	·199	81	14	1·14	-0·33	6	6	6	1	2	11	23	4	3
DUNDEE, John Carnochan, Curator of Cemeteries.	164	29·751	29·935	46·5	33·4	40·0	+0·4	60	14*th*	23	20*th*	38·6	1·4	·207	89	13	1·43	-0·45	4	14	1	10	0	20	5	8	0
ABERDEEN,* The Meteorological Office.	90	29·811	29·913	46·5	34·6	40·6	+0·5	60	13*th*	26	20, 21	39·8	2·1	·204	84	17	2·13	-0·20	6	5	1	2	4	6	14	21	3
PAISLEY, The Coats Observatory.	107	29·851	29·972	48·7	35·7	42·2	+1·9	59	14*th*	27	19, 28, 29	41·6	2·3	·216	82	14	1·77	-0·98	5	6	8	2	1	3	14	14	9
Leith, † James Bolam, Navigation School.	76	29·866	29·952	46·4	36·0	41·2	-0·5	60	14*th*	29	18*th*	41·5	2·5	·211	81	16	1·37	-0·29	6	6	10	2	0	8	24	6	0
GREENOCK, † Daniel Macalister, C.E., Greenock Waterworks.	233	29·698	29·967	46·6	34·5	40·6	+0·4	53	11, 13	26	18, 19,	40·8	2·1	·212	84	14	3·91	-0·82	6	8	0	6	0	4	16	22	0
PERTH, Henry Coates, F.R.S.E., The Museum.	82	29·854	29·947	47·6	32·1	39·9	+0·1	61	14*th*	19	19*th*	38·9	2·4	·191	82	11	1·25	-1·09	12	0	3	3	8	8	6	6	16
Means	172	29·758	29·952	46·8	34·7	40·8	+0·5	..	..	..	..	40·2	2·1	·207	83	14	1·77	-0·69	6	7	4	4	2	8	16	11	4

North Latitude.—Glasgow, 55° 51′; Edinburgh, 55° 55′; Dundee, 56° 28′; Aberdeen, 57° 9′; Paisley, 55° 51′; Leith, 55° 58′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 11′.
West Longitude.—Glasgow, 4° 13′; Edinburgh, 3° 11′; Dundee, 2° 57′; Aberdeen, 2° 7′; Paisley, 4° 27′; Leith, 3° 8′; Greenock, 4° 46′; Perth, 3° 25′; Mean, 3° 32′.

* At King's College, at 7 A.M. and 6 P.M.

† At 9 A.M. only.

FOR OFFICIAL USE.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN SIXTEEN OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

APRIL 1915.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by
J. SKINNER & Co., Ltd., Thistle Street.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of April 1915 there were registered in the Sixteen Principal Towns of Scotland, those burghs which at the date of the 1911 Census had populations of over 30,000, the births of 5459 living children, of whom 2736 were male, and 2723 female. The male children of the month are 219 fewer than those of the previous month, and the female children are 52 fewer. The total children of the month are 271 fewer than those of the previous month, but are 280 more than the mean of the numbers of the three preceding months, and 43 more than those of April of last year. The equivalent annual birth-rate is 28·3 per thousand of the estimated aggregate population of these towns, which is 0·5 less than that of the previous month, and the same amount less than the birth-rate of April of last year, but is 1·4 more than the mean of the birth-rates of the three preceding months. In the individual towns the birth-rate of the month ranged from 39·1 in Clydebank, 37·2 in Hamilton, and 34·6 in Greenock, to 19·6 in Perth, 22·6 in Edinburgh, and 23·8 in Kirkcaldy. In Motherwell the birth-rate of the month was 31·3; in Falkirk, 30·9; in Glasgow, 30·6; in Paisley, 30·1; in Coatbridge, 28·1; in Kilmarnock, 27·7; in Aberdeen, 25·0; in Ayr, 25·0; in Leith, 24·5; and in Dundee, 24·4.

Of the 5459 living children registered, 5049, or 92·5 per cent., were legitimate, while 410, or 7·5 per cent., were illegitimate. The illegitimate children of the month number 36 more than those of the previous month, 64 more than the mean of the numbers of the three preceding months, and 44 more than the number of April of last year. The illegitimate rate of the month is 1·0 more than that of the previous month, 0·8 more than the mean of those of the three preceding months, and 0·7 more than that of April of last year. In the individual towns the illegitimate rate of the month ranged from 12·7 per cent. in Aberdeen, 11·9 in Edinburgh, 10·5 in Perth, and 10·1 in Ayr, to 2·3 in Falkirk, and 2·8 in Clydebank. In Hamilton this rate was 7·6; in Glasgow, 7·1; in Dundee, 7·0; in Paisley, 6·0; in Greenock, 5·9; in Leith, 4·9; in Coatbridge, 3·9; in Kirkcaldy, 3·8; in Motherwell, 3·7; and in Kilmarnock, 3·6.

Marriages registered in these towns numbered 1760. They are 337 more than those registered in March, and 133 more than the mean of the numbers registered in the preceding three months, but are 238 fewer than registered in April of last year. In the individual towns this rate ranged from 10·9 per thousand in Edinburgh and in Aberdeen, and 10·3 in Dundee and in Perth, to 3·2 in Motherwell, 3·5 in Hamilton, and 5·0 in Coatbridge. In Glasgow this rate was 10·0; in Paisley 6·5; in Kirkcaldy, 6·3; in Kilmarnock, 6·3; in Clydebank, 6·0; in Greenock, 5·9; in Ayr, 5·8; in Falkirk, 5·3; and in Leith, 5·1.

Deaths registered in these towns during the month numbered 3912, 2004 being of males, and 1908 of females. These deaths include 227 of persons whose usual residence was outwith the towns of registration, but the deaths of 225 persons with usual residence within one or other of these towns were registered elsewhere in Scotland, and the difference, 2, falls to be deducted to get the corrected number of deaths of the month, which is thus found to be 3910. The corrected number of deaths of the month is 556 less than that of March, and 372 less than the mean of those of the three months, January to March, but is 820 more than that of April of last year.

The corrected death-rate of the month was 20·3, which is 2·1 less than that of the previous month, and 1·9 less than the mean of those of the three preceding months, but is 3·9 more than that of April of last year.

In the individual towns the corrected death-rate of the month ranged from 23·5 in Greenock, 22·9 in Dundee, 21·7 in Glasgow, and 20·1 in Edinburgh, to 13·5 in Motherwell, 14·2 in Clydebank, and 14·3 in Kirkcaldy. In Kilmarnock this rate was 19·8; in Leith, 18·9; in Ayr, 18·8; in Aberdeen, 18·2; in Perth, 18·2; in Hamilton, 18·0; in Coatbridge, 17·7; in Paisley, 15·8, and in Falkirk, 15·6.

Of the 3910 deaths, 1368, or 35·0 per cent., were of children of less than five years old; 1660, or 42·4 per cent., were of persons of between five and sixty-five, and 882, or 22·6 per cent., were of persons of over sixty-five. Compared with the returns of March deaths under five are 267 fewer, deaths between five and sixty-five are 111 fewer, and deaths over sixty-five are 178 fewer. Compared with the returns of April of last year, deaths under five are 471 more, deaths between five and sixty-five are 205 more, and deaths over sixty-five are 144 more.

Deaths of children of less than one year old numbered 786, and are equal to an infantile mortality rate of 155 per thousand of the average number of births registered monthly during the preceding twelve months. These deaths are 135 less than in March, and 80 less than the mean of the numbers of the three preceding months, but are 245 more than in April of last year. This rate is 21 less than that of March, and 17 less than the mean of those of the three preceding months, but is 45 more than that of April of last year. In the individual towns this death-rate ranged from 193 in Dundee, 189 in Kilmarnock, and 180 in Aberdeen, to 74 in Ayr, 88 in Paisley, and 91 in Clydebank. In Glasgow this rate was 167; in Leith, 159; in Edinburgh, 150; in Kirkcaldy, 145; in Greenock, 135; in Falkirk, 127; in Perth, 123; in Hamilton, 108; in Coatbridge, 98; and in Motherwell, 98.

Deaths from the principal epidemic diseases, namely, measles, scarlet fever, whooping-cough, diphtheria, enteric fever, and the diarrhœas of childhood, collectively numbered 637, which is 30 less than in March, but 80 more than the mean of the numbers of the three preceding months, and 366 more than in April of last year. These deaths are equal to an annual death-rate from these causes of 3·3 per thousand, which is 0·1 less than that of March, but is 0·4 more than the mean of those of the three preceding months, and 1·9 more than that of April of last year. In the individual towns this death-rate ranged from 5·6 in Dundee, 4·4 in Hamilton, and 4·0 in Glasgow, to 1·2 in Kirkcaldy, and 1·4 in Perth and in Falkirk. In Leith this rate

was 3·2; in Clydebank, 2·7; in Aberdeen, 2·6; in Greenock, 2·3; in Kilmarnock, 2·3; in Edinburgh, 2·1; in Paisley, 2·1; in Motherwell, 1·8; in Ayr, 1·8; and in Coatbridge, 1·7.

Deaths from enteric fever numbered 8; from measles, 140; from scarlet fever, 33; from whooping-cough, 361; from diphtheria, 37; and from the diarrhœas of childhood 58. Compared with the returns of the previous month, deaths from measles are 30 more, from the diarrhœas of childhood 22 more, and from enteric fever 1 more, while those from scarlet fever are 18 fewer, from diphtheria 8 fewer, and from whooping-cough 57 fewer.

No deaths from either small-pox or typhus fever were registered in these towns during the month. Deaths from influenza, uncomplicated, numbered 15; from rheumatic fever, 16; from meningitis (non-tuberculous), 45; from heart disease, 308; from puerperal sepsis, 11; from malignant disease, 197; and from violence 119, of which 6 were attributed to suicide.

Deaths from pneumonia numbered 385, and constituted 9·8 per cent. of the total deaths of the month; they are 143 fewer than those of March, but 91 more than those of April of last year. Deaths from bronchitis numbered 304, and constituted 7·8 per cent. of the total. They are 139 fewer than in March, but 80 more than in April of last year. The equivalent annual death-rate from pneumonia was 2·0 per thousand, and from bronchitis 1·6 per thousand.

Deaths from tuberculosis, all forms, numbered 437, and constituted 11·2 per cent. of the total. They are 13 fewer than in March, but 11 more than in April of last year. The equivalent death-rate from this cause was 2·3 per thousand. Of these deaths, 302 were attributed to phthisis, a number which is 6 less than that of March, but 27 more than that of April of last year. The equivalent phthisis death-rate was 1·6 per thousand, which rate in the individual towns ranged from 2·7 in Perth, 2·5 in Ayr, and 1·8 in Glasgow, to 0·3 in Kirkcaldy, 0·5 in Clydebank, and 0·7 in Falkirk. In Leith this rate was 1·7; in Dundee, 1·5; in Motherwell, 1·5; in Coatbridge, 1·4; in Edinburgh, 1·3; in Aberdeen, 1·3; in Paisley, 1·2; in Greenock, 1·2; in Kilmarnock, 1·0; and in Hamilton, 0·9.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. Watt, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

APRIL 1915.

Mean barometric pressure, 29·945 in.; greater than the average of 1856–1905 by 0·052 in.

Mean temperature, 45°·4; greater by 0°·8.

Mean daily range of temperature, 14°·0; being the normal.

Rain, number of days, 17; greater by 3 days.

Rain, depth in inches, 1·89; less by 0·23 in.

Wind, direction of: a 9 days' excess of winds from between S.W. and N.W.

Hence the month was characterised by a slightly high mean pressure; a slightly high mean temperature, with a mean daily range equal to the normal; a slightly low mean rainfall; and a considerable excess of winds from between S.W. and N.W.

The mean pressure was 29·945 in., or 0·052 in. above the normal. A deep depression which crossed the north of Scotland on 6th and 7th caused a fall in the mercury of $\frac{3}{4}$ in. within twenty-four hours, and conditions were again extremely unsettled about 18th. At Leith, at sea-level, readings above 30 in. were recorded on 1st, from 10th to 15th, on 17th and 18th, and from 21st to 29th. The extremes at that place were 30·56 in. on morning of 27th, and 28·89 in. on morning of 8th.

(8373.) Wt.4/607 1150. 5/15. J.S.&Co., Ltd Group 4/11.

The mean temperature was 45°·4, or 0°·8 above the normal, the differences at the individual towns ranging from an excess of 1°·6 at Paisley to a defect of 0°·1 at Dundee. Winds from north-west or west-north-west were rather frequent during the first three weeks of the month, and temperature, as a rule, reached only a moderately high level. During the last week, when an easterly type of weather prevailed with a considerable amount of sunshine, fairly warm days alternated with rather cold nights, and at various places the extreme readings of the month occurred within a few hours of one another. Thus on the night of 28th–29th a minimum reading of 28° at Perth—the lowest recorded at the chief towns—occurred between two days on which temperature rose to 67° and 68°. The highest reading at the chief towns was 68° at Paisley and Perth on 29th.

The mean rainfall was 1·89 in., or 11 per cent. below the normal. Eastern districts showed a deficiency, and at Dundee the aggregate of 0·84 in. was less than half the normal. In south amounts were about equal to the normal; in west there was a moderate to considerable excess; and in north-west a very large excess, Fort-William having fully twice the normal. Very heavy rainstorms occurred towards north-west on 7th and 8th and on 18th and 19th, and elsewhere the principal falls of the month were registered at these times. At the chief towns the greatest daily fall was 0·62 in. at Greenock on 7th. There were, especially in eastern areas, many days with merely nominal falls, and at Dundee amounts exceeding 0·1 in. were registered only on 3rd and 4th. Very dry conditions towards the end of the month broke down on the afternoon of 30th.

Rather stormy weather was experienced around 8th and 18th, and in various districts there were slight falls of snow and hail. Though the mean temperature of the month slightly exceeded the normal in most districts, it calls for remark that the cold winds generally experienced retarded agricultural operations and the development of vegetation.

Towards the end of the month night fogs were experienced on the east coast.

TABLE I. ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES in the Principal Towns, April 1915.

Towns.	Population.		Births.					Marriages.	Deaths.					
	Census. 1911.	Estimated to middle of 1915.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.	Out.	In.	Total Corrected.
GLASGOW,	1,008,487	1,078,400	1348	1358	2706	2513	193	883	999	937	1936	95	82	1923
EDINBURGH,	320,769	328,700	304	307	611	538	73	293	282	278	560	69	51	542
DUNDEE,	176,085	177,300	179	177	356	331	25	150	157	176	333	5	5	333
ABERDEEN,	163,891	164,800	188	150	338	295	43	147	116	127	243	17	20	246
PAISLEY,	84,455	87,700	111	106	217	204	13	47	58	53	111	2	5	114
LEITH,	80,601	80,500	97	65	162	154	8	34	58	57	115	3	13	125
GREENOCK,	75,140	78,100	119	103	222	209	13	38	82	72	154	7	4	151
PERTH,	35,854	35,500	23	34	57	51	6	30	33	24	57	8	4	53
Total (Eight Towns)	1,945,282	2,031,000	2369	2300	4669	4295	374	1627	1785	1724	3509	206	184	3487
COATBRIDGE,	43,290	44,100	55	47	102	98	4	18	39	25	64	3	3	64
MOTHERWELL	40,380	41,600	46	61	107	103	4	11	26	17	43	0	3	46
KIRKCALDY	39,601	40,800	43	37	80	77	3	21	19	23	42	0	6	48
HAMILTON,	38,644	38,600	45	73	118	109	9	11	20	26	46	1	12	57
CLYDEBANK,	37,548	44,600	63	80	143	139	4	22	27	17	44	2	10	52
KILMARNOCK,	34,728	36,900	44	40	84	81	3	19	27	32	59	3	4	60
FALKIRK,	33,574	34,300	47	40	87	85	2	15	32	18	50	8	2	44
AYR,	32,986	33,600	24	45	69	62	7	16	29	26	55	4	1	52
Total (Sixteen Towns)	2,246,033	2,345,500	2736	2723	5459	5049	410	1760	2004	1908	3912	227	225	3910

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES in the Principal Towns, April 1915.

TOWNS.	Birth-Rate per 1000 of Population.	Illegitimate Birth-Rate per 100 Births.	Marriage-Rate per 1000 of Population.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuberculosis.	Phthisis.	All Respiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncorrected.	Corrected.						
GLASGOW, .	30·6	7·1	10·0	21·9	21·7	4·0	2·5	1·8	4·7	409	167
EDINBURGH, .	22·6	11·9	10·9	20·7	20·1	2·1	2·0	1·3	3·5	84	150
DUNDEE, . .	24·4	7·0	10·3	22·9	22·9	5·6	2·2	1·5	4·7	71	193
ABERDEEN, .	25·0	12·7	10·9	17·9	18·2	2·6	1·8	1·3	2·7	60	180
PAISLEY, . .	30·1	6·0	6·5	15·4	15·8	2·1	1·5	1·2	2·9	17	88
LEITH, . .	24·5	4·9	5·1	17·4	18·9	3·2	3·0	1·7	2·1	27	159
GREENOCK, .	34·6	5·9	5·9	24·0	23·5	2·3	2·2	1·2	4·7	28	135
PERTH, . .	19·6	10·5	10·3	19·6	18·2	1·4	3·1	2·7	1·7	7	123
Total . . (Eight Towns)	28·0	8·0	9·8	21·0	20·9	3·5	2·3	1·6	4·1	703	162
COATBRIDGE, .	28·1	3·9	5·0	17·7	17·7	1·7	2·2	1·4	3·9	11	98
MOTHERWELL,	31·3	3·7	3·2	12·6	13·5	1·8	1·8	1·5	1·5	10	98
KIRKCALDY, .	23·8	3·8	6·3	12·5	14·3	1·2	2·7	0·3	1·2	12	145
HAMILTON, .	37·2	7·6	3·5	14·5	18·0	4·4	0·9	0·9	2·8	12	108
CLYDEBANK, .	39·1	2·8	6·0	12·0	14·2	2·7	1·4	0·5	2·7	10	91
KILMARNOCK,	27·7	3·6	6·3	19·5	19·8	2·3	1·7	1·0	4·3	14	189
FALKIRK, . .	30·9	2·3	5·3	17·7	15·6	1·4	1·8	0·7	3·5	9	127
AYR, . . .	25·0	10·1	5·8	19·9	18·8	1·8	2·9	2·5	2·9	5	74
Total . . (Sixteen Towns)	28·3	7·5	9·1	20·3	20·3	3·3	2·3	1·6	3·9	786	155

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, etc., for April 1915, and for the Corresponding Month of the Preceding Ten Years, in the PRINCIPAL TOWNS.

Month.	Birth-Rate.	Illegitimate Birth-rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature. (Eight Towns only.)
					Enteric Fever.	Smallpox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria and Croup.	Diarrhœa (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
APR. 1915, .	**28·3**	**7·5**	**9·1**	**20·3**	**8**	**0**	**140**	**33**	**361**	**37**	**58**	**155**	**45°·4**
APR. 1914, .	28·8	6·8	10·6	16·4	10	0	107	20	52	31	51	110	48°·5
APR. 1913, .	29·3	6·3	9·4	17·4	12	0	66	13	166	30	52	111	44°·8
APR. 1912, .	31·2	6·3	10·2	16·8	3	0	195	19	57	25	40	117	47°·4
APR. 1911, .	26·4	7·0	9·5	18·2	4	0	33	9	183	25	31	123	45°·4
APR. 1910, .	29·4	6·9	7·9	19·5	2	0	254	21	27	28	69	140	43°·3
APR. 1909, .	31·1	6·9	8·3	19·5	16	0	17	17	224	29	61	135	45°·7
APR. 1908, .	32·1	7·1	10·0	19·9	3	0	147	20	74	22	–	144	42°·1
APR. 1907, .	32·4	6·9	11·6	22·2	17	0	45	9	224	19	–	147	44°·8
APR. 1906, .	31·7	6·4	10·6	19·8	6	0	83	7	67	22	–	125	44°·3
APR. 1905, .	30·4	6·5	8·8	17·9	8	0	75	6	115	19	–	126	42°·9

For all years up to and including 1911, figures are for Eight only of the Principal Towns.
Figures in Columns 5–13 have, for 1913 and subsequent years, been corrected for non-resident deaths

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—April 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	8	–	–	1	–	1	1	3	1	–	1	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	140	43	93	3	–	1	–	–	–	–	–	–
Scarlet Fever	33	3	20	7	2	1	–	–	–	–	–	–
Whooping-cough	361	160	187	14	–	–	–	–	–	–	–	–
Diphtheria and Croup	37	5	28	4	–	–	–	–	–	–	–	–
Influenza	15	–	–	–	1	–	1	3	3	2	1	4
Erysipelas	8	–	–	–	–	1	–	1	1	3	–	2
Phthisis, Pulmonary Tuberculosis	302	3	5	7	13	71	69	61	36	26	11	–
Tuberculous Meningitis	65	16	29	14	4	1	–	1	–	–	–	–
Abdominal Tuberculosis	32	–	12	8	3	5	1	1	1	1	–	–
Other Tuberculous Diseases	38	7	7	3	2	5	5	–	3	6	–	–
Cancer, Malignant Disease	197	–	–	–	–	1	2	18	40	56	53	27
Rheumatic Fever	16	–	1	1	5	4	2	1	–	1	–	1
Meningitis	45	20	13	3	2	4	–	1	1	–	1	–
Organic Heart Disease	308	1	–	3	6	14	23	19	36	78	79	49
Bronchitis	304	46	25	4	1	1	2	9	27	49	89	51
Pneumonia (all forms)	385	84	93	11	2	18	16	36	33	45	28	19
Other Diseases of Respiratory Organs	65	16	3	–	1	–	2	4	8	9	12	10
Diarrhœa and Enteritis (under 2 years)	58	50	8	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	19	–	–	3	2	3	–	3	–	5	3	–
All Liver Diseases (not Malignant)	27	1	–	1	–	1	–	6	8	4	4	2
Other Diseases of Digestive System (under 2 years)	13	10	3	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	132	–	–	4	–	7	6	8	27	40	31	9
Puerperal Sepsis	11	–	–	–	–	2	7	2	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	16	–	–	–	–	2	5	9	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	218	216	1	–	–	1	–	–	–	–	–	–
Violent Deaths, excluding Suicide	113	14	8	8	4	5	17	12	16	11	9	9
Suicide	6	–	–	–	–	–	1	2	1	2	–	–
Other Defined Diseases	842	76	35	16	14	34	27	63	100	129	176	172
Diseases Ill-defined or Unknown	96	15	11	–	–	2	–	12	10	17	17	12
All Causes	3910	786	582	115	62	185	187	275	352	484	515	367

GLASGOW—April 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	7	–	–	1	–	1	1	2	1	–	1	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	101	33	65	2	–	1	–	–	–	–	–	–
Scarlet Fever	16	2	11	2	1	–	–	–	–	–	–	–
Whooping-cough	191	83	101	7	–	–	–	–	–	–	–	–
Diphtheria and Croup	13	–	11	2	–	–	–	–	–	–	–	–
Influenza	3	–	–	–	–	–	1	–	–	1	–	1
Erysipelas	4	–	–	–	–	–	–	1	–	2	–	1
Phthisis, Pulmonary Tuberculosis	163	2	3	5	5	39	36	33	23	14	3	–
Tuberculous Meningitis	33	9	11	9	2	1	–	1	–	–	–	–
Abdominal Tuberculosis	16	–	6	5	1	4	–	–	–	–	–	–
Other Tuberculous Diseases	13	2	4	1	1	2	1	–	1	1	–	–
Cancer, Malignant Disease	66	–	–	–	–	–	–	8	10	22	19	7
Rheumatic Fever	7	–	1	–	4	1	1	–	–	–	–	–
Meningitis	28	12	8	2	2	1	–	1	1	–	1	–
Organic Heart Disease	122	1	–	3	4	5	11	8	9	33	33	15
Bronchitis	175	22	16	2	1	–	–	6	19	28	55	26
Pneumonia (all forms)	205	46	49	6	2	6	11	25	16	22	14	8
Other Diseases of Respiratory Organs	32	9	3	–	1	–	–	3	1	6	7	2
Diarrhœa and Enteritis (under 2 years)	24	18	6	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	6	–	–	1	–	–	–	1	–	3	1	–
All Liver Diseases (not Malignant)	12	1	–	1	–	1	–	2	4	2	–	1
Other Diseases of Digestive System (under 2 years)	10	7	3	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	76	–	–	–	–	5	4	4	14	24	22	3
Puerperal Sepsis	9	–	–	–	–	2	5	2	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	8	–	–	–	–	1	3	4	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	115	115	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	47	6	3	5	–	2	5	7	6	5	7	1
Suicide	2	–	–	–	–	–	–	1	1	–	–	–
Other Defined Diseases	367	32	23	7	8	14	9	25	48	59	84	58
Diseases Ill defined or Unknown	52	9	8	–	–	2	–	9	8	6	8	2
All Causes	1923	409	332	61	32	88	88	143	162	228	255	125

CAUSES OF DEATH (corrected for Transfers).

EDINBURGH—April 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	2	–	–	2	–	–	–	–	–	–	–	–
Whooping-cough	44	23	19	2	–	–	–	–	–	–	–	–
Diphtheria and Croup	6	1	4	1	–	–	–	–	–	–	–	–
Influenza	5	–	–	–	–	–	–	2	–	1	–	2
Erysipelas	2	–	–	–	–	1	–	–	–	1	–	–
Phthisis, Pulmonary Tuberculosis	36	1	–	1	3	6	5	9	3	4	4	–
Tuberculous Meningitis	4	1	1	2	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	2	–	–	–	1	–	–	1	–	–	–	–
Other Tuberculous Diseases	11	1	1	1	–	2	2	–	2	2	–	–
Cancer, Malignant Disease	41	–	–	–	–	–	1	3	10	13	8	6
Rheumatic Fever	5	–	–	–	–	3	–	1	–	–	–	1
Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease	67	–	–	–	–	5	2	2	7	21	13	17
Bronchitis	36	6	3	–	–	–	–	1	2	3	13	8
Pneumonia (all forms)	45	10	9	1	–	3	1	4	4	7	2	4
Other Diseases of Respiratory Organs	13	2	–	–	–	–	–	1	4	–	1	5
Diarrhœa and Enteritis (under 2 years)	4	4	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	3	–	–	1	–	1	–	–	–	–	1	–
All Liver Diseases (not Malignant)	2	–	–	–	–	–	–	–	–	1	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	16	–	–	–	–	1	–	–	4	5	3	3
Puerperal Sepsis	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	3	–	–	–	–	–	1	2	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	20	19	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	19	4	2	1	–	–	4	–	4	–	1	3
Suicide	1	–	–	–	–	–	–	–	–	1	–	–
Other Defined Diseases	144	12	1	2	–	8	5	11	16	19	31	39
Diseases Ill-defined or Unknown	8	–	–	–	–	–	–	1	–	3	1	3
All Causes	542	84	43	14	4	30	22	38	56	81	79	91

DUNDEE—April 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	
Measles	16	4	12	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	–	–	–	1	–	–	–	–	–	–
Whooping-cough	56	23	29	4	–	–	–	–	–	–	–	–
Diphtheria and Croup	3	–	3	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	22	–	1	1	–	7	7	1	1	3	1	–
Tuberculous Meningitis	7	2	3	–	2	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	–	1	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease	17	–	–	–	–	–	–	–	5	3	7	2
Rheumatic Fever	1	–	–	–	–	–	–	–	–	1	–	–
Meningitis	4	2	–	–	–	2	–	–	–	–	–	–
Organic Heart Disease	22	–	–	–	–	–	5	1	3	3	5	5
Bronchitis	26	6	1	1	–	–	1	1	2	5	6	3
Pneumonia (all forms)	36	6	9	–	–	2	–	1	1	5	7	5
Other Diseases of Respiratory Organs	7	1	–	–	–	–	2	–	1	–	2	1
Diarrhœa and Enteritis (under 2 years)	6	6	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	4	–	–	–	–	–	–	1	2	1	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	9	–	–	1	–	–	1	–	2	3	2	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	16	16	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	7	–	–	–	–	–	1	1	–	2	1	2
Suicide	1	–	–	–	–	–	–	1	–	–	–	–
Other Defined Diseases	60	3	1	1	1	2	–	6	7	13	10	16
Diseases Ill-defined or Unknown	8	1	2	–	–	–	–	–	–	–	3	2
All Causes	333	71	63	8	3	14	18	13	24	39	44	36

ABERDEEN—April 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	16	5	11	–	–	–	–	–	–	–	–	–
Scarlet Fever	4	–	4	–	–	–	–	–	–	–	–	–
Whooping-cough	7	6	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	3	1	2	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	–	–	–	1
Phthisis, Pulmonary Tuberculosis	17	–	–	–	3	2	4	3	2	2	1	–
Tuberculous Meningitis	3	–	2	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	3	–	1	1	–	–	–	–	1	–	–	–
Other Tuberculous Diseases	1	1	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	15	–	–	–	–	–	1	1	4	1	2	6
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	4	4	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	27	–	–	–	1	2	1	2	2	5	9	5
Bronchitis	9	1	1	–	–	–	–	–	1	2	3	1
Pneumonia (all forms)	21	7	5	–	–	2	2	1	–	3	–	1
Other Diseases of Respiratory Organs	6	3	–	–	–	–	–	–	2	1	–	–
Diarrhœa and Enteritis (under 2 years)	5	5	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	5	–	–	1	–	–	–	–	–	2	1	1
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	1	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	16	16	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	10	2	1	–	–	2	2	1	–	2	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	65	8	3	1	3	1	3	5	2	10	8	21
Diseases Ill-defined or Unknown	6	1	–	–	–	–	–	–	–	2	1	2
All Causes	246	60	31	4	7	11	13	13	14	30	25	38

PAISLEY—April 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	3	1	1	1	–	–	–	–	–	–	–	–
Whooping-cough	8	2	6	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	2	–	2	–	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	2	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	9	–	1	–	–	5	–	1	1	–	1	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	2	–	1	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	4	–	–	–	–	–	–	–	–	3	–	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	2	–	1	–	–	1	–	–	–	–	–	–
Organic Heart Disease	6	–	–	–	–	–	–	–	2	–	3	1
Bronchitis	9	–	–	–	–	1	1	–	–	3	1	3
Pneumonia (all forms)	10	1	1	1	–	–	–	1	5	–	1	–
Other Diseases of Respiratory Organs	2	1	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	–	–	–	–	–	1	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	5	–	–	–	–	–	–	1	2	1	–	1
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	–	1	1	–	–	–	–	–	–	–
Suicide	1	–	–	–	–	–	1	–	–	–	–	–
Other Defined Diseases	33	5	–	–	–	–	3	1	8	2	7	7
Diseases Ill-defined or Unknown	4	–	–	–	–	–	–	–	–	1	1	2
All Causes	114	17	14	4	1	7	5	5	20	11	15	15

LEITH—April 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	1	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	2	–	2	–	–	–	–	–	–	–	–	–
Whooping-cough	13	6	6	1	–	–	–	–	–	–	–	–
Diphtheria and Croup	3	–	3	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	1	–	–	–
Phthisis, Pulmonary Tuberculosis	11	–	–	–	1	3	2	2	2	1	–	–
Tuberculous Meningitis	6	1	5	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	–	1	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	1	1	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	7	–	–	–	–	–	–	–	–	2	3	2
Rheumatic Fever	1	–	–	–	1	–	–	–	–	–	–	–
Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	11	–	–	–	–	–	–	–	3	4	2	2
Bronchitis	7	3	1	–	–	–	–	–	1	1	1	–
Pneumonia (all forms)	6	1	1	–	–	–	–	1	1	2	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Enteritis (under 2 years)	2	1	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	–	–	–	–	–	1	–	–
All Liver Diseases (not Malignant)	2	–	–	–	–	–	–	–	1	–	1	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	4	–	–	–	–	–	–	–	–	2	2	–
Puerperal Sepsis	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	7	7	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	7	–	–	–	1	–	3	1	2	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	25	4	–	1	–	–	3	1	2	5	6	3
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	–	–	1
All Causes	125	27	20	2	4	3	9	5	13	19	15	8

GREENOCK—April 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	14	6	8	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	8	–	–	–	–	1	2	3	1	–	1	–
Tuberculous Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	4	1	–	1	1	–	–	–	–	1	–	–
Cancer, Malignant Disease	11	–	–	–	–	–	–	1	2	2	5	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	3	1	1	1	–	–	–	–	–	–	–	–
Organic Heart Disease	13	–	–	–	–	2	2	–	2	1	4	2
Bronchitis	11	2	2	1	–	–	–	–	1	1	2	2
Pneumonia (all forms)	19	3	4	1	–	2	2	3	–	2	2	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	2	–	–	–	–	1	–	–	–	–	1	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	1	–	–	–	–	1	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	9	9	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	7	2	1	–	–	–	1	1	–	–	–	2
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	36	3	1	–	1	2	1	2	5	4	6	11
Diseases Ill-defined or Unknown	7	–	–	–	–	–	–	2	1	3	1	–
All Causes	151	28	19	5	2	8	9	13	13	14	22	18

PERTH—April 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	–	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	2	2	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	1	–	–	–	1	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	8	–	–	–	–	3	3	1	1	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	–	–	–	–	–	–	1	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	5	–	–	–	–	–	–	1	1	1	1	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	9	–	–	–	–	–	1	–	2	4	2	–
Bronchitis	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms)	5	1	3	–	–	–	–	–	1	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	–	–	1	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	4	–	–	1	1	1	–	–	–	–	–	1
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	10	1	1	–	–	–	–	1	–	2	1	4
Diseases Ill-defined or Unknown	1	1	–	–	–	–	–	–	–	–	–	–
All Causes	53	7	6	1	2	4	4	3	6	9	5	6

COATBRIDGE—April 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	1	–	–	–	–	–	–	–	–	–
Whooping-cough	3	1	2	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	5	–	–	–	1	1	2	1	–	–	–	–
Tuberculous Meningitis	2	1	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	4	–	–	–	–	–	–	2	–	1	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	5	–	–	–	–	–	–	–	–	3	1	1
Bronchitis	4	–	1	–	–	–	–	–	–	–	1	2
Pneumonia (all forms)	10	1	5	1	–	1	–	–	1	–	–	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	–	–	–	2	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	–	–	1	–	–	1	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	1	–	–
Other Defined Diseases	14	2	2	1	–	–	–	2	1	3	2	1
Diseases Ill-defined or Unknown	2	–	1	–	–	–	–	–	–	–	1	–
All Causes	64	11	16	2	2	2	2	6	4	8	6	5

MOTHERWELL—April 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
nteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
mall-pox	–	–	–	–	–	–	–	–	–	–	–	–
Ieasles	–	–	–	–	–	–	–	–	–	–	–	–
carlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Vhooping-cough	2	2	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	2	1	1	–	–	–	–	–	–	–	–	–
nfluenza	1	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	5	–	–	–	–	2	1	1	1	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	1	–	–	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	2	–	–	–	–	–	–	2	–	–	–	–
Bronchitis	3	–	–	–	–	–	–	1	–	1	1	–
Pneumonia (all forms)	2	1	–	–	–	–	–	–	1	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	5	–	–	–	–	–	–	1	2	1	–	1
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	–	–	–	–	1	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	13	–	1	–	–	1	–	2	4	2	2	1
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	46	10	3	–	–	3	1	9	9	4	5	2

KIRKCALDY—April 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
nteric Fever	1	–	–	–	–	–	–	1	–	–	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
mall-pox	–	–	–	–	–	–	–	–	–	–	–	–
Ieasles	–	–	–	–	–	–	–	–	–	–	–	–
carlet Fever	1	–	–	–	1	–	–	–	–	–	–	–
Vhooping-cough	1	–	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
nfluenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	1	–	–	–	–	–	–	1	–	–	–	–
Tuberculous Meningitis	4	2	1	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases	3	1	–	–	–	–	1	–	–	1	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	1	–	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	8	–	–	–	1	–	–	1	1	3	2	–
Bronchitis	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms)	3	–	1	–	–	–	–	–	–	2	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	–	–	1	–	1	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	–	–	–	–	1	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	10	1	–	–	–	–	–	3	1	–	3	2
Diseases Ill-defined or Unknown	2	2	–	–	–	–	–	–	–	–	–	–
All Causes	48	12	3	1	2	1	1	7	4	7	7	3

HAMILTON—April 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	8	2	6	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	3	–	–	–	–	–	1	2	–	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	5	–	–	–	–	–	–	–	2	1	2	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	6	–	–	–	–	–	–	1	2	–	3	–
Bronchitis	5	1	–	–	–	–	–	–	–	1	1	2
Pneumonia (all forms)	3	2	–	1	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Enteritis (under 2 years)	5	5	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	2	–	–	–	–	–	–	2	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	1	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	–	–	–	–	1	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	12	–	1	2	–	1	1	2	–	2	3	–
Diseases Ill-defined or Unknown	1	–	–		–	–	–	–	–	–	1	–
All Causes	57	12	8	3	–	1	3	7	6	4	11	2

CLYDEBANK—April 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–		–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	1	–	–	–	–	–	–	–	–
Scarlet Fever	2	–	1	1	–	–	–	–	–	–	–	–
Whooping-cough	7	2	5	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	2	–	–	–	–	–	1	1	–	–	–	–
Tuberculous Meningitis	2	–	1	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	–	–	–	–	–	–	1	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	–	1	2	–	–
Rheumatic Fever	2	–	–	1	–	–	1	–	–	–	–	–
Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease	2	–	–	–	–	–	–	1	–	–	1	–
Bronchitis	2	1	–	–	–	–	–	–	–	–	1	–
Pneumonia (all forms)	7	3	1	–	–	1	–	–	1	1	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	–	–	–	1	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	–	–	–	–	1	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	–	–	–	–	1	–	–	1	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	12	4	–	–	–	1	1	–	3	–	2	1
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	1	–	–
All Causes	52	10	9	4	–	3	4	4	5	6	5	2

KILMARNOCK—April 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
nteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
mall-pox	–	–	–	–	–	–	–	–	–	–	–	–
leasles	–	–	–	–	–	–	–	–	–	–	–	–
carlet Fever	1	–	–	1	–	–	–	–	–	–	–	–
Vhooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
iphtheria and Croup	1	–	–	1	–	–	–	–	–	–	–	–
nfluenza	1	–	–	–	–	–	–	–	–	–	–	1
rysipelas	–	–	–	–	–	–	–	–	–	–	–	–
hthisis, Pulmonary Tuberculosis	3	–	–	–	–	1	2	–	–	–	–	–
uberculous Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
bdominal Tuberculosis	1	–	–	–	–	–	1	–	–	–	–	–
ther Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
ancer, Malignant Disease	6	–	–	–	–	–	–	1	1	2	2	–
heumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
leningitis	–	–	–	–	–	–	–	–	–	–	–	–
rganic Heart Disease	4	–	–	–	–	–	–	–	2	–	1	1
ronchitis	8	3	–	–	–	–	–	–	–	1	4	–
neumonia (all forms)	5	1	3	–	–	1	–	–	–	–	–	–
ther Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
iarrhœa and Enteritis (under 2 years)	5	5	–	–	–	–	–	–	–	–	–	–
ppendicitis and Typhlitis	2	–	–	1	1	–	–	–	–	–	–	–
ll Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	–	–	–	1
ther Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
ephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
uerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
ther Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
ongenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
iolent Deaths, excluding Suicide	2	–	1	–	–	–	–	–	1	–	–	–
uicide	–	–	–	–	–	–	–	–	–	–	–	–
ther Defined Diseases	14	–	1	–	–	2	1	1	1	1	4	3
iseases Ill-defined or Unknown	1	1	–	–	–	–	–	–	–	–	–	–
All Causes	60	14	6	3	1	4	4	2	5	4	11	6

FALKIRK—April 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
nteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
mall-pox	–	–	–	–	–	–	–	–	–	–	–	–
leasles	–	–	–	–	–	–	–	–	–	–	–	–
carlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Vhooping-cough	1	1	–	–	–	–	–	–	–	–	–	–
iphtheria and Croup	2	1	1	–	–	–	–	–	–	–	–	–
nfluenza	–	–	–	–	–	–	–	–	–	–	–	–
rysipelas	–	–	–	–	–	–	–	–	–	–	–	–
hthisis, Pulmonary Tuberculosis	2	–	–	–	–	1	1	–	–	–	–	–
uberculous Meningitis	2	–	2	–	–	–	–	–	–	–	–	–
bdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
ther Tuberculous Diseases	1	–	–	–	–	1	–	–	–	–	–	–
ancer, Malignant Disease	3	–	–	–	–	–	–	–	1	2	–	–
heumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
leningitis	1	–	1	–	–	–	–	–	–	–	–	–
rganic Heart Disease	3	–	–	–	–	–	–	1	1	1	–	–
ronchitis	5	1	–	–	–	–	–	–	1	2	–	1
neumonia (all forms)	4	1	1	–	–	–	–	–	2	–	–	–
ther Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	1	–	–
iarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
ppendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
ll Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
ther Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
ephritis and Bright's Disease	1	–	–	1	–	–	–	–	–	–	–	–
uerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
ther Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
ongenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
iolent Deaths, excluding Suicide	1	–	–	–	–	–	–	–	–	1	–	–
uicide	–	–	–	–	–	–	–	–	–	–	–	–
ther Defined Diseases	11	1	–	–	–	2	–	–	1	1	4	2
iseases Ill-defined or Unknown	2	–	–	–	–	–	–	–	1	1	–	–
All Causes	44	9	5	1	–	4	1	1	7	9	4	3

CAUSES OF DEATH (corrected for Transfers).

AYR—April 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	
Small-pox	–	–	–	–	–	–	–	–	–	–	–	
Measles	–	–	–	–	–	–	–	–	–	–	–	
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	
Whooping-cough	4	1	3	–	–	–	–	–	–	–	–	
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	
Influenza	–	–	–	–	–	–	–	–	–	–	–	
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	
Phthisis, Pulmonary Tuberculosis	7	–	–	–	–	–	2	2	1	2	–	
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	
Abdominal Tuberculosis	1	–	–	1	–	–	–	–	–	–	–	
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	
Cancer, Malignant Disease	6	–	–	–	–	1	–	–	2	1	1	
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	
Meningitis	–	–	–	–	–	–	–	–	–	–	–	
Organic Heart Disease	1	–	–	–	–	–	1	–	–	–	–	
Bronchitis	3	–	–	–	–	–	–	–	–	1	–	2
Pneumonia (all forms)	4	–	1	–	–	–	–	–	–	1	2	
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	–	
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	
Appendicitis and Typhlitis	1	–	–	–	1	–	–	–	–	–	–	
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	
Nephritis and Bright's Disease	2	–	–	–	–	1	–	1	–	–	–	
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	
Other Diseases & Accidents of Pregnancy & Parturition	2	–	–	–	–	–	–	2	–	–	–	
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	
Violent Deaths, excluding Suicide	–	–	–	–	–	–	–	–	–	–	–	
Suicide	–	–	–	–	–	–	–	–	–	–	–	
Other Defined Diseases	16	–	–	1	1	–	–	1	1	6	3	3
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	
All Causes	52	5	4	2	2	2	3	6	4	11	6	7

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth,

During the Month of April 1915.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-Level and 32°.	AIR TEMPERATURE. Mean of Maximum (A).	AIR TEMPERATURE. Mean of Minimum (B).	AIR TEMPERATURE. Mean of A and B (Mean Temperature).	AIR TEMPERATURE. Difference from Average	AIR TEMPERATURE. Absolute Maximum and Minimum. Maximum	Day of Month.	Minimum.	Day of Month.	HYGROMETER. Mean at 9 A.M. and 9 P.M. Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	RAIN, AND OTHER FORMS OF PRECIPITATION. Number of Days.	Total Fall.	Difference from Average.	WIND DIRECTIONS. Number of Observations at 9 A.M. and 9 P.M. N	NE	E	SE	S	SW	W	NW	Calm or Variable.
	feet.	inch.	inch.	°	°	°	°	°		°		°	°	inch.	per cent.		inch.	inch.									
GLASGOW, Professor L. Becker, Ph.D., F.R.S.E.	184	29·752	29·956	52·0	39·7	45·9	+1·0	66	28, 29,	34	7th	44·8	2·6	·239	81	20	2·18	+0·05	0	4	8	0	3	14	21	10	0
EDINBURGH, Professor R. A. Sampson, F.R.S.	441	29·463	29·951	50·9	38·3	44·6	+1·1	58	11, 28, 29	32	21st	43·6	2·8	·224	79	15	1·28	-0·23	0	5	3	3	1	17	24	3	4
DUNDEE, John Carnochan, Curator of Cemeteries.	164	29·746	29·928	52·1	36·8	44·5	-0·1	61	28th	31	28th	43·8	1·7	·248	87	14	0·84	-1·08	0	4	0	8	3	34	0	11	0
ABERDEEN,* The Meteorological Office.	90	29·798	29·900	51·8	37·8	44·8	+1·0	63	28th	32	21, 28	44·2	2·8	·230	79	13	1·08	-1·01	3	3	3	3	10	12	11	9	6
PAISLEY, The Coats Observatory.	107	29·849	29·969	54·2	39·2	46·7	+1·6	68	29th	34	7, 23,	46·1	2·8	·249	80	17	2·74	+0·77	5	1	8	2	2	10	20	11	1
Leith,† James Bolam, Navigation School.	76	29·867	29·952	51·5	40·1	45·8	+0·6	59	11th	34	21st	46·9	3·2	·249	79	20	1·17	-0·59	0	4	10	0	0	14	28	4	0
GREENOCK,† Daniel Macalister, C.E., Greenock Waterworks.	233	29·702	29·968	52·2	38·9	45·6	+1·1	66	29th	32	7, 8,	45·6	2·9	·242	80	20	4·69	+1·23	0	6	4	8	0	6	18	18	0
PERTH, Henry Coates, F.R.S.E., The Museum.	82	29·845	29·937	54·2	36·8	45·5	+0·3	68	29th	28	13, 28	44·5	2·9	·231	78	14	1·17	-0·95	3	0	6	1	6	21	7	9	7
Means	172	29·753	29·945	52·4	38·4	45·4	+0·8	..	..	..	..	44·9	2·7	·239	80	17	1·89	-0·23	2	4	5	3	3	16	16	9	2

North Latitude.—Glasgow, 55° 51′; Edinburgh, 55° 55′; Dundee, 56° 28′; Aberdeen, 57° 9′; Paisley, 55° 51′; Leith, 55° 58′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 11′.
West Longitude.—Glasgow, 4° 13′; Edinburgh, 3° 11′; Dundee, 2° 57′; Aberdeen, 2° 7′; Paisley, 4° 27′; Leith, 3° 8′; Greenock, 4° 46′; Perth, 3° 25′; Mean, 3° 32′.

* At King's College, at 7 A.M. and 6 P.M.

† At 9 A.M. only.

FOR OFFICIAL USE.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN SIXTEEN OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

MAY 1915.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by
J. SKINNER & Co., Ltd., Thistle Street.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of May 1915 there were registered in the Sixteen Principal Towns of Scotland, those burghs which at the date of the 1911 Census had populations of over 30,000, the births of 5033 living children, of whom 2552 were male, and 2481 female. The male children are 184 fewer than in the previous month, and the female children are 242 fewer. The total children are 426 fewer than in the previous month, 226 fewer than the mean of the numbers for the three preceding months, and 249 fewer than in May of last year. The equivalent annual birth-rate is 25·3 per thousand of the estimated aggregate population of these towns, which is 3·0 below that for the previous month, 2·5 below the mean of the rates for the three preceding months, and 1·8 below that for May of last year. In the individual towns the birth-rate for the month ranged from 35·1 in Hamilton, 33·1 in Clydebank, and 31·0 in Coatbridge, to 17·6 in Perth, 19·1 in Edinburgh, and 20·3 in Ayr. In Greenock, it was 29·0; in Glasgow, in Kilmarnock, and in Falkirk, 27·1; in Paisley, 26·6; in Leith, 24·9; in Motherwell, 24·7; in Aberdeen, 24·0; in Dundee, 22·5; and in Kirkcaldy, 20·8.

Of the 5033 children registered, 4694, or 93·3 per cent., were legitimate, and 339, or 6·7 per cent., were illegitimate. The illegitimate children number 71 fewer than in the previous month, 28 fewer than the mean of the numbers for the three preceding months, and 10 fewer than in May of last year. The illegitimate rate for the month is 0·8 below that for the previous month, and 0·2 below the mean of the rates for the three preceding months, but is 0·1 above that for May of last year. In the individual towns the illegitimate rate ranged from 12·1 in Ayr, 11·3 in Perth, and 10·9 in Edinburgh, to 1·1 in Motherwell, 2·6 in Coatbridge, and 3·0 in Paisley. In Aberdeen this rate was 10·7; in Dundee, 8·3; in Hamilton 7·8; in Kirkcaldy, 6·9; in Glasgow, 6·3; in Leith, 4·1; in Clydebank, 4·0; in Falkirk, 3·8; in Kilmarnock, 3·5; and in Greenock, 3·1.

Marriages registered in these towns numbered 1230. They are 530 fewer than in the previous month, and 227 fewer than the mean of the numbers for the three

preceding months, but are 575 more than in May of last year. The equivalent annual marriage-rate for the month was 6·2 per thousand, being 2·9 below that for the previous month, and 1·4 below the mean of the rates for the three preceding months, but 2·8 above that for May of last year. This rate is exceptionally high for May, the highest rate previously recorded for that month in these reports for the past fifteen years having been 4·6 in 1905 and in 1910. In the individual towns this rate ranged from 7·4 in Aberdeen, 7·2 in Edinburgh, and 6·9 in Glasgow and in Falkirk, to 1·9 in Clydebank, 2·3 in Kirkcaldy, and 2·6 in Motherwell. In Ayr this rate was 6·7; in Perth, 6·0; in Dundee, 5·6; in Leith, 5·4; in Kilmarnock, 4·8; in Greenock, 4·2; in Paisley, 3·9; in Coatbridge, 3·7; and in Hamilton, 3·1.

Deaths registered in these towns during the month numbered 3554, 1785 being of males, and 1769 of females. These deaths include 225 of persons whose usual residence was outwith the town of registration, but the deaths of 158 persons with usual residence within one or other of these towns were registered elsewhere in Scotland, and the difference, 67, falls to be deducted to get the corrected number of deaths for the month, which is thus found to be 3487. The corrected number of deaths for the month is 423 fewer than in last month, and 676 fewer than the mean of the numbers for the three preceding months, but is 530 more than in May of last year.

The corrected death-rate for the month was 17·5, which is 2·8 below that for the previous month, and 4·4 below the mean of the rates for the three preceding months, but is 2·3 above that for May of last year.

In the individual towns the death-rate for the month ranged from 19·6 in Falkirk, 18·8 in Glasgow, and 18·5 in Dundee and in Greenock, to 10·4 in Kirkcaldy, 13·7 in Clydebank, and 14·4 in Ayr. In Perth it was 18·3; in Aberdeen, 17·7; in Motherwell, 17·3; in Kilmarnock, 16·6; in Coatbridge, 16·3; in Leith, 15·7; in Edinburgh, 15·5; in Paisley, 15·4; and in Hamilton, 14·9.

Of the 3487 deaths, 1262, or 36·2 per cent., were of children of less than five years old; 1424, or 40·9 per cent., were of persons of between five and sixty-five; and 799, or 22·9 per cent., were of persons of over sixty-five. Two deaths were of persons of unstated age. Compared with the returns for the previous month, deaths of persons of under five are 106 fewer, of persons of between five and sixty-five, 236 fewer, and of persons of over sixty-five, 83 fewer. Compared with the returns for May of last year, deaths of persons of under five are 379 more, of persons of between five and sixty-five, 75 more, and of persons of over sixty-five, 74 more.

Deaths of children of less than one year old numbered 691, and are equal to an infantile mortality rate of 132 per thousand of the average number of births registered monthly in these towns during the preceding twelve months. These deaths are 95 fewer than in the previous month, and 174 fewer than the mean of the numbers for the three preceding months, but are 158 more than in May of last year. This rate is 23 less than in the previous month, and 41 less than the mean of the rates for the three preceding months, but is 27 more than that for May of last year. In the individual towns this rate ranged from 189 in Falkirk, 183 in Clydebank, and 158 in Dundee, to 60 in Kirkcaldy, 76 in Paisley, and 85 in Leith. In Aberdeen it was 148; in Greenock, 143; in Glasgow, 139; in Kilmarnock, 130; in Coatbridge, 129; in Hamilton, 122; in Edinburgh, 116; in Motherwell, 114; in Perth, 103; and in Ayr, 88.

Deaths from the principal epidemic diseases, namely, enteric fever, measles, scarlet fever, whooping-cough, diphtheria, and the diarrhœas of childhood, collectively numbered 563, which is 74 fewer than in the previous month, and 53 fewer than the mean of the numbers for the three preceding months, but is 297 more than that for May of last year. These deaths are equal to an annual death-rate from these causes

of 2·8 per thousand, which is 0·5 below that for the previous month, and 0·4 below the mean of the rates for the preceding three months, but is 1·4 above that for May of last year. In the individual towns this death-rate ranged from 5·1 in Falkirk, 4·1 in Aberdeen, and 3·8 in Glasgow, to 0·8 in Coatbridge, 0·9 in Kirkcaldy, and 1·0 in Perth. In Motherwell this rate was 2·3; in Dundee, 2·2; in Clydebank, 2·1; in Hamilton, 1·8; in Edinburgh, 1·6; in Kilmarnock, 1·3; in Leith, 1·2; in Paisley, in Greenock, and in Ayr, 1·1.

Deaths from enteric fever numbered 2; from measles, 235; from scarlet fever, 30; from whooping-cough, 215; from diphtheria, 31; and from the diarrhœas of childhood, 50. Compared with the returns for the previous month, deaths from measles are 95 more, but those from scarlet fever are 3 fewer, from enteric fever and from diphtheria each 6 fewer, from the diarrhœas of childhood 8 fewer, and from whooping-cough 146 fewer.

One death from typhus fever was registered in Dundee. No deaths were registered from small-pox. Those from influenza, uncomplicated, numbered 12; from rheumatic fever, 10; from meningitis (non-tuberculous), 53; from heart disease, 269; from puerperal sepsis, 12; from malignant disease, 201; and from violence 119, of which 9 were attributed to suicide.

Deaths from pneumonia numbered 334, and constituted 9·6 per cent. of the total deaths for the month; they are 51 fewer than in the previous month, but 85 more than in May of last year. Deaths from bronchitis numbered 211, and constituted 6·1 per cent. of the total. They are 93 fewer than in the previous month, but 24 more than in May of last year. The equivalent annual death-rate from pneumonia was 1·7 per thousand, and that from bronchitis 1·1 per thousand.

Deaths from tuberculosis, all forms, numbered 408, and constituted 11·7 per cent. of the total deaths. They are 29 fewer than in April, but number the same as in May of last year. The equivalent annual death-rate from this cause was 2·0 per thousand. Of those deaths, 267 were attributed to phthisis, a number which is 35 fewer than in April but 24 more than in May of last year. The equivalent phthisis death-rate was 1·3 per thousand, which rate in the individual towns ranged from 2·0 in Paisley, 2·0 in Motherwell, and 1·8 in Aberdeen, to 0·3 in Hamilton, 0·6 in Kilmarnock, and 0·7 in Perth. In Dundee it was 1·7; in Falkirk, 1·4; in Glasgow and in Leith, 1·3; in Edinburgh, in Greenock, and in Kirkcaldy, 1·2; in Coatbridge, in Clydebank, and in Ayr, 1·1.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. Watt, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

MAY 1915.

Mean barometric pressure, 30·099 in.; greater than the average of 1856–1905 by 0·151 in.

Mean temperature, 48°·3; less by 1°·1.

Mean daily range of temperature, 16°·5; greater by 1°·5.

Rain, number of days, 10; less by 4 days.

Rain, depth in inches, 1·33; less by 0·87 in.

Wind, direction of: an 8 days' excess of winds from between N.E. and S.E.

Hence the month was characterised by an abnormally high mean pressure; a low mean temperature, with a high mean daily range; a very low mean rainfall; and a very large excess of winds from an easterly quarter.

The mean pressure of 30·099 in. was 0·151 in. above the normal, and the

(8445.) Wt.4/607. 1150. 6/15. J.S.&Co., Ltd. Group 4/11.

highest mean for any month since September 1912 (30·157 in.). The conditions were unsettled around 11th and 28th, but at Leith, at sea-level, barometer readings above 30 in. were recorded on 3rd and 4th, from 7th to 11th, on 15th, on 18th and 19th, from 21st to 28th, and on 30th and 31st. The extremes at that place were 30·571 in. on 9th, and 29·731 in. on 1st.

The mean temperature was 48°·3, or 1°·1 below the normal, the days being 0°·4 and the nights 1°·9 below their respective averages. Towards the west the means for the month were above or practically equal to the normal, whilst at Dundee the deficiency was as much as 2°·6. Cold weather during the first two or three days was followed by a mild spell until about 10th. On 11th a very cold easterly type of weather set in lasting until about 20th, with lowest readings for the month from 13th to 15th, and for the week ending 15th the mean temperature was in various districts 6° or more below the normal. From 22nd to 25th warm days were experienced, though easterly winds still prevailed, and on 24th Gordon Castle and Fort William reached 80°. Ground frost occurred in various districts around 28th. At the chief towns temperature ranged from 77° at Paisley on 28th to 26° at Perth on 14th.

The mean rainfall was 1·33 in., or 40 per cent. below the normal. The shortage was about 20 per cent. in the Edinburgh area, but Aberdeen, Dundee and Greenock had only one half or less of the normal, and towards the north-west the shortage was still more pronounced. Slight falls on 1st were followed by a dry spell until 10th, broken here and there on 6th; on 11th more or less heavy falls were general—more than half-an-inch at various places, and in many districts fully half the month's aggregate was registered on that day. The period from 12th to 27th was rainless or all but rainless in various districts, though with rain here and there on 12th, 19th or 20th. Moderate to heavy falls occurred on 28th.

There was a touch of wintry weather around 13th with snow in places, and hail occurred at times. Thunder locally on 5th or 6th.

Sunshine amounts were above the normal, especially towards the west.

TABLE I. ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES in the Principal Towns, May 1915.

Towns.	Population.		Births.					Marriages.	Deaths.					
	Census. 1911.	Estimated to middle of 1915.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.	Out.	In.	Total Corrected.
GLASGOW,	1,008,487	1,078,400	1241	1235	2476	2320	156	629	902	841	1743	85	63	1721
EDINBURGH,	320,769	328,700	281	251	532	474	58	200	233	247	480	69	21	432
DUNDEE,	176,085	177,300	168	171	339	311	28	84	129	153	282	7	3	278
ABERDEEN,	163,891	164,800	166	170	336	300	36	103	110	139	249	21	19	247
PAISLEY,	84,455	87,700	93	105	198	192	6	29	59	55	114	4	5	115
LEITH,	80,601	80,500	83	87	170	163	7	37	48	53	101	4	10	107
GREENOCK,	75,140	78,100	102	90	192	186	6	28	67	55	122	3	4	123
PERTH,	35,854	35,500	35	18	53	47	6	18	28	35	63	9	1	55
Total (Eight Towns)	1,945,282	2,031,000	2169	2127	4296	3993	303	1128	1576	1578	3154	202	126	3078
COATBRIDGE,	43,290	44,100	71	45	116	113	3	14	36	22	58	1	4	61
MOTHERWELL	40,380	41,600	41	46	87	86	1	9	28	29	57	1	5	61
KIRKCALDY	39,601	40,800	41	31	72	67	5	8	15	17	32	1	5	36
HAMILTON,	38,644	38,600	56	59	115	106	9	10	22	22	44	1	6	49
CLYDEBANK,	37,548	44,600	56	69	125	120	5	7	23	24	47	0	5	52
KILMARNOCK,	34,728	36,900	42	43	85	82	3	15	33	22	55	7	4	52
FALKIRK,	33,574	34,300	48	31	79	76	3	20	28	36	64	8	1	57
AYR,	32,986	33,600	28	30	58	51	7	19	24	19	43	4	2	41
Total (Sixteen Towns)	2,246,033	2,345,500	2552	2481	5033	4694	339	1230	1785	1769	3554	225	158	3487

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES in the Principal Towns, MAY 1915.

TOWNS.	Birth-Rate per 1000 of Population.	Illegitimate Birth-Rate per 100 Births.	Marriage-Rate per 1000 of Population.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuberculosis.	Phthisis.	All Respiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncorrected.	Corrected.						
GLASGOW, .	27·1	6·3	6·9	19 0	18·8	3·8	2·0	1·3	3·4	351	139
EDINBURGH, .	19·1	10·9	7·2	17·2	15·5	1·6	1·7	1·2	2·2	67	116
DUNDEE, . .	22·5	8·3	5·6	18·7	18·5	2·2	2·5	1·7	3·8	59	158
ABERDEEN, .	24·0	10·7	7·4	17·8	17·7	4·1	2·6	1·8	2·2	51	148
PAISLEY, . .	26·6	3·0	3·9	15·3	15·4	1·1	2·1	2·0	3·6	15	76
LEITH, . .	24·9	4·1	5·4	14·8	15·7	1·2	2·5	1·3	2·6	15	85
GREENOCK, .	29 0	3·1	4·2	18·4	18·5	1·1	2·9	1·2	3·2	30	143
PERTH, . .	17·6	11·3	6·0	20·9	18·3	1·0	1·3	0·7	3·7	6	103
TOTAL . . (EIGHT TOWNS)	24·9	7·1	6·5	18·3	17·9	3·0	2·1	1·4	3·1	594	133
COATBRIDGE, .	31·0	2·6	3·7	15·5	16·3	0·8	2·4	1·1	2·9	15	129
MOTHERWELL,	24·7	1·1	2·6	16·2	17·3	2·3	2·6	2·0	2·0	12	114
KIRKCALDY, .	20·8	6·9	2·3	9·2	10·4	0·9	1·4	1·2	1·7	5	60
HAMILTON, .	35·1	7·8	3·1	13·4	14·9	1·8	0·9	0·3	2·1	14	122
CLYDEBANK, .	33·1	4·0	1·9	12·4	13·7	2·1	1·9	1·1	2·9	21	183
KILMARNOCK,	27·1	3·5	4·8	17·6	16·6	1·3	1·0	0·6	1·6	10	130
FALKIRK, . .	27·1	3·8	6·9	22·0	19·6	5·1	2·1	1·4	3·1	14	189
AYR, . . .	20·3	12·1	6·7	15·1	14·4	1·1	1·4	1·1	1·4	6	88
TOTAL . . (SIXTEEN TOWNS)	25·3	6·7	6·2	17·9	17·5	2·8	2·0	1·3	3·0	691	132

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR MAY 1915, and for the Corresponding Month of the Preceding Ten Years, in the PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth-rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature. (Eight Towns only.)
					Enteric Fever.	Smallpox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria and Croup.	Diarrhœa (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
MAY 1915, .	**25·3**	**6·7**	**6·2**	**17·5**	**2**	**0**	**235**	**30**	**215**	**31**	**50**	**132**	**48°·3**
MAY 1914, .	27·1	6·6	3·4	15·2	5	0	104	21	72	22	42	105	50°·2
MAY 1913, .	27·6	6·6	3·5	16 5	9	0	148	22	169	34	71	116	50°·0
MAY 1912, .	28·4	7·4	3·1	15·7	7	0	125	14	57	22	53	107	51°·0
MAY 1911, .	29·7	7·4	4·5	17·5	7	1	50	17	186	16	33	134	53°·2
MAY 1910, .	29·6	7·6	4·6	16·7	3	0	184	20	36	14	43	111	49°·9
MAY 1909, .	29·0	6·9	4·2	17·7	2	0	25	20	153	23	50	121	50°·1
MAY 1908, .	29·4	6·7	4·0	16·9	3	0	80	15	60	14	–	120	52°·0
MAY 1907, .	30·9	6·4	3·7	20·1	11	0	36	13	192	15	–	123	48°·0
MAY 1906, .	30·8	6·9	3·7	19·1	5	0	82	12	82	21	–	126	48°·2
MAY 1905, .	34·0	6·8	4·6	19·6	11	0	132	10	122	22	–	133	50°·6

For all years up to and including 1911, figures are for Eight only of the Principal Towns.
Figures in Columns 5–13 have, for 1913 and subsequent years, been corrected for non-resident deaths

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—May 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	2	–	–	–	–	1	–	–	–	1	–	–
Typhus Fever	1	–	–	–	–	–	–	1	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	235	72	152	10	–	1	–	–	–	–	–	–
Scarlet Fever	30	–	20	8	–	1	–	1	–	–	–	–
Whooping-cough	215	102	108	5	–	–	–	–	–	–	–	–
Diphtheria and Croup	31	4	21	4	–	1	1	–	–	–	–	–
Influenza	12	–	–	–	–	1	1	1	2	4	3	–
Erysipelas	6	1	–	–	–	–	1	1	–	1	1	1
Phthisis, Pulmonary Tuberculosis	267	3	8	7	11	44	58	65	50	14	5	2
Tuberculous Meningitis	73	17	38	10	2	4	–	1	–	1	–	–
Abdominal Tuberculosis	36	5	18	3	3	2	1	2	–	2	–	–
Other Tuberculous Diseases	32	2	6	4	3	9	1	1	2	2	1	1
Cancer, Malignant Disease	201	–	–	1	–	1	6	18	41	58	56	20
Rheumatic Fever	10	–	–	1	–	3	1	2	2	1	–	–
Meningitis	53	22	17	5	–	1	1	3	–	3	1	–
Organic Heart Disease	269	–	2	1	7	13	15	23	41	57	73	37
Bronchitis	211	37	12	–	–	–	3	6	14	35	61	43
Pneumonia (all forms)	334	64	98	10	6	13	8	27	28	25	33	22
Other Diseases of Respiratory Organs	53	7	5	1	–	3	4	2	9	6	9	7
Diarrhœa and Enteritis (under 2 years)	50	41	9	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	12	–	–	1	4	2	3	1	–	1	–	–
All Liver Diseases (not Malignant)	28	–	–	–	1	1	3	3	5	9	2	4
Other Diseases of Digestive System (under 2 years)	16	14	2	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	100	3	1	2	2	1	7	11	16	26	19	12
Puerperal Sepsis	12	–	–	–	–	3	7	2	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	22	–	–	–	–	3	12	7	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	197	195	2	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	*110	14	9	11	3	3	11	11	9	18	10	9
Suicide	9	–	–	–	–	–	1	2	2	4	–	–
Other Defined Diseases	781	78	38	18	10	23	32	48	76	121	158	179
Diseases Ill-defined or Unknown	79	10	5	–	1	–	3	8	10	12	19	11
All Causes	*3487	691	571	102	53	134	180	247	307	401	451	348

* Includes two of unstated age.

GLASGOW—May 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	1	–	–	–	–	–	–	–	–	1	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	178	51	120	7	–	–	–	–	–	–	–	–
Scarlet Fever	15	–	10	4	–	1	–	–	–	–	–	–
Whooping-cough	128	58	69	1	–	–	–	–	–	–	–	–
Diphtheria and Croup	13	4	8	–	–	–	1	–	–	–	–	–
Influenza	3	–	–	–	–	–	–	–	1	–	2	–
Erysipelas	3	1	–	–	–	–	–	–	–	1	–	1
Phthisis, Pulmonary Tuberculosis	120	1	3	4	3	18	26	28	27	8	2	–
Tuberculous Meningitis	37	7	20	5	2	2	–	–	–	1	–	–
Abdominal Tuberculosis	17	3	6	3	2	1	1	1	–	–	–	–
Other Tuberculous Diseases	11	–	–	1	–	5	1	–	2	1	1	–
Cancer, Malignant Disease	90	–	–	–	–	–	1	11	21	26	23	8
Rheumatic Fever	6	–	–	1	–	–	1	1	2	1	–	–
Meningitis	31	15	11	1	–	1	–	2	–	1	–	–
Organic Heart Disease	102	–	1	–	3	4	9	7	14	26	25	13
Bronchitis	99	18	4	–	–	–	1	2	9	19	29	17
Pneumonia (all forms)	192	34	57	7	3	10	4	13	17	16	18	13
Other Diseases of Respiratory Organs	22	6	3	1	–	–	1	1	6	–	3	1
Diarrhœa and Enteritis (under 2 years)	16	13	3	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	6	–	–	–	4	1	–	–	–	1	–	–
All Liver Diseases (not Malignant)	13	–	–	–	1	–	1	1	2	5	1	2
Other Diseases of Digestive System (under 2 years)	12	10	2	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	61	2	–	2	1	–	3	5	9	18	12	9
Puerperal Sepsis	10	–	–	–	–	2	6	2	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	7	–	–	–		–	3	4	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	79	78	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	48	7	4	1	2	1	5	6	5	8	5	4
Suicide	4	–	–	–	–	–	–	1	1	2	–	–
Other Defined Diseases	351	37	14	6	6	11	17	26	37	55	71	71
Diseases Ill defined or Unknown	46	6	3		1	–	3	4	7	6	11	5
All Causes	1721	351	339	44	28	57	84	115	160	196	203	144

CAUSES OF DEATH (corrected for Transfers).

EDINBURGH—May 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
nteric Fever	1	–	–	–	–	1	–	–	–	–	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
mall-pox	–	–	–	–	–	–	–	–	–	–	–	–
leasles	–	–	–	–	–	–	–	–	–	–	–	–
carlet Fever	1	–	–	–	–	–	–	1	–	–	–	–
Vhooping-cough	32	19	13	–	–	–	–	–	–	–	–	–
iphtheria and Croup	4	–	3	1	–	–	–	–	–	–	–	–
nfluenza	4	–	–	–	–	–	1	1	1	1	–	–
rysipelas	1	–	–	–	–	–	–	1	–	–	–	–
hthisis, Pulmonary Tuberculosis	33	1	1	–	1	4	6	11	7	–	1	1
uberculous Meningitis	5	1	2	1	–	–	–	1	–	–	–	–
bdominal Tuberculosis	5	–	3	–	1	1	–	–	–	–	–	–
ther Tuberculous Diseases	4	1	2	–	1	–	–	–	–	–	–	–
ancer, Malignant Disease	27	–	–	–	–	–	1	1	2	9	9	5
heumatic Fever	1	–	–	–	–	1	–	–	–	–	–	–
leningitis	5	1	2	–	–	–	–	–	–	1	1	–
rganic Heart Disease	45	–	–	–	1	2	1	5	7	9	15	5
ronchitis	23	2	1	–	–	–	1	–	–	3	9	7
neumonia (all forms)	26	4	4	–	–	1	2	3	1	4	6	1
ther Diseases of Respiratory Organs	11	–	1	–	–	–	1	1	1	1	2	4
iarrhœa and Enteritis (under 2 years)	8	7	1	–	–	–	–	–	–	–	–	–
ppendicitis and Typhlitis	1	–	–	–	–	–	1	–	–	–	–	–
ll Liver Diseases (not Malignant)	3	–	–	–	–	–	–	–	–	2	–	1
ther Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
ephritis and Bright's Disease	13	–	–	–	–	–	1	2	2	3	2	3
uerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
ther Diseases & Accidents of Pregnancy & Parturition	2	–	–	–	–	–	2	–	–	–	–	–
ongenital Debility and Malformation, including Premature Birth	20	20	–	–	–	–	–	–	–	–	–	–
iolent Deaths, excluding Suicide	16	1	2	3	–	1	1	4	1	2	1	–
uicide	2	–	–	–	–	–	–	1	–	1	–	–
ther Defined Diseases	134	10	4	2	3	7	3	11	11	21	23	39
iseases Ill-defined or Unknown	5	–	–	–	–	–	–	–	1	1	2	1
All Causes	432	67	39	7	7	18	21	43	34	58	71	67

DUNDEE—May 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	1	–	–	–	–	–	–	1	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	
Measles	6	3	3	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	–	1	–	–	–	–	–	–	–	–
Whooping-cough	18	8	10	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	2	–	1	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	26	–	1	1	3	8	2	3	5	2	1	–
Tuberculous Meningitis	6	3	1	2	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	3	–	2	–	–	–	–	–	–	1	–	–
Other Tuberculous Diseases	2	–	–	–	1	1	–	–	–	–	–	–
Cancer, Malignant Disease	19	–	–	1	–	–	1	1	3	6	6	1
Rheumatic Fever	1	–	–	–	–	–	–	1	–	–	–	–
Meningitis	3	–	–	2	–	–	1	–	–	–	–	–
Organic Heart Disease	19	–	1	–	–	1	2	2	4	3	5	1
Bronchitis	23	6	3	–	–	–	1	–	–	3	5	5
Pneumonia (all forms)	29	2	14	–	1	1	–	3	1	1	3	3
Other Diseases of Respiratory Organs	5	–	–	–	–	–	1	–	–	2	1	1
Diarrhœa and Enteritis (under 2 years)	6	4	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	4	–	–	–	–	–	1	–	2	–	1	
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	2	–	–	–	–	1	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	23	23	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	12	2	1	2	1	–	1	–	1	2	1	1
Suicide	1	–	–	–	–	–	–	–	–	1	–	–
Other Defined Diseases	57	6	5	2	–	–	3	–	5	6	13	17
Diseases Ill-defined or Unknown	6	–	1	–	–	–	–	–	1	2	2	–
All Causes	278	59	45	12	6	12	15	11	22	29	38	29

ABERDEEN—May 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	32	11	17	3	–	1	–	–	–	–	–	–
Scarlet Fever	8	–	6	2	–	–	–	–	–	–	–	–
Whooping-cough	11	4	5	2	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	25	1	3	–		5	3	7	4	2	–	–
Tuberculous Meningitis	4	–	2	–	–	2	–	–	–	–	–	–
Abdominal Tuberculosis	2	–	2	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	6	–	2	1	1	1	–	1	–	–	–	–
Cancer, Malignant Disease	20	–	–	–	–	–	1	2	6	3	6	2
Rheumatic Fever	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	22	–	–	–	1	1	–	3	3	3	4	7
Bronchitis	11	2	1	–	–	–	–	–	–	–	4	4
Pneumonia (all forms)	17	6	6	–	–	–	–	–	–	2	1	2
Other Diseases of Respiratory Organs	3	–	–	–	–	2	–	–	–	1	–	–
Diarrhœa and Enteritis (under 2 years)	6	5	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	5	–	–	–	1	–	–	1	1	–	2	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	12	12	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	4	1	–	1	–	–	–	–	–	1	1	–
Suicide	2	–	–	–	–	–	1	–	1	–	–	–
Other Defined Diseases	49	8	6	–	1	2	1	2	4	9	6	10
Diseases Ill-defined or Unknown	5	1	–	–	–	–	–	3	–	–	1	–
All Causes	247	51	51	9	4	15	6	20	19	22	25	25

PAISLEY—May 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	4	–	3	1	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	3	–	3	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	15	–	–	1	1	2	6	4	1	–	–	–
Tuberculous Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	7	–	–	–	–	–	–	1	1	4	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	3	1	–	1	–	–	–	1	–	–	–	–
Organic Heart Disease	13	–	–	–	1	–	1	1	–	5	3	2
Bronchitis	19	1	1	–	–	–	–	2	3	3	5	4
Pneumonia (all forms)	7	1	1	–	–	–	–	1	1	1	1	1
Other Diseases of Respiratory Organs	1	–	–	–	–	1	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	3	–	–	–	–	2	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	8	8	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	–	1	–	–	–	1	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	25	2	–	1	–	1	1	2	1	4	6	7
Diseases Ill-defined or Unknown	2	1	–	–	–	–	–	–	–	–	1	–
All Causes	115	15	9	5	2	6	9	14	7	17	17	14

LEITH—May 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	3	2	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	1	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	9	–	–	–	–	2	1	3	2	1	–	–
Tuberculous Meningitis	3	1	2	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	5	1	3	–	–	–	–	–	–	1	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	8	–	–	–	–	–	–	1	1	3	2	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	–	–	–	–	–	–	–	–	1	–	–
Organic Heart Disease	12	–	–	–	–	2	–	–	4	–	5	1
Bronchitis	1	–	–	–	–	–	–	–	–	1	–	–
Pneumonia (all forms)	15	3	5	–	–	1	2	1	2	–	–	1
Other Diseases of Respiratory Organs	2	–	–	–	–	–	1	–	–	–	–	1
Diarrhœa and Enteritis (under 2 years)	3	2	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	2	–	–	–	–	1	1	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	4	–	–	–	–	1	–	–	1	–	2	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	7	1	2	–	–	–	1	–	1	1	1	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	24	2	1	1	–	–	3	1	2	3	7	4
Diseases Ill-defined or Unknown	2	–	–	–	–	–	–	1	–	–	–	1
All Causes	107	15	17	1	–	8	9	7	13	11	17	9

GREENOCK—May 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	5	3	1	1	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	1	1	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	8	–	–	1	1	1	3	–	1	1	–	–
Tuberculous Meningitis	6	3	3	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	5	1	–	2	–	1	–	–	–	–	–	1
Cancer, Malignant Disease	5	–	–	–	–	–	–	–	1	1	2	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	2	1	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease	11	–	–	–	–	1	–	2	1	1	4	2
Bronchitis	7	4	–	–	–	–	–	–	–	2	1	–
Pneumonia (all forms)	11	3	2	–	–	–	–	1	1	1	2	1
Other Diseases of Respiratory Organs	3	–	1	–	–	–	–	–	–	–	2	–
Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	2	–	–	1	–	–	–	1	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	1	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	3	1	–	–	–	–	–	1	1	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	10	10	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	6	–	–	1	–	–	1	–	1	2	–	1
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	28	2	–	–	–	–	–	1	6	6	3	10
Diseases Ill-defined or Unknown	5	2	1	–	–	–	–	–	–	1	–	1
All Causes	123	30	11	6	1	4	5	6	12	16	15	17

PERTH—May 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	–	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–		–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	–	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	2	–	–	–	1	–	–	1	–	–	–	–
Tuberculous Meningitis	2	1	1	–	–	–	–		–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	–	2	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	9	–	–	–	–	1	–	1	–	4	2	1
Bronchitis	5	–	1	–	–	–	–	–	–	1	2	1
Pneumonia (all forms)	5	1	3	1	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	1	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–		–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	1	–	–	–	–	–	–	1	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	19	–	–	–	–	–	–	–	1	7	6	5
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	–	–	1
All Causes	55	6	8	2	1	1	–	2	2	15	10	8

COATBRIDGE—May 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–		–	–	–	–	–
Scarlet Fever	1	–	1	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	4	–	–	–	–	–	2	2	–	–	–	–
Tuberculous Meningitis	2	–	2	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	–	1	–		1	–		–	–	–	–
Cancer, Malignant Disease	6	–	–	–	–	1	1	–	3	–	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	4	2	1	1	–	–	–	–	–	–	–	–
Organic Heart Disease	3	–	–	1	–	–	–	–	–	–	2	–
Bronchitis	5	–	1	–	–	–	–	2	–	–	–	2
Pneumonia (all forms)	6	2	–	–	1	–	–	2	1	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	–	–	1	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	3	–	–	–	–	–	2	1	–	–	–	–
Puerperal Sepsis	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	9	8	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	9	2	–	1	–	–	–	–	2	1	3	–
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	1	–	–	–
All Causes	61	15	9	3	1	2	7	8	7	1	6	2

CAUSES OF DEATH (corrected for Transfers).

MOTHERWELL—May 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
nteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
mall-pox	–	–	–	–	–	–	–	–	–	–	–	–
Ieasles	–	–	–	–	–	–	–	–	–	–	–	–
carlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Vhooping-cough	2	–	2	–	–	–	–	–	–	–	–	–
iphtheria and Croup	3	–	2	–	–	1	–	–	–	–	–	–
nfluenza	1	–	–	–	–	–	–	–	–	1	–	–
rysipelas	1	–	–	–	–	–	–	–	–	–	1	–
hthisis, Pulmonary Tuberculosis	7	–	–	–	1	1	1	3	–	–	1	–
uberculous Meningitis	2	–	2	–	–	–	–	–	–	–	–	–
bdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
ther Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
ancer, Malignant Disease	3	–	–	–	–	–	–	–	–	1	1	1
heumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Ieningitis	–	–	–	–	–	–	–	–	–	–	–	–
rganic Heart Disease	3	–	–	–	1	–	1	–	1	–	–	–
ronchitis	2	–	–	–	–	–	–	–	1	1	–	–
neumonia (all forms)	3	–	1	–	1	–	–	1	–	–	–	–
ther Diseases of Respiratory Organs	2	–	–	–	–	–	–	–	–	1	1	–
iarrhœa and Enteritis (under 2 years)	3	3	–	–	–	–	–	–	–	–	–	–
ppendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
ll Liver Diseases (not Malignant)	1	–	–	–	–	–	1	–	–	–	–	–
ther Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
ephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
uerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
ther Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
ongenital Debility and Malformation, including Premature Birth	8	8	–	–	–	–	–	–	–	–	–	–
iolent Deaths, excluding Suicide	1	–	–	–	–	–	1	–	–	–	–	–
uicide	–	–	–	–	–	–	–	–	–	–	–	–
ther Defined Diseases	17	–	2	2	–	–	–	2	3	2	3	3
iseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	–	1	–
All Causes	61	12	9	2	3	2	4	6	5	6	8	4

KIRKCALDY—May 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
nteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
mall-pox	–	–	–	–	–	–	–	–	–	–	–	–
Ieasles	1	–	1	–	–	–	–	–	–	–	–	–
carlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Vhooping-cough	1	1	–	–	–	–	–	–	–	–	–	–
iphtheria and Croup	1	–	–	1	–	–	–	–	–	–	–	–
nfluenza	–	–	–	–	–	–	–	–	–	–	–	–
rysipelas	–	–	–	–	–	–	–	–	–	–	–	–
hthisis, Pulmonary Tuberculosis	4	–	–	–	–	1	2	1	–	–	–	–
uberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
bdominal Tuberculosis	1	–	–	–	–	–	–	1	–	–	–	–
ther Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
ancer, Malignant Disease	4	–	–	–	–	–	–	1	–	2	1	–
heumatic Fever	1	–	–	–	–	1	–	–	–	–	–	–
Ieningitis	–	–	–	–	–	–	–	–	–	–	–	–
rganic Heart Disease	4	–	–	–	–	–	–	1	1	–	2	–
ronchitis	4	2	–	–	–	–	–	–	–	–	1	1
neumonia (all forms)	2	–	–	–	–	–	–	–	1	–	1	–
ther Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
iarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
ppendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
ll Liver Diseases (not Malignant)	3	–	–	–	–	–	–	1	2	–	–	–
ther Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
ephritis and Bright's Disease	1	–	–	–	–	–	–	1	–	–	–	–
uerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
ther Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
ongenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
iolent Deaths, excluding Suicide	1	–	–	–	–	–	–	–	–	–	–	1
uicide	–	–	–	–	–	–	–	–	–	–	–	–
ther Defined Diseases	6	1	–	–	–	1	–	–	–	–	1	3
iseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	–	1	–
All Causes	36	5	1	1	–	3	2	6	4	2	7	5

HAMILTON—May 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–		–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	5	1	3	1	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	1	–	–	–	–	–	1	–	–	–		–
Tuberculous Meningitis	1	–	–	1	–	–	–	–	–	–		–
Abdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–		–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	2	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease	7	–	–	–	–	–	1	–	1	2	3	–
Bronchitis	1	–	–	–	–	–	–	–	1	–	–	–
Pneumonia (all forms)	6	4	–	–	–	–	–	–	2	–		–
Other Diseases of Respiratory Organs	–	–	–		–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	–	–	–	–	2	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–		–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	1	–	–	–		–
Congenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	1	–	1	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–		–
Other Defined Diseases	12	2	2	3	–	–	–	–	1	1	2	1
Diseases Ill-defined or Unknown	1	–	–		–	–	–	–	–	–	–	1
All Causes	49	14	7	6	–	–	3	–	7	5	5	2

CLYDEBANK—May 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–		–	–
Small-pox	–	–	–	–	–	–	–	–	–	–		–
Measles	5	3	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–		–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	4	–	–	–	–	–	2	2	–			–
Tuberculous Meningitis	2	1	–	1	–	–	–	–	–	–		–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–			–
Other Tuberculous Diseases	1	–	1	–	–	–		–	–	–		–
Cancer, Malignant Disease	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–			–
Meningitis	–	–		–	–	–	–	–		–	–	–
Organic Heart Disease	4	–	–	–	–	–		–	1	1	1	1
Bronchitis	4	2	–	–	–	–	–	–	–	–	2	–
Pneumonia (all forms)	6	3	2	1	–	–		–	–	–	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	1		–
Diarrhœa and Enteritis (under 2 years)	2	2	–	–	–	–	–	–		–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–		–	–		–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–			–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–			–
Other Diseases & Accidents of Pregnancy & Parturition	2	–	–	–	–	–	1	1	–			–
Congenital Debility and Malformation, including Premature Birth	6	6	–	–	–	–	–	–	–	–		–
Violent Deaths, excluding Suicide	2	–	–	–	–	–	–	–	–	1	1	–
Suicide	–	–	–	–	–	–	–	–	–		–	–
Other Defined Diseases	10	3	–	–	–	–	2	–	1	2	1	1
Diseases Ill-defined or Unknown	2	–	–	–	–	–	–	–	–	1	–	1
All Causes	52	21	5	2	–	–	5	3	2	6	5	3

KILMARNOCK—May 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
nteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
mall-pox	–	–	–	–	–	–	–	–	–	–	–	–
leasles	–	–	–	–	–	–	–	–	–	–	–	–
carlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Vhooping-cough	3	1	2	–	–	–	–	–	–	–	–	–
iphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
nfluenza	–	–	–	–	–	–	–	–	–	–	–	–
rysipelas	1	–	–	–	–	–	1	–	–	–	–	–
hthisis, Pulmonary Tuberculosis	2	–	–	–	–	1	1	–	–	–	–	–
uberculous Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
bdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
ther Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
ancer, Malignant Disease	6	–	–	–	–	–	1	–	–	–	4	1
heumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
eningitis	1	1	–	–	–	–	–	–	–	–	–	–
rganic Heart Disease	7	–	–	–	–	1	–	–	3	1	1	1
ronchitis	3	–	–	–	–	–	–	–	–	1	1	1
neumonia (all forms)	2	1	1	–	–	–	–	–	–	–	–	–
ther Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
iarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
ppendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
ll Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	–	1	–	–
ther Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
ephritis and Bright's Disease	1	–	–	–	–	–	–	–	–	1	–	–
uerperal Sepsis	1	–	–	–	–	1	–	–	–	–	–	–
ther Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	1	–	–	–	–	–
ongenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
iolent Deaths, excluding Suicide	3	–	–	1	–	–	1	–	–	–	–	1
uicide	–	–	–	–	–	–	–	–	–	–	–	–
ther Defined Diseases	14	2	2	–	–	–	1	1	–	2	5	1
iseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	52	10	6	1	–	3	6	1	3	6	11	5

FALKIRK—May 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
nteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
mall-pox	–	–	–	–	–	–	–	–	–	–	–	–
leasles	10	4	6	–	–	–	–	–	–	–	–	–
carlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Vhooping-cough	4	3	1	–	–	–	–	–	–	–	–	–
iphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
nfluenza	–	–	–	–	–	–	–	–	–	–	–	–
rysipelas	–	–	–	–	–	–	–	–	–	–	–	–
hthisis, Pulmonary Tuberculosis	4	–	–	–	–	1	1	–	2	–	–	–
uberculous Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
bdominal Tuberculosis	1	1	–	–	–	–	–	–	–	–	–	–
ther Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
ancer, Malignant Disease	1	–	–	–	–	–	–	–	1	–	–	–
heumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
eningitis	–	–	–	–	–	–	–	–	–	–	–	–
rganic Heart Disease	6	–	–	–	–	–	–	1	1	2	1	1
ronchitis	3	–	–	–	–	–	–	–	–	1	1	1
neumonia (all forms)	5	–	2	–	–	–	–	2	1	–	–	–
ther Diseases of Respiratory Organs	1	1	–	–	–	–	–	–	–	–	–	–
iarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
ppendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
ll Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
ther Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
ephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
uerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
ther Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
ongenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
iolent Deaths, excluding Suicide	3	–	–	–	–	1	–	–	–	1	–	1
uicide	–	–	–	–	–	–	–	–	–	–	–	–
ther Defined Diseases	12	–	1	–	–	–	–	–	2	–	4	5
iseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	1	–	–
All Causes	57	14	11	–	–	2	1	3	7	5	6	8

CAUSES OF DEATH (corrected for Transfers).

AYR—May 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	2	1	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	3	–	–	–	–	–	1	–	1	–	–	1
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	–	–	–	–	–	–	1	–	–
Cancer, Malignant Disease	1	–	–	–	–	–	–	–	–	1	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–		
Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease	2	–	–	–	–	–	–	–	–	–	–	2
Bronchitis	1	–	–	–	–	–	–	–	–	–	1	–
Pneumonia (all forms)	2	–	–	1	–	–	–	–	–		1	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	1	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	3	–	–	–	–	–	–	–	1	–	1	1
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	–	–	1	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	*3	1	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	14	1	1	–	–	1	1	2	–	2	4	2
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	*41	6	4	1	–	1	3	2	3	6	7	6

* Includes two of unstated age.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth,

During the Month of May 1915

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-Level and 32°.	AIR TEMPERATURE. Mean of Maximum (A).	AIR TEMPERATURE. Mean of Minimum (B.)	AIR TEMPERATURE. Mean of A and B (Mean Temperature).	AIR TEMPERATURE. Difference from Average	AIR TEMPERATURE. Absolute Maximum and Minimum. Maximum	AIR TEMPERATURE. Absolute Maximum and Minimum. Day of Month.	AIR TEMPERATURE. Absolute Maximum and Minimum. Minimum.	AIR TEMPERATURE. Absolute Maximum and Minimum. Day of Month.	HYGROMETER. Mean at 9 A.M. and 9 P.M. Dry Bulb.	HYGROMETER. Mean at 9 A.M. and 9 P.M. Depression of Wet Bulb.	HYGROMETER. Mean at 9 A.M. and 9 P.M. Vapour Pressure.	HYGROMETER. Mean at 9 A.M. and 9 P.M. Humidity.	RAIN, AND OTHER FORMS OF PRECIPITATION. Number of Days.	RAIN, AND OTHER FORMS OF PRECIPITATION. Total Fall.	RAIN, AND OTHER FORMS OF PRECIPITATION. Difference from Average.	WIND DIRECTIONS. Number of Observations at 9 A.M. and 9 P.M. N	NE	E	SE	S	SW	W	NW	Calm or Variable.
	feet.	inch.	inch.	°	°	°	°	°		°		°	°	inch.	per cent.		inch.	inch.									
GLASGOW, Professor L. Becker, Ph.D., F.R.S.E.	184	29·879	30·081	58·1	41·6	49·9	-0·1	75	23rd	32	15th	48·9	4·3	·248	72	9	1·77	-0·65	3	13	27	0	0	4	11	2	2
EDINBURGH, Professor R. A. Sampson, F.R.S.	441	29·617	30·103	53·4	39·6	46·5	-1·5	65	22, 24	32	4, 13, 15	46·1	3·2	·241	77	10	1·34	-0·31	3	16	15	12	1	0	7	4	4
DUNDEE, John Carnochan, Curator of Cemeteries.	164	29·922	30·103	55·0	38·3	46·7	-2·6	69	24th	30	3, 14	46·1	2·0	·266	86	12	0·96	-0·91	0	16	4	28	2	5	0	7	0
ABERDEEN,* The Meteorological Office.	90	30·007	30·108	53·1	39·5	46·3	-2·0	69	24th	31	3, 13, 14	46·8	2·9	·254	80	14	0·89	-1·25	11	8	3	12	5	4	3	10	6
PAISLEY, The Coats Observatory.	107	29·973	30·092	60·5	41·4	51·0	+0·3	77	23rd	31	15th	50·2	4·2	·263	73	8	1·40	-0·77	6	4	21	11	1	0	4	7	8
Leith,† James Bolam, Navigation School.	76	30·026	30·110	54·4	40·7	47·6	-1·9	63	20, 28	30	10th	49·2	3·5	·268	76	9	1·53	-0·34	2	32	16	4	0	0	4	4	0
GREENOCK,† Daniel Macalister, C.E., Greenock Waterworks.	233	29·831	30·094	59·4	41·5	50·5	+1·2	74	23rd	31	15th	49·4	4·3	·253	72	9	1·35	-1·88	0	14	7	18	0	3	7	13	0
PERTH, Henry Coates, F.R.S.E.	82	30·010	30·102	57·9	37·4	47·7	-1·9	75	22, 23	26	14th	48·2	3·6	·253	76	9	1·38	-0·82	3	2	15	16	11	11	1	3	0
Means	172	29·908	30·099	56·5	40·0	48·3	-1·1	..	..	..	..	48·1	3·5	·256	77	10	1·33	-0·87	4	13	14	13	2	3	5	6	2

North Latitude.—Glasgow, 55° 51′; Edinburgh, 55° 55′; Dundee, 56° 28′; Aberdeen, 57° 9′; Paisley, 55° 51′; Leith, 55° 58′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 11′.
West Longitude.—Glasgow, 4° 13′; Edinburgh, 3° 11′; Dundee, 2° 57′; Aberdeen, 2° 7′; Paisley, 4° 27′; Leith, 3° 8′; Greenock, 4° 46′; Perth, 3° 25′; Mean, 3° 32′.

* At King's College, at 7 A.M. and 6 P.M. † At 9 A.M. only.

FOR OFFICIAL USE.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN SIXTEEN OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

JUNE 1915.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by
J. SKINNER & Co., Ltd., Thistle Street.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of June 1915 there were registered in the Sixteen Principal Towns of Scotland, those burghs which at the date of the 1911 Census had populations of over 30,000, the births of 4815 living children, of whom 2389 were male, and 2426 female. The male children of the month number 163 less than those of the previous month, and 430 less than those of June of last year. The female children of the month number 55 less than those of the previous month, and 359 less than those of June of last year. The total children of the month number 218 less than those of the previous month, 592 less than the mean of the numbers of the three previous months, and 789 less than those of June of last year. The equivalent annual birth-rate is 25·0 per thousand, which is 0·3 less than that of the previous month, 2·5 less than the mean of those of the three preceding months, and 4·8 less than that of June of last year. In the individual towns the monthly birth-rate varied from 30·9 in Coatbridge, 29·2 in Clydebank, and 28·5 in Leith, to 18·4 in Edinburgh, 19·4 in Kirkcaldy, and 20·6 in Perth. In Greenock this rate was 27·7; in Motherwell, 27·5; in Glasgow, 27·0; in Hamilton, 26·5; in Ayr, 26·5; in Falkirk, 24·5; in Paisley, 24·4; in Kilmarnock, 24·4; in Aberdeen, 24·0; and in Dundee, 22·3.

Of the 4815 children whose births were registered, 4484, or 93·1 per cent., were legitimate, while 331, or 6·9 per cent., were illegitimate. The illegitimate children of the month are 8 fewer than those of May, 43 fewer than the mean of the numbers of the three preceding months, March, April and May, and 87 fewer than those of June of last year. The illegitimate rate of the month is 0·2 more than that of the previous month, but is the same as the mean of those of the three preceding months, and is 0·6 less than that of June of last year. In the individual towns this rate varied from 12·3 per cent. in Ayr, 11·5 in Edinburgh, and 9·8 in Aberdeen, to 0·9 in Clydebank, 1·8 in Coatbridge, and 3·7 in Leith. In Glasgow this rate was 6·8; in Dundee, 6·8; in Kirkcaldy, 6·2; in Kilmarnock, 5·4; in Motherwell, 5·3; in Greenock, 5·1; in Perth, 5·0; in Hamilton, 4·8; in Falkirk, 4·3; and in Paisley, 4·0.

Marriages registered in these towns during the month numbered 2742. They

are 1512 more than registered in May, 1271 more than the mean of the numbers registered in March, April, and May, and 93 more than registered in June of last year. The equivalent annual marriage-rate is 14·2 per thousand, which is 8·0 more than that of the previous month, 6·7 more than the mean of those of the three preceding months, and 0·1 more than that of the corresponding month of last year. In the individual towns the marriage-rate of the month varied from 21·6 in Perth, 18·5 in Edinburgh, 16·5 in Aberdeen, and 15·2 in Ayr, to 7·2 in Coatbridge, 8·0 in Paisley, 8·2 in Clydebank, and 9·6 in Falkirk. In Hamilton this rate was 14·8; in Glasgow, 14·5; in Kilmarnock, 13·5; in Dundee, 11·9; in Greenock, 11·8; in Leith, 11·7; in Kirkcaldy, 11·0; and in Motherwell, 10·8.

Deaths registered in these towns numbered 3325, 1717 being of males, and 1608 of females. These deaths include those of 257 persons whose usual residence was outwith the town of registration, but exclude the deaths of 185 residents of these towns which were registered elsewhere in Scotland, and the difference, 72, falls to be deducted to get the corrected number of deaths of the month, which is thus found to be 3253. The corrected number of deaths of the month is 234 less than that of the previous month, and 701 less than the mean of those of the three preceding months, but is 394 more than that of June of last year.

The corrected death-rate of the month was 16·9 per thousand, which is 0·6 less than that of the previous month, and 3·2 less than the mean of those of the three preceding months, but is 1·7 more than that of June of last year. In the individual towns this rate ranged from 21·6 in Aberdeen, 18·6 in Glasgow, and 17·0 in Dundee and in Kirkcaldy, to 9·2 in Kilmarnock, 9·9 in Falkirk, and 11·9 in Coatbridge. In Leith the death-rate of the month was 16·8; in Ayr, 15·9; in Paisley, 15·4; in Perth, 15·4; in Greenock, 15·4; in Hamilton, 14·8; in Edinburgh, 13·4; in Motherwell, 12·9; and in Clydebank, 12·0.

Of the 3253 persons dying, 1166, or 35·8 per cent., were children of less than five years old, while 1393, or 42·9 per cent., were persons of between five and sixty-five; and 694, or 21·3 per cent., were persons of over sixty-five. Compared with the returns of the previous month, deaths of children of under five are 96 fewer, of persons of between five and sixty-five, 31 fewer, and of persons of over sixty-five, 105 fewer. Compared with the returns of June of last year, deaths of children of under five are 309 more, of persons of between five and sixty-five, 64 more, and of persons of over sixty-five, 21 more.

Deaths of children of less than one year old numbered 582. They are 109 fewer than in the previous month, and 217 less than the mean of the numbers of the three preceding months, but are 40 more than in June of last year. These deaths are equal to an infantile mortality rate of 117 per thousand of the average number of births registered monthly during the preceding twelve months, which rate is 15 less than that of May, 37 less than the mean of those of March, April and May, but is 8 more than that of June of last year. In the individual towns this rate ranged from 175 in Aberdeen, 133 in Glasgow, and 125 in Dundee and in Perth, to 45 in Hamilton, 75 in Edinburgh, and 76 in Kirkcaldy. In Ayr this rate was 106; in Leith, 105; in Kilmarnock, 95; in Motherwell, 91; in Greenock, 90; in Falkirk, 85; in Coatbridge, 81; in Clydebank, 81; and in Paisley, 80.

Deaths from the principal epidemic diseases numbered 595, and included 1 from enteric fever, 356 from measles, 38 from scarlet fever, 113 from whooping-cough, 23 from diphtheria, and 64 from the diarrhœas of childhood. These deaths collectively number 32 more than in the previous month, and 27 fewer than the average during the three preceding months, but are 348 more than in June of last year. They are equal to an annual death-rate from these causes of 3·1 per thousand, which rate is 0·3 more than that of the previous month, and 0·1 less than the mean

of those of the three preceding months, but is 1·8 more than that of June of last year. In the individual towns this rate varied from 6·1 in Aberdeen, and 4·1 in Glasgow and in Clydebank, to 0·8 in Coatbridge, and 1·0 in Edinburgh and in Kilmarnock. In Kirkcaldy this rate was 2·7; in Dundee, 2·5; in Paisley, 2·2; in Ayr, 2·2; in Perth, 2·1; in Falkirk, 2·1; in Greenock, 1·4; in Hamilton, 1·3; in Leith, 1·2; and in Motherwell, 1·2. Compared with the returns of the previous month, deaths from whooping cough are 102 fewer, from diphtheria 8 fewer, and from enteric fever 1 fewer, but those from scarlet fever are 8 more, from the diarrhœas of childhood 14 more, and from measles 121 more.

There were no deaths from typhus fever or from small-pox registered in these towns during the month. Deaths from influenza, uncomplicated, numbered 3; from rheumatic fever, 11; from meningitis (non-tuberculous), 37; from heart disease, 267; from puerperal septic conditions, 14; from malignant disease, 206; and from violence 128, of which 11 were ascribed to suicide.

Deaths from pneumonia numbered 301, constituted 9·3 per cent. of the total deaths of the month, and are equal to an annual death-rate of 1·6 per thousand; these deaths number 33 less than in the previous month, but 70 more than in June of last year. Deaths from bronchitis numbered 154, constituted 4·7 per cent. of the total deaths of the month, and are equal to an annual death-rate of 0·8 per thousand; these deaths number 57 less than in May, but 23 more than in June of last year.

Deaths from all forms of tuberculous disease numbered 348, constituted 10·7 per cent. of the total deaths of the month, and are equal to an annual death-rate of 2·6 per thousand. These deaths are 60 fewer than in May, and 63 fewer than in June of last year. Of them 238 were ascribed to phthisis, which is 29 less than in May, and 22 less than in June of last year. Deaths from phthisis constituted 7·3 per cent. of the total deaths of the month, and are equal to an annual death-rate of 1·2 per thousand. In the individual towns the rate ranged from 1·9 in Hamilton, and 1·8 in Dundee and in Leith, to 0·5 in Clydebank, 0·6 in Motherwell, and 0·7 in Falkirk and in Ayr. In Paisley this rate was 1·5; in Aberdeen, 1·3; in Kilmarnock, 1·3; in Glasgow, 1·2; in Edinburgh, 1·2; in Kirkcaldy, 1·2; in Perth, 1·0; in Greenock, 0·9; and in Coatbridge, 0·8.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. Watt, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

JUNE 1915.

Mean barometric pressure, 30·033 in.; greater than the average of 1856–1905 by 0·084 in.

Mean temperature, 55°·8; greater by 0°·5.

Mean daily range of temperature, 16°·8; greater by 1°·5.

Rain, number of days, 8; less by 5 days.

Rain, depth in inches, 1·85; less by 0·43 in.

Wind, direction of: a 6 days' excess of winds from between N.E. and S.E.

Hence the month was characterised by a high mean pressure; a slightly high mean temperature, with a high mean daily range; a low mean rainfall; and a very large excess of winds from an easterly quarter.

The mean pressure was 30·033 in., or 0·084 in. above the normal. For the greater part of the month pressure variations were extremely small, and at Leith, at sea-level, barometer readings above 30 in. were recorded from 4th to 6th, from 11th to 20th, and from 22nd to 25th. The extremes there were 30·362 in. on 14th, and 29·696 in. on 29th.

(3512.) Wt.4/607. 1150. 7/15. J.S.&Co., Ltd. Group 4/11.

The mean temperature was 55°·8, or 0°·5 above the normal, and with the days 1°·2 above and the nights 0°·5 below their respective averages, the mean daily range was considerably above the normal. From about 9th to 22nd the weather was very sunny and day temperatures were high, especially about 12th and 16th, but with steady light winds from the east the nights were as a rule cool, and at times ground frosts occurred in various districts in both England and Scotland. During the latter part of the month there was a decided fall in temperature in eastern districts. At the chief towns readings ranged from 80° at Dundee on 12th to 34° at Perth on 18th. At Braemar the thermometer in screen fell to 27° on 18th; ground frost occurred on 9 nights; and on the night of 18th-19th a reading of 19° was registered by a thermometer exposed on the grass.

The mean rainfall was 1·85 in., or 19 per cent. below the normal. Slight falls occurred more or less widely on 1st and 2nd, with fairly heavy falls on 4th, but from 5th to 25th some districts were absolutely rainless, and in none did rain of any importance fall except during the first two or three days or the last two or three days of that period. On the afternoon of 26th heavy rain set in, except in some northern and southern districts, and Edinburgh registered 1·17 in.—the heaviest daily fall at that place since 30th September 1912. On 29th, and less widely on 30th, falls of considerable intensity occurred locally during thunderstorms—as much as 1·13 in. at Braemar on 29th; but in some districts no rain fell after 26th. The month's aggregates were, as a rule, decidedly below the normal, especially towards the north-west, but at Paisley there was a slight excess.

Flooding occurred here and there as a result of the thunderstorm rains on 29th and 30th. There were minor thunderstorms at a few places on 27th and 28th, and one of considerable severity at Aberdeen on 8th.

As in May, sunshine amounts were above the normal, and at Edinburgh the May-June period was the sunniest since 1911 and at Glasgow the sunniest for at least 35 years.

During the last few days of the month fog and "haar" occurred on the east coast.

TABLE I. ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES in the Principal Towns, June 1915.

TOWNS.	POPULATION.		BIRTHS.					MARRIAGES.	DEATHS.					
	Census. 1911.	Estimated to middle of 1915.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.	Out.	In.	Total Corrected.
GLASGOW,	1,008,487	1,078,400	1214	1176	2390	2228	162	1284	891	792	1683	102	68	1649
EDINBURGH,	320,769	328,700	246	250	496	439	57	500	185	216	401	71	32	362
DUNDEE,	176,085	177,300	161	163	324	302	22	173	119	127	246	9	11	248
ABERDEEN,	163,891	164,800	156	169	325	293	32	224	168	146	314	27	6	293
PAISLEY,	84,455	87,700	83	93	176	169	7	58	57	58	115	7	3	111
LEITH,	80,601	80,500	92	96	188	181	7	77	57	45	102	2	11	111
GREENOCK,	75,140	78,100	83	95	178	169	9	76	49	52	101	5	3	99
PERTH,	35,854	35,500	33	27	60	57	3	63	26	32	58	13	0	45
Total (Eight Towns)	1,945,282	2,031,000	2068	2069	4137	3838	299	2455	1552	1468	3020	236	134	2918
COATBRIDGE,	43,290	44,100	54	58	112	110	2	26	28	13	41	1	3	43
MOTHERWELL	40,380	41,600	40	54	94	89	5	37	18	21	39	1	6	44
KIRKCALDY	39,601	40,800	30	35	65	61	4	37	26	20	46	1	12	57
HAMILTON,	38,644	38,600	42	42	84	80	4	47	25	15	40	2	9	47
CLYDEBANK,	37,548	44,600	50	57	107	106	1	30	18	16	34	1	11	44
KILMARNOCK,	34,728	36,900	33	41	74	70	4	41	13	15	28	4	4	28
FALKIRK,	33,574	34,300	35	34	69	66	3	27	15	15	30	3	1	28
AYR,	32,986	33,600	37	36	73	64	9	42	22	25	47	8	5	44
Total (Sixteen Towns)	2,246,033	2,345,500	2389	2426	4815	4484	331	2742	1717	1608	3325	257	185	3253

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES in the Principal Towns, JUNE 1915.

TOWNS.	Birth-Rate per 1000 of Population.	Illegitimate Birth-Rate per 100 Births.	Marriage-Rate per 1000 of Population.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuberculosis.	Phthisis.	All Respiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncorrected.	Corrected.						
GLASGOW, .	27·0	6·8	14·5	19·0	18·6	4·1	1·7	1·2	3·2	323	133
EDINBURGH, .	18·4	11·5	18·5	14·9	13·4	1·0	1·7	1·2	1·5	41	75
DUNDEE, . .	22·3	6·8	11·9	16·9	17·0	2·5	2·5	1·8	2·7	44	125
ABERDEEN, .	24·0	9·8	16·5	23·2	21·6	6·1	1·8	1·3	3·5	58	175
PAISLEY, . .	24·4	4·0	8·0	16·0	15·4	2·2	1·8	1·5	2·5	15	80
LEITH, . .	28·5	3·7	11·7	15·4	16·8	1·2	2·4	1·8	1·5	18	105
GREENOCK, .	27·7	5·1	11·8	15·7	15·4	1·4	1·9	0·9	2·0	18	90
PERTH, . .	20·6	5·0	21·6	19·9	15·4	2·1	1·0	1·0	2·4	7	125
TOTAL . . (EIGHT TOWNS)	24·8	7·2	14·7	18·1	17·5	3·3	1·8	1·3	2·7	524	123
COATBRIDGE, .	30·9	1·8	7·2	11·3	11·9	0·8	1·1	0·8	3·3	9	81
MOTHERWELL,	27·5	5·3	10·8	11·4	12·9	1·2	2·1	0·6	2·3	9	91
KIRKCALDY, .	19·4	6·2	11·0	13·7	17·0	2·7	1·5	1·2	1·8	6	76
HAMILTON, .	26·5	4·8	14·8	12·6	14·8	1·3	2·8	1·9	0·9	5	45
CLYDEBANK, .	29·2	0·9	8·2	9·3	12·0	4·1	1·1	0·5	2·7	9	81
KILMARNOCK,	24·4	5·4	13·5	9·2	9·2	1·0	2·0	1·3	0·3	7	95
FALKIRK, . .	24·5	4·3	9·6	10·6	9·9	2·1	1·1	0·7	1·8	6	85
AYR, . . .	26·5	12·3	15·2	17·0	15·9	2·2	1·1	0·7	0·7	7	106
TOTAL . . (SIXTEEN TOWNS)	25·0	6·9	14·2	17·3	16·9	3·1	1·8	1·2	2·6	582	117

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR JUNE 1915, and for the Corresponding Month of the Preceding Ten Years, in the PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth-rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature. (Eight Towns only.)
					Enteric Fever.	Smallpox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria and Croup.	Diarrhœa (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
JUNE 1915, .	**25·0**	**6·9**	**14·2**	**16·9**	**1**	**0**	**356**	**38**	**113**	**23**	**64**	**117**	**55°·8**
JUNE 1914, .	29·8	7·5	14·1	15·2	6	0	60	24	74	22	61	109	56°·8
JUNE 1913, .	27·8	7·3	13·0	14·9	5	0	150	20	101	27	45	96	55°·7
JUNE 1912, .	25·4	7·3	12·8	14·0	3	0	128	15	54	19	57	104	54°·6
JUNE 1911, .	27·9	8·2	14·8	14·5	3	0	58	9	127	17	43	95	56°·2
JUNE 1910, .	28·9	7·2	14·1	15·4	4	0	56	20	38	20	64	101	55°·8
JUNE 1909, .	30·1	7·6	14·2	15·9	6	0	29	14	80	21	50	98	54°·0
JUNE 1908, .	32·5	6·9	15·7	15·7	6	0	38	9	60	15	–	98	56°·1
JUNE 1907, .	29·3	7·7	14·4	17·5	7	0	25	3	175	12	–	119	52°·5
JUNE 1906, .	31·5	6·9	15·3	16·3	12	0	59	7	50	23	–	103	57°·6
JUNE 1905, .	32·2	6·7	14·6	16·8	9	0	84	6	109	10	–	109	56°·3

For all years up to and including 1911, figures are for Eight only of the Principal Towns.
Figures in Columns 5–13 have, for 1913 and subsequent years, been corrected for non-resident deaths.

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—June 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	1	–	–	–	–	–	–	1	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	356	100	240	13	2	–	–	–	–	1	–	–
Scarlet Fever	38	–	16	16	4	2	–	–	–	–	–	–
Whooping-cough	113	51	61	1	–	–	–	–	–	–	–	–
Diphtheria and Croup	23	4	14	4	1	–	–	–	–	–	–	–
Influenza	3	–	–	–	–	–	–	–	–	2	–	1
Erysipelas	11	1	2	–	–	1	–	2	2	1	2	–
Phthisis, Pulmonary Tuberculosis	238	2	6	9	8	50	62	47	25	22	7	–
Tuberculous Meningitis	47	8	25	7	3	2	1	1	–	–	–	–
Abdominal Tuberculosis	29	3	10	2	3	6	4	–	1	–	–	–
Other Tuberculous Diseases	34	1	6	5	4	4	8	2	2	2	–	–
Cancer, Malignant Disease	206	–	–	–	–	–	9	14	41	72	50	20
Rheumatic Fever	11	–	–	–	2	2	3	3	1	–	–	–
Meningitis	37	11	14	5	4	1	–	1	–	–	1	–
Organic Heart Disease	267	–	2	2	5	12	11	20	23	58	86	48
Bronchitis	154	24	14	2	–	–	3	4	22	24	31	30
Pneumonia (all forms)	301	54	86	8	3	8	17	23	39	21	24	18
Other Diseases of Respiratory Organs	50	5	4	1	1	1	2	6	7	13	8	2
Diarrhœa and Enteritis (under 2 years)	64	52	12	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	14	–	2	1	4	2	2	1	2	–	–	–
All Liver Diseases (not Malignant)	25	1	–	–	–	–	–	2	7	8	3	4
Other Diseases of Digestive System (under 2 years)	16	12	4	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	102	1	1	1	1	7	6	12	18	30	18	7
Puerperal Sepsis	14	–	–	–	–	4	4	6	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	12	–	–	–	–	3	4	5	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	184	184	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	117	12	11	9	7	10	15	13	12	16	7	5
Suicide	11	–	–	–	–	–	1	3	4	3	–	–
Other Defined Diseases	706	50	45	9	10	22	32	41	82	111	141	163
Diseases Ill-defined or Unknown	69	6	9	–	–	1	4	4	7	20	8	10
All Causes	3253	582	584	95	62	138	188	211	295	404	386	308

GLASGOW—June 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	1	–		–	–	–	–	1	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	247	73	161	13	–	–	–	–	–	–	–	–
Scarlet Fever	17	–	9	6	2	–	–	–	–	–	–	–
Whooping-cough	60	22	37	1	–	–	–	–	–	–	–	–
Diphtheria and Croup	13	3	8	1	1	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	7	1	2	–	–	1	–	1	1	–	1	–
Phthisis, Pulmonary Tuberculosis	104	1	3	4	3	22	26	21	12	9	3	–
Tuberculous Meningitis	24	5	11	2	3	2	1	–	–	–	–	–
Abdominal Tuberculosis	17	1	6	1	2	2	4	–	1	–	–	–
Other Tuberculous Diseases	10	–	2	2	–	1	4	–	–	1	–	–
Cancer, Malignant Disease	96	–	–	–	–	–	7	5	20	33	25	6
Rheumatic Fever	4	–	–	–	–	–	1	2	1	–	–	–
Meningitis	16	6	7	1	1	–	–	–	–	–	1	–
Organic Heart Disease	90	–	1	2	3	3	8	10	4	15	34	10
Bronchitis	87	10	12	2	–	–	1	3	14	17	19	9
Pneumonia (all forms)	169	30	53	4	2	6	10	15	22	8	12	7
Other Diseases of Respiratory Organs	25	4	2	–	1	1	–	6	2	7	2	–
Diarrhœa and Enteritis (under 2 years)	21	18	3	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	11	–	1	1	4	1	2	1	1	–	–	–
All Liver Diseases (not Malignant)	13	1	–	–	–	–	–	1	3	4	1	3
Other Diseases of Digestive System (under 2 years)	10	8	2	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	49	1	–	–	–	3	4	7	7	12	10	5
Puerperal Sepsis	7	–	–	–	–	3	1	3	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	7	–	–	–	–	2	2	3	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	101	101	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	71	9	9	3	3	5	9	8	8	11	2	4
Suicide	2	–	–	–	–	–	–	1	–	1	–	–
Other Defined Diseases	321	26	18	7	6	5	13	22	42	49	65	68
Diseases Ill defined or Unknown	48	3	5	–	–	–	4	2	7	14	6	7
All Causes	1649	323	352	50	31	57	97	112	145	182	181	119

CAUSES OF DEATH (corrected for Transfers).

EDINBURGH—June 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
teric Fever	–	–	–	–	–	–	–	–	–	–	–	–
phus Fever	–	–	–	–	–	–	–	–	–	–	–	–
all-pox	–	–	–	–	–	–	–	–	–	–	–	–
asles	6	1	5	–	–	–	–	–	–	–	–	–
rlet Fever	4	–	2	1	–	1	–	–	–	–	–	–
hooping-cough	15	9	6	–	–	–	–	–	–	–	–	–
phtheria and Croup	1	–	–	1	–	–	–	–	–	–	–	–
luenza	2	–	–	–	–	–	–	–	–	1	–	1
ysipelas	1	–	–	–	–	–	–	–	–	–	1	–
thisis, Pulmonary Tuberculosis	33	1	1	2	1	5	5	6	5	4	3	–
berculous Meningitis	3	–	2	–	–	–	–	1	–	–	–	–
dominal Tuberculosis	3	–	1	–	1	1	–	–	–	–	–	–
her Tuberculous Diseases	8	–	2	–	3	2	–	–	–	1	–	–
ncer, Malignant Disease	31	–	–	–	–	–	–	3	2	13	8	5
eumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
ningitis	4	1	1	1	–	–	–	1	–	–	–	–
ganic Heart Disease	56	–	–	–	1	2	2	2	5	10	21	13
onchitis	9	1	–	–	–	–	1	1	1	1	1	3
eumonia (all forms)	23	6	1	–	–	–	–	2	2	3	3	6
her Diseases of Respiratory Organs	9	–	1	–	–	–	–	–	2	1	4	1
arrhœa and Enteritis (under 2 years)	2	1	1	–	–	–	–	–	–	–	–	–
pendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
l Liver Diseases (not Malignant)	4	–	–	–	–	–	–	–	2	1	1	–
her Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
phritis and Bright's Disease	17	–	–	–	1	2	–	2	3	4	5	–
erperal Sepsis	4	–	–	–	–	–	2	2	–	–	–	–
her Diseases & Accidents of Pregnancy & Parturition	4	–	–	–	–	1	1	2	–	–	–	–
ngenital Debility and Malformation, including Premature Birth	14	14	–	–	–	–	–	–	–	–	–	–
olent Deaths, excluding Suicide	12	–	–	2	2	2	–	1	2	2	1	–
icide	4	–	–	–	–	–	1	–	2	1	–	–
her Defined Diseases	90	6	6	–	2	2	6	5	13	12	20	18
seases Ill-defined or Unknown	2	–	1	–	–	–	–	–	–	1	–	–
All Causes	362	41	30	7	11	18	18	28	39	55	68	47

DUNDEE—June 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
teric Fever	–	–	–	–	–	–	–	–	–	–	–	–
phus Fever	–	–	–	–	–	–	–	–	–	–	–	–
all-pox	–	–	–	–	–	–	–	–	–	–	–	
asles	9	2	7	–	–	–	–	–	–	–	–	–
arlet Fever	3	–	1	2	–	–	–	–	–	–	–	–
hooping-cough	8	3	5	–	–	–	–	–	–	–	–	–
phtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
luenza	–	–	–	–	–	–	–	–	–	–	–	–
ysipelas	1	–	–	–	–	–	–	–	–	1	–	–
thisis, Pulmonary Tuberculosis	26	–	–	1	2	1	7	10	2	3	–	–
berculous Meningitis	6	1	2	3	–	–	–	–	–	–	–	–
dominal Tuberculosis	3	1	2	–	–	–	–	–	–	–	–	–
her Tuberculous Diseases	1	–	–	–	–	–	1	–	–	–	–	–
ncer, Malignant Disease	20	–	–	–	–	–	2	–	5	7	2	4
eumatic Fever	1	–	–	–	–	–	1	–	–	–	–	–
ningitis	4	1	1	1	1	–	–	–	–	–	–	–
ganic Heart Disease	23	–	–	–	–	1	1	2	2	8	4	5
onchitis	21	2	2	–	–	–	1	–	3	1	4	8
eumonia (all forms)	13	2	4	–	–	1	–	1	3	1	1	–
her Diseases of Respiratory Organs	6	–	–	–	–	–	1	–	3	2	–	–
arrhœa and Enteritis (under 2 years)	17	15	2	–	–	–	–	–	–	–	–	–
pendicitis and Typhlitis	1	–	–	–	–	1	–	–	–	–	–	–
l Liver Diseases (not Malignant)	3	–	–	–	–	–	–	1	1	1	–	–
her Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
phritis and Bright's Disease	6	–	–	–	–	–	–	–	1	3	2	–
erperal Sepsis	2	–	–	–	–	–	1	1	–	–	–	–
her Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
ngenital Debility and Malformation, including Premature Birth	14	14	–	–	–	–	–	–	–	–	–	–
olent Deaths, excluding Suicide	4	–	–	1	–	–	1	–	–	–	2	–
icide	4	–	–	–	–	–	–	1	2	1	–	–
her Defined Diseases	46	1	–	–	–	6	2	3	5	9	8	12
seases Ill-defined or Unknown	6	2	1	–	–	1	–	1	–	–	1	–
All Causes	248	44	27	8	3	11	18	20	27	37	24	29

ABERDEEN—June 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	57	12	43	–	2	–	–	–	–	–	–	–
Scarlet Fever	7	–	3	3	1	–	–	–	–	–	–	–
Whooping-cough	10	5	5	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	18	–	–	–	–	2	7	5	1	2	1	–
Tuberculous Meningitis	3	1	2	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	2	1	–	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases	2	–	–	1	–	–	–	1	–	–	–	–
Cancer, Malignant Disease	8	–	–	–	–	–	–	–	1	2	3	2
Rheumatic Fever	2	–	–	–	1	–	–	1	–	–	–	–
Meningitis	3	1	1	1	–	–	–	–	–	–	–	–
Organic Heart Disease	27	–	–	–	–	2	–	1	1	4	9	10
Bronchitis	11	3	–	–	–	–	–	–	1	–	5	2
Pneumonia (all forms)	31	10	8	1	–	–	–	2	5	2	2	1
Other Diseases of Respiratory Organs	6	1	–	1	–	–	–	–	–	3	1	–
Diarrhœa and Enteritis (under 2 years)	7	6	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	6	–	–	1	–	–	–	–	1	3	–	1
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	11	11	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	3	1	–	1	–	–	–	1	–	–	–	–
Suicide	1	–	–	–	–	–	–	1	–	–	–	–
Other Defined Diseases	70	5	6	–	1	3	4	3	4	7	14	23
Diseases Ill-defined or Unknown	5	–	2	–	–	–	–	–	–	2	–	1
All Causes	293	58	72	9	5	8	11	15	14	26	35	40

PAISLEY—June 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	1	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	2	–	1	1	–	–	–	–	–	–	–	–
Whooping-cough	4	1	3	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	3	–	2	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	11	–	–	–	–	5	4	1	–	1	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	–	–	–	1	1	–	–	–	–	–	–
Cancer, Malignant Disease	8	–	–	–	–	–	–	1	2	3	2	–
Rheumatic Fever	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis	2	–	1	–	–	1	–	–	–	–	–	–
Organic Heart Disease	12	–	1	–	–	1	–	1	1	5	1	2
Bronchitis	6	2	–	–	–	–	–	–	1	–	1	2
Pneumonia (all forms)	11	1	1	1	–	–	–	3	1	1	3	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Enteritis (under 2 years)	2	–	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	2	1	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	4	–	–	–	–	1	–	1	2	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	8	8	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	–	–	–	–	–	2	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	25	1	4	–	–	2	–	2	2	8	2	4
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	111	15	20	3	1	12	4	11	9	18	9	9

LEITH—June 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	6	2	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	–	–	–	–	–	1	1	–	–	–
Phthisis, Pulmonary Tuberculosis	12	–	–	–	1	5	2	2	1	1	–	–
Tuberculous Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	–	1	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease	10	–	–	–	–	–	–	–	3	4	2	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	2	1	–	1	–	–	–	–	–	–	–	–
Organic Heart Disease	12	–	–	–	–	2	–	–	3	4	2	1
Bronchitis	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms)	9	1	1	2	–	–	3	–	–	1	1	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	8	–	–	–	–	1	1	–	2	3	1	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	7	7	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	1	–	–	–	–	–	–	–	1	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	31	3	2	–	–	1	1	2	4	4	8	6
Diseases Ill-defined or Unknown	2	–	–	–	–	–	–	–	–	1	1	–
All Causes	111	18	9	4	1	9	8	5	14	19	15	9

GREENOCK—June 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	–	–	1	–	–	–	–	–	–	–
Whooping-cough	4	3	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	6	–	2	–	–	1	2	–	1	–	–	–
Tuberculous Meningitis	2	–	–	2	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases	3	1	1	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease	5	–	–	–	–	–	–	1	1	2	1	–
Rheumatic Fever	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis	4	–	2	–	2	–	–	–	–	–	–	–
Organic Heart Disease	15	–	–	–	1	–	–	3	1	4	3	3
Bronchitis	2	–	–	–	–	–	–	–	–	1	–	1
Pneumonia (all forms)	11	2	2	–	–	1	2	–	–	3	–	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	3	3	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	4	–	–	–	–	–	1	–	–	2	–	1
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	8	8	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	5	–	–	2	–	–	1	–	1	–	–	1
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	22	1	–	1	1	–	1	–	7	5	3	3
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	99	18	9	5	5	4	8	4	11	18	7	10

PERTH—June 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	3	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	3	–	–	–	–	1	1	–	–	1	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	1	–	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	4	–	–	–	–	–	–	–	–	–	2	2
Bronchitis	3	1	–	–	–	–	–	–	1	–	–	1
Pneumonia (all forms)	3	1	1	–	–	–	–	–	1	–	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	–	–	–	1
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	–	–	1	1	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	–	–	–	–	–	–	1	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	18	1	2	–	–	–	–	2	–	5	4	4
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	45	7	6	–	–	1	1	3	4	6	9	8

COATBRIDGE—June 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	–	1	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	3	–	–	–	–	2	1	–	–	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	2	–	1	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	4	–	–	–	–	–	–	1	2	–	1	–
Bronchitis	4	1	–	–	–	–	–	–	1	2	–	–
Pneumonia (all forms)	8	1	4	–	1	–	1	–	–	–	–	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	1	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	1	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–		–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	10	2	–	1	–	–	–	–	1	–	3	3
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	43	9	7	2	1	3	2	4	4	3	4	4

MOTHERWELL—June 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	2	–	–	1	–	–	1	–	–	–	–	–
Tuberculous Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	4	–	–	1	–	–	–	1	2	–	–	–
Cancer, Malignant Disease	6	–	–	–	–	–	–	2	2	1	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	1	–	–	–	–	–	–	–	–	–	2
Pneumonia (all forms)	5	–	2	–	–	–	–	–	2	–	1	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	4	4	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–		–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	–	–	–	–	2	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	–	–	–	1	1	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	12	–	3	–	–	–	2	–	–	2	4	1
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	44	9	5	2	–	1	4	3	6	5	6	3

KIRKCALDY—June 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	7	1	6	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	–	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	4	–	–	–	–	1	1	1	1	–	–	–
Tuberculous Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	–	–	–	2	1
Rheumatic Fever	1	–	–	–	1	–	–	–	–	–	–	–
Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	9	–	–	–	–	–	–	–	2	4	3	–
Bronchitis	3	1	–	–	–	–	–	–	–	1	–	1
Pneumonia (all forms)	3	–	1	–	–	–	–	–	–	1	1	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	–	1	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	3	–	–	–	1	–	2	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	16	1	1	–	–	–	–	1	–	3	1	9
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–		1	–	–
All Causes	57	6	9	1	2	1	3	2	5	10	7	11

HAMILTON—June 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	–	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	1	–	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	6	–	–	1	–	–	3	1	1	–	–	–
Tuberculous Meningitis	2	–	2	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	4	–	–	–	–	–	–	–	1	2	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease	2	–	–	–	–	–	–	–	–	–	1	1
Bronchitis	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms)	3	–	–	–	–	–	–	–	–	1	–	2
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	–	–	–	–	1	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	4	–	1	–	–	–	–	–	–	2	1	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	12	1	1	–	–	1	–	–	1	1	2	5
Diseases Ill-defined or Unknown	2	–	–		–	–	–	–	–	1	–	1
All Causes	47	5	9	1	–	1	4	1	4	7	6	9

CLYDEBANK—June 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–		–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	7	2	5	–	–	–	–	–	–	–	–	–
Scarlet Fever	2	–	–	1	–	1	–	–	–	–	–	–
Whooping-cough	3	2	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	2	–	–	–	–	1	1	–	–	–	–	–
Tuberculous Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	1	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	1	–	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms)	7	–	6	–	–	–	–	–	1	–	–	–
Other Diseases of Respiratory Organs	2	–	1	–	–	–	1	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	2	1	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	–	1	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	9	–	2	–	–	1	1	–	1	3	–	1
Diseases Ill-defined or Unknown	1	1	–	–	–	–	–	–	–	–	–	–
All Causes	44	9	18	2	–	4	3	–	3	3	1	1

KILMARNOCK—June 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	1	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	4	–	–	–	1	2	1	–	–	–	–	–
Tuberculous Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease	4	–	–	–	–	–	–	–	1	2	1	–
Rheumatic Fever	1	–	–	–	–	–	1	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	–	–	–	–	–	–	–	1	–	–
Pneumonia (all forms)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	1	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	9	1	–	–	–	–	1	–	1	1	4	1
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	28	7	1	–	1	2	4	–	2	5	5	1

FALKIRK—June 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	4	3	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	2	1	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	2	–	–	–	–	1	–	–	–	1	–	–
Tuberculous Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	1	1	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	6	–	–	–	–	–	–	–	1	1	4	–
Bronchitis	1	1	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms)	4	–	1	–	–	–	1	–	2	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	4	–	1	–	–	–	1	1	1	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	1	–	–	–	–	–	–	–	–	–	1	–
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	28	6	5	–	–	1	2	1	5	3	5	–

CAUSES OF DEATH (corrected for Transfers).

AYR—June 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	1	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough	4	3	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	2	-	-	-	-	1	-	-	1	-	-	-
Tuberculous Meningitis	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	2	-	-	-	-	-	-	-	-	1	-	1
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease	7	-	-	-	-	1	-	-	1	3	1	1
Bronchitis	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms)	1	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	2	-	1	-	-	-	-	-	-	1	-	-
Puerperal Sepsis	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	2	-	-	-	1	1	-	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	14	1	-	-	-	1	1	1	1	2	2	5
Diseases Ill-defined or Unknown	2	-	-	-	-	-	-	1	-	-	-	1
All Causes	44	7	5	1	1	5	1	2	3	7	4	8

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth,

During the Month of June 1915.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-Level and 32°.	AIR TEMPERATURE. Mean of Maximum (A).	AIR TEMPERATURE. Mean of Minimum (B.)	AIR TEMPERATURE. Mean of A and B (Mean Temperature).	AIR TEMPERATURE. Difference from Average	AIR TEMPERATURE. Absolute Maximum and Minimum. Maximum	Day of Month.	Minimum.	Day of Month.	HYGROMETER. Mean at 9 A.M. and 9 P.M. Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	RAIN, AND OTHER FORMS OF PRECIPITATION. Number of Days.	Total Fall.	Difference from Average.	WIND DIRECTIONS. Number of Observations at 9 A.M. and 9 P.M. N	NE	E	SE	S	SW	W	NW	Calm or Variable.
	feet.	inch.	inch.	°	°	°	°	°		°		°	°	inch.	per cent.		inch.	inch.									
GLASGOW, Professor L. Becker, Ph.D., F.R.S.E.	184	29·818	30·018	64·7	48·8	56·8	+1·0	75	16th	41	18th	55·6	4·4	·325	73	8	2·08	-0·64	0	15	20	1	3	9	12	0	0
EDINBURGH, Professor R. A. Sampson, F.R.S.	441	29·560	30·038	61·7	47·2	54·5	+0·5	74	12th	42	14, 18	54·2	4·2	·308	73	7	1·58	-0·33	0	19	9	3	4	6	12	2	5
DUNDEE, John Carnochan, Curator of Cemeteries.	164	29·854	30·032	65·6	46·5	56·1	+0·4	80	12th	37	18th	55·0	2·6	·359	83	7	1·70	-0·29	0	8	3	30	0	7	6	6	0
ABERDEEN,* The Meteorological Office.	90	29·938	30·038	60·9	47·0	54·0	+0·1	74	12th	39	18th	54·5	3·2	·337	79	8	1·38	-0·47	7	12	10	11	9	1	1	4	5
PAISLEY, The Coats Observatory.	107	29·911	30·028	66·2	48·5	57·4	+1·0	77	16th	43	18, 19	56·5	4·3	·338	73	11	2·58	+0·36	1	2	23	3	3	6	11	1	10
Leith, † James Bolam, Navigation School.	76	29·962	30·045	61·9	47·9	54·9	-0·9	73	12th	40	18th	55·9	4·2	·335	74	6	1·51	-0·49	0	20	24	2	0	4	4	4	2
GREENOCK, † Daniel Macalister, C.E., Greenock Waterworks.	233	29·775	30·035	65·7	48·1	56·9	+1·9	74	16th	40	18th	55·7	4·0	·336	75	10	2·15	-1·29	0	10	10	16	0	8	13	3	0
PERTH, Henry Coates, F.R.S.E., The Museum.	82	29·938	30·029	66·7	45·3	56·0	+0·1	79	12th	34	18th	55·7	3·9	·338	76	5	1·84	-0·27	1	0	14	13	13	18	1	0	0
Means	172	29·845	30·033	64·2	47·4	55·8	+0·5	..	..	..	..	55·4	3·9	·335	76	8	1·85	-0·43	1	11	14	10	4	7	7	3	3

North Latitude.—Glasgow, 55° 51′; Edinburgh, 55° 55′; Dundee, 56° 28′; Aberdeen, 57° 9′; Paisley, 55° 51′; Leith, 55° 58′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 11′.
West Longitude.—Glasgow, 4° 13′; Edinburgh, 3° 11′; Dundee, 2° 57′; Aberdeen, 2° 7′; Paisley, 4° 27′; Leith, 3° 8′; Greenock, 4° 46′; Perth, 3° 25′; Mean, 3° 32′.

* At King's College, at 7 A.M. and 6 P.M.

† At 9 A.M. only.

FOR OFFICIAL USE.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN SIXTEEN OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

JULY 1915.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by
J. SKINNER & Co., Ltd., Thistle Street.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of July 1915 there were registered in the Sixteen Principal Towns of Scotland, those burghs which at the date of the 1911 Census had populations of over 30,000, the births of 4586 living children, of whom 2353 were males, and 2233 females. The male children whose births were registered during the month number 36 fewer than those registered in June, and 395 fewer than in July of last year. The female children number 193 fewer than in June, and 368 fewer than in July of last year. The total children registered during the month are 229 fewer than in June, 753 fewer than in July of last year, and 516 less than the mean of the numbers registered in the preceding three months, April, May and June. The equivalent annual birth-rate is 23·0 per thousand of the estimated population of these towns, which is 2·0 less than that of the previous month, 3·2 less than the mean of those of the three preceding months, and 4·5 less than that of July of last year. In the individual towns the birth-rate of the month ranged from 30·7 in Clydebank, 29·1 in Greenock, and 28·4 in Ayr, to 15·0 in Kirkcaldy, 17·6 in Edinburgh, and 19·6 in Perth. In Motherwell the birth-rate was 26·9; in Coatbridge, 26·4; in Hamilton, 25·6; in Glasgow, 24·5; in Paisley, 24·3; in Falkirk, 23·7; in Kilmarnock, 23·6; in Leith, 22·0; in Aberdeen, 20·8; and in Dundee, 20·5.

Of the 4586 children registered, 4300, or 93·8 per cent., were legitimate, while 286, or 6·2 per cent., were illegitimate. The illegitimate children of the month are 45 fewer than those of the previous month, 74 fewer than the mean of the numbers of the three preceding months, and 47 fewer than in July of last year. The illegitimate rate of the month is 0·7 less than that of the previous month, and 0·8 less than the mean of those of the three preceding months, but is the same as that of July of last year. In the individual towns the illegitimate rate of the month ranged from 10·4 per cent. in Edinburgh, 8·8 in Dundee, and 8·7 in Falkirk, to 3·4 in Clydebank, 3·8 in Kirkcaldy, and 4·0 in Leith and in Coatbridge. In Aberdeen this rate was 8·2; in Paisley, 7·7; in Perth, 6·8; in Glasgow, 5·3; in Greenock, 5·2; in Ayr, 4·9; in Hamilton, 4·8; in Motherwell, 4·2; and in Kilmarnock, 4·1.

Marriages registered in these towns numbered 2726. They are 16 fewer than

registered in June, but are 815 more than the mean of the numbers registered in the preceding three months, and 252 more than registered in July of last year. The equivalent annual marriage-rate is 13·7 per thousand, which is 0·5 less than that of the previous month, but is 3·9 more than the mean of those of the three preceding months, and 1·0 more than that of July of last year. In the individual towns this rate ranged from 16·2 in Edinburgh, 15·7 in Dundee, and 14·8 in Glasgow, to 7·5 in Paisley, 7·7 in Ayr, 8·5 in Clydebank, and 8·8 in Motherwell and in Hamilton. In Perth the marriage-rate of the month was 14·0; in Aberdeen, 13·5; in Falkirk, 12·7; in Greenock, 11·5; in Kilmarnock, 10·2; in Coatbridge, 9·9; in Leith, 9·7; and in Kirkcaldy, 9·2.

Deaths registered in these towns during the month numbered 2827, 1474 being of males, and 1353 of females. These deaths include those of 222 persons with usual residence outwith these towns, but the deaths of 203 persons with usual residence within these towns were registered elsewhere in Scotland, and the difference, 19, falls to be deducted to obtain the corrected number of deaths of the month, which is thus found to be 2808. The corrected number of deaths of the month is 445 less than that of the previous month, and 742 less than the mean of those of the preceding three months, but is 232 more than that of July of last year.

The corrected death-rate of the month is 14·1 per thousand, which is 2·8 less than that of the previous month, and 4·1 less than the mean of those of the three preceding months, but is 0·9 more than that of July of last year. In the individual towns this rate ranged from 17·2 in Ayr, 16·9 in Aberdeen, and 15·0 in Glasgow, to 9·2 in Hamilton, 9·9 in Motherwell, and 11·0 in Falkirk. In Leith this rate was 14·9; in Dundee, 14·4; in Perth, 14·3; in Greenock, 13·7; in Paisley, 13·4; in Kilmarnock, 13·1; in Kirkcaldy, 12·7; in Edinburgh, 11·8; in Clydebank, 11·6; and in Coatbridge, 11·2.

Of the 2808 persons whose deaths were registered during the month, 940, or 33·5 per cent., were children of less than five years old, and 1275, or 45·4 per cent., were between the ages of five and sixty-five, while 593, or 21·1 per cent., were over sixty-five. Compared with the numbers during the previous month, deaths under five are 226 fewer, between five and sixty-five, 118 fewer, and over sixty-five, 101 fewer. Compared with the numbers in July of last year, deaths under five are 209 more; between five and sixty-five, 17 more; and over sixty-five, 6 more.

Deaths of children of less than one year old numbered 510. They are 72 fewer than in June, and 176 less than the mean of the numbers in April, May and June, but are 40 more than in July of last year. These deaths are equal to an infantile mortality rate of 100 per thousand of the average number of births registered monthly during the preceding twelve months, which rate is 17 less than that of the previous month, and 35 less than the mean of those of the three preceding months, but is 9 more than that of July of last year. In the individual towns this rate ranged from 159 in Aberdeen, 139 in Clydebank, and 126 in Leith, to 28 in Falkirk, 44 in Coatbridge, and 45 in Hamilton In Motherwell this rate was 108; in Glasgow, 106; in Perth, 103; in Paisley, 100; in Greenock, 97; in Dundee, 92; in Kilmarnock, 79; in Ayr, 72; in Edinburgh, 70; and in Kirkcaldy, 63.

Deaths from the principal epidemic diseases numbered 453, and included 4 from enteric fever, 229 from measles, 46 from scarlet fever, 62 from whooping-cough, 34 from diphtheria, and 78 from the diarrhœas of childhood. These deaths collectively are 142 fewer than in the previous month, and 145 less than the mean of the numbers in the three preceding months, but are 232 more than in July of last year. They are equal to an annual death-rate from these causes of 2·3 per thousand, which is 0·8 less than in the previous month, and 0·8 less than the mean of the rates of the three preceding months, but is 1·2 more than

that of July of last year. In the individual towns this rate ranged from 4·1 in Aberdeen, 3·1 in Paisley, and 2·9 in Glasgow, to 0·3 in Kilmarnock, 0·4 in Ayr, 0·5 in Coatbridge, and 0·6 in Greenock. In Leith this rate was 2·1; in Motherwell, 2·0; in Kirkcaldy, 2·0; in Hamilton, 1·8; in Clydebank, 1·6; in Falkirk, 1·4; in Edinburgh 1·2; in Dundee, 1·1, and in Perth, 1·0. Compared with the returns of the previous month, deaths from enteric fever are 3 more, from scarlet fever 8 more, from diphtheria 11 more, and from the diarrhœas of childhood 14 more, but those from whooping cough are 51 fewer, and from measles 127 fewer.

No deaths from either typhus fever or small-pox were registered in these towns during the month. Deaths from influenza, uncomplicated, numbered 4; from rheumatic fever, 12; from meningitis (non-tuberculous), 52; from heart disease, 258; from puerperal septic conditions, 10; from malignant disease, 216; and from violence 110, of which 7 were ascribed to suicide.

Deaths from pneumonia numbered 172, constituted 6·1 per cent. of the total deaths of the month, and are equal to an annual death-rate of 0·9 per thousand; these deaths are 129 fewer than in the previous month, but 5 more than in July of last year. Deaths from bronchitis numbered 108, constituted 3·8 per cent. of the total deaths of the month, and are equal to an annual death-rate of 0·5 per thousand; they are 46 fewer than in the previous month, but 20 more than in July of last year.

Deaths from all forms of tuberculous disease numbered 336, constituted 12·0 per cent. of the total deaths of the month, and are equal to an annual death-rate of 1·7 per thousand. They are 12 fewer than in June, but 15 more than in July of last year. Of them 222 were ascribed to phthisis, which number is 16 less than in June, but 32 more than in July of last year. These phthisis deaths constituted 7·9 per cent. of the total deaths of the month, and are equal to an annual death-rate of 1·1 per thousand. In the individual towns the phthisis death rate ranged from 2·1 in Ayr; 1·9 in Leith; 1·7 in Aberdeen, and 1·7 in Perth, to 0·3 in Coatbridge, in Hamilton and in Kilmarnock. In Kirkcaldy this rate was 1·4; in Dundee, 1·3; in Glasgow, 1·2; in Greenock, 1·1; in Paisley, 0·9; in Clydebank, 0·8; in Falkirk, 0·7; in Motherwell, 0·6 and in Edinburgh, 0·5

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. Watt, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

JULY 1915.

Mean barometric pressure, 29·770 in.; less than the average of 1856–1905 by 0·122 in.

Mean temperature, 57°·3; less by 0°·7.

Mean daily range of temperature, 14°·5; greater by 0°·3.

Rain, number of days, 21; greater by 5 days.

Rain, depth in inches, 3·29; greater by 0·25 in.

Wind, direction of: a 4 days' excess of winds from between S.W. and N.W.

Hence the month was characterised by a very low mean pressure; a somewhat low mean temperature, with a daily range fractionally above the normal; a slightly high mean rainfall; and an excess of winds from a westerly quarter.

The mean pressure of 29·770 in. was 0·122 in. below the normal, and the lowest mean for the month of July since 1888 (29·737 in.) At Leith, at sea-level, barometer readings reached 30 in. only from 1st to 3rd and on 9th, 18th, 29th, and 30th, the extremes there being 30·08 in. on 9th and 30th, and 29·36 in. on 23rd. Pressure was especially low from 19th to 28th.

The mean temperature was 57°·3, or 0°·7 below the normal, the days being 0°·6

(8577.) Wt.4/607. 1150. 8/15. J.S.&Co., Ltd. Group 4/11.

and the nights 0°·9 below their respective averages. Here and there the individual means equalled the normal, but a general deficiency was fairly well defined, and for Scotland as a whole the month was the coldest July since 1910. The first week or so was fairly warm, with highest readings for the month in most districts on 3rd or 4th, but maxima were very moderate for midsummer, and 70° was reached at Aberdeen and Edinburgh on only a single day,—the 3rd. With winds at times from east or north some decidedly cold weather occurred during the latter half of the month, with lowest readings on 16th, 18th, or 26th. At Braemar the thermometer in screen fell to 34° on both 26th and 27th, and on night of 25th–26th a reading of 27° was registered by a thermometer exposed on the grass. At the chief towns the extremes were 74° at Dundee on 3rd and 5th, and 39° at Perth on 26th.

The mean rainfall was 3·29 in., or 8 per cent. above the normal. The weather was as a rule of an unsettled type, with rather frequent thunderstorms, and some very heavy falls in short periods. Amounts of 1 in. or more within 24 hours occurred in Aberdeenshire and Berwickshire on 7th; at Gordon Castle on 14th; at Oban, Buchlyvie, and Leadhills on 18th; at Greenock on 19th, and at Banff and Kingussie on 24th. The wettest periods of the month occurred as a rule around these dates. A few districts, indicated by such places as Crieff, Perth, Fort William, and Glencarron, had an aggregate rainfall below the normal, and at many places there was only a slight excess. At Aberdeen, however, the excess was nearly 50 per cent., and at Kingussie as much as 90 per cent. In various districts the month was the wettest July since 1910. At some eastern stations more rain fell than during the whole of the three preceding months, and at Banff the total of 4·28 in. compared with an aggregate of 3·23 in. for the April–June quarter.

There were as many as 11 days on which thunder or a fully developed thunderstorm occurred at one or more of the chief towns. The most general and severe of these storms occurred on 26th and 27th.

Sunshine amounts were deficient in the north; equal to the normal at Edinburgh; and above the normal towards the south-west. In general the duration averaged about 2 hours per day less than during the month of June.

TABLE I. ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES in the Principal Towns, July 1915.

Towns.	Population.		Births.					Marriages.	Deaths.					
	Census. 1911.	Estimated to middle of 1915.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.	Out.	In.	Total Corrected.
GLASGOW,	1,008,487	1,078,400	1185	1057	2242	2123	119	1358	755	624	1379	86	80	1373
EDINBURGH,	320,769	328,700	245	247	492	441	51	451	186	162	348	56	38	330
DUNDEE,	176,085	177,300	160	148	308	281	27	236	102	113	215	7	8	216
ABERDEEN,	163,891	164,800	148	143	291	267	24	189	97	143	240	13	9	236
PAISLEY,	84,455	87,700	81	100	181	167	14	56	52	54	106	10	4	100
LEITH,	80,601	80,500	69	81	150	144	6	66	42	52	94	2	10	102
GREENOCK,	75,140	78,100	90	103	193	183	10	76	53	41	94	7	4	91
PERTH,	35,854	35,500	28	31	59	55	4	42	22	29	51	9	1	43
Total (Eight Towns)	1,945,282	2,031,000	2006	1910	3916	3661	255	2474	1309	1218	2527	190	154	2491
COATBRIDGE,	43,290	44,100	54	45	99	95	4	37	16	21	37	2	7	42
MOTHERWELL	40,380	41,600	45	50	95	91	4	31	15	15	30	0	5	35
KIRKCALDY	39,601	40,800	33	19	52	50	2	32	25	11	36	0	8	44
HAMILTON,	38,644	38,600	40	44	84	80	4	29	16	13	29	5	6	30
CLYDEBANK,	37,548	44,600	67	49	116	112	4	32	23	12	35	1	10	44
KILMARNOCK,	34,728	36,900	36	38	74	71	3	32	28	15	43	8	6	41
FALKIRK,	33,574	34,300	33	36	69	63	6	37	21	15	36	6	2	32
AYR,	32,986	33,600	39	42	81	77	4	22	21	33	54	10	5	49
Total (Sixteen Towns)	2,246,033	2,345,500	2353	2233	4586	4300	286	2726	1474	1353	2827	222	203	2808

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES in the Principal Towns, JULY 1915.

TOWNS.	Birth-Rate per 1000 of Population.	Illegitimate Birth-Rate per 100 Births.	Marriage-Rate per 1000 of Population.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuberculosis.	Phthisis.	All Respiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncorrected.	Corrected.						
GLASGOW, .	24·5	5·3	14·8	15·1	15·0	2·9	1·8	1·2	2·0	262	106
EDINBURGH, .	17·6	10·4	16·2	12·5	11·8	1·2	0·9	0·5	1·2	39	70
DUNDEE, . .	20·5	8·8	15·7	14·3	14·4	1·1	1·7	1·3	1·3	33	92
ABERDEEN, .	20·8	8·2	13·5	17·2	16·9	4·1	2·3	1·7	1·5	54	159
PAISLEY, . .	24·3	7·7	7·5	14·2	13·4	3·1	1·2	0·9	1·3	19	100
LEITH, . .	22·0	4·0	9·7	13·8	14·9	2·1	2·9	1·9	1·5	22	126
GREENOCK, .	29·1	5·2	11·5	14·2	13·7	0·6	1·7	1·1	0·8	20	97
PERTH, . .	19·6	6·8	14·0	16·9	14·3	1·0	2·0	1·7	1·7	6	103
TOTAL . . (EIGHT TOWNS)	22·7	6·5	14·4	14·7	14·5	2·4	1·7	1·2	1·6	455	104
COATBRIDGE, .	26·4	4·0	9·9	9·9	11·2	0·5	1·3	0·3	2·4	5	44
MOTHERWELL,	26·9	4·2	8·8	8·5	9·9	2·0	1·7	0·6	1·4	11	108
KIRKCALDY, .	15·0	3·8	9·2	10·4	12·7	2·0	2·9	1·4	1·4	5	63
HAMILTON, .	25·6	4·8	8·8	8·8	9·2	1·8	0·3	0·3	0·9	5	45
CLYDEBANK, .	30·7	3·4	8·5	9·3	11·6	1·6	1·9	0·8	1·3	16	139
KILMARNOCK,	23·6	4·1	10·2	13·7	13·1	0·3	1·0	0·3	0·6	6	79
FALKIRK, . .	23·7	8·7	12·7	12·4	11·0	1·4	1·4	0·7	1·0	2	28
AYR, . . .	28·4	4·9	7·7	18·9	17·2	0·4	3·2	2·1	1·4	5	72
TOTAL . . (SIXTEEN TOWNS)	23·0	6·2	13·7	14·2	14·1	2·3	1·7	1·1	1·6	510	100

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR JULY 1915, and for the Corresponding Month of the Preceding Ten Years, in the PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth-rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature. (Eight Towns only.)
					Enteric Fever.	Smallpox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria and Croup.	Diarrhœa (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
JULY 1915, .	**23·0**	**6·2**	**13·7**	**14·1**	**4**	**0**	**229**	**46**	**62**	**34**	**78**	**100**	**57°·3**
JULY 1914, .	27·5	6·2	12·7	13·2	9	0	41	21	49	15	86	91	58°·9
JULY 1913, .	26·7	6·8	13·5	13·8	3	0	109	19	62	18	81	86	58°·3
JULY 1912, .	28·0	7·4	14·2	14·2	6	0	54	14	62	24	111	105	58°·1
JULY 1911, .	25·1	8·4	13·2	14·5	6	2	43	17	73	26	91	107	60°·6
JULY 1910, .	25·7	7·6	12·2	13·0	11	0	23	19	30	28	56	88	56°·7
JULY 1909, .	27·1	7·8	12:1	13·7	6	0	31	14	57	14	44	87	57°·0
JULY 1908, .	29·6	7·3	13·0	14·6	4	0	14	7	86	10	–	102	58°·6
JULY 1907, .	30·1	7·0	16·1	15·5	11	0	28	8	103	14	–	101	56°·5
JULY 1906, .	28·6	7·6	15·1	15·0	9	0	42	6	53	17	–	94	57°·4
JULY 1905, .	30·4	6·7	13·8	15·5	5	0	67	4	84	12	–	112	60°·5

For all years up to and including 1911, figures are for Eight only of the Principal Towns.
Figures in Columns 5–13 have, for 1913 and subsequent years, been corrected for non-resident deaths.

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—July 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
Enteric Fever	4	–	–	–	2	1	–	1	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	229	71	153	4	–	–	–	–	–	–	1	–
Scarlet Fever	46	1	26	12	2	5	–	–	–	–	–	–
Whooping-cough	62	28	32	2	–	–	–	–	–	–	–	–
Diphtheria and Croup	34	5	21	6	–	2	–	–	–	–	–	–
Influenza	4	–	–	–	–	–	–	–	1	–	1	2
Erysipelas	8	3	–	–	–	–	2	–	1	–	2	–
Phthisis, Pulmonary Tuberculosis	222	1	6	3	6	49	44	58	32	22	1	–
Tuberculous Meningitis	58	13	26	13	2	1	3	–	–	–	–	–
Abdominal Tuberculosis	25	2	10	9	3	–	1	–	–	–	–	–
Other Tuberculous Diseases	31	–	5	5	2	7	3	5	3	1	–	–
Cancer, Malignant Disease	216	–	1	1	–	1	4	24	49	68	50	18
Rheumatic Fever	12	–	–	1	–	5	1	1	2	2	–	–
Meningitis	52	21	19	6	1	1	1	1	2	–	–	–
Organic Heart Disease	258	2	–	1	5	15	11	20	34	57	72	41
Bronchitis	108	16	6	1	1	–	1	4	12	23	25	19
Pneumonia (all forms)	172	31	48	7	1	4	6	13	12	22	20	8
Other Diseases of Respiratory Organs	39	9	5	–	–	3	5	1	3	4	5	4
Diarrhœa and Enteritis (under 2 years)	78	62	16	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	13	–	2	3	2	3	–	1	–	1	1	–
All Liver Diseases (not Malignant)	14	–	–	–	1	–	–	1	3	4	1	4
Other Diseases of Digestive System (under 2 years)	23	20	3	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	111	1	1	3	1	4	10	13	23	24	22	9
Puerperal Sepsis	10	–	–	–	–	1	7	2	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	22	–	–	–	–	5	8	9	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	151	151	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	103	6	15	4	5	14	14	11	11	13	1	9
Suicide	7	–	–	–	–	1	–	2	2	1	1	–
Other Defined Diseases	638	59	31	20	9	13	31	48	70	96	126	135
Diseases Ill-defined or Unknown	58	8	4	–	1	–	–	8	7	15	10	5
All Causes	2808	510	430	101	44	135	152	223	267	353	339	25

GLASGOW—July 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
Enteric Fever	4	–	–	–	2	1	–	1	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	170	46	121	3	–	–	–	–	–	–	–	–
Scarlet Fever	17	–	9	7	–	1	–	–	–	–	–	–
Whooping-cough	30	11	18	1	–	–	–	–	–	–	–	–
Diphtheria and Croup	13	3	10	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	8	3	–	–	–	–	2	–	1	–	2	–
Phthisis, Pulmonary Tuberculosis	112	1	3	2	1	21	20	35	17	11	1	–
Tuberculous Meningitis	24	3	15	4	1	1	–	–	–	–	–	–
Abdominal Tuberculosis	14	1	4	6	2	–	1	–	–	–	–	–
Other Tuberculous Diseases	13	–	4	3	–	4	–	2	–	–	–	–
Cancer, Malignant Disease	89	–	1	1	–	–	1	10	19	38	14	5
Rheumatic Fever	8	–	–	–	–	3	1	1	2	1	–	–
Meningitis	24	12	8	3	–	–	–	–	1	–	–	–
Organic Heart Disease	88	1	–	1	3	5	4	8	11	24	24	7
Bronchitis	50	6	2	–	1	–	1	2	11	9	10	8
Pneumonia (all forms)	105	19	33	2	–	2	4	8	9	15	11	2
Other Diseases of Respiratory Organs	24	6	3	–	–	2	3	–	3	3	2	2
Diarrhœa and Enteritis (under 2 years)	32	27	5	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	9	–	2	3	1	3	–	–	–	–	–	–
All Liver Diseases (not Malignant)	5	–	–	–	1	–	–	–	1	2	–	1
Other Diseases of Digestive System (under 2 years)	10	9	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	67	1	–	1	1	3	4	9	14	16	13	5
Puerperal Sepsis	7	–	–	–	–	1	4	2	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	7	–	–	–	–	–	4	3	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	75	75	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	55	2	10	2	4	9	5	7	6	5	–	5
Suicide	2	–	–	–	–	–	–	1	–	–	1	–
Other Defined Diseases	274	31	17	11	3	4	16	21	40	40	50	41
Diseases Ill defined or Unknown	36	5	2	–	1	–	–	8	4	10	4	2
All Causes	1373	262	268	50	21	60	70	118	139	174	133	78

CAUSES OF DEATH (corrected for Transfers).

EDINBURGH—July 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	6	2	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	7	–	4	–	1	2	–	–	–	–	–	–
Whooping-cough	5	5	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	11	–	6	5	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	1	–	–	1
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	14	–	–	1	–	4	1	6	2	–	–	–
Tuberculous Meningitis	6	1	1	3	1	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	4	–	–	1	–	2	–	1	–	–	–	–
Cancer, Malignant Disease	41	–	–	–	–	–	1	3	11	8	14	4
Rheumatic Fever	1	–	–	1	–	–	–	–	–	–	–	–
Meningitis	4	1	2	–	–	–	–	–	1	–	–	–
Organic Heart Disease	42	–	–	–	–	1	4	2	4	8	16	7
Bronchitis	11	2	1	1	–	–	–	–	–	1	5	1
Pneumonia (all forms)	13	–	5	–	–	–	1	–	2	1	3	1
Other Diseases of Respiratory Organs	9	2	–	–	–	–	1	–	–	1	3	2
Diarrhœa and Enteritis (under 2 years)	5	5	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	2	–	–	–	–	–	–	–	–	1	1	–
All Liver Diseases (not Malignant)	4	–	–	–	–	–	–	1	1	–	–	2
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	16	–	–	1	–	–	2	–	4	4	2	3
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	2	–	–	–	–	–	1	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	11	11	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	10	–	–	–	1	–	2	–	1	4	–	2
Suicide	3	–	–	–	–	–	–	–	2	1	–	–
Other Defined Diseases	98	9	1	3	1	3	3	8	13	19	11	27
Diseases Ill-defined or Unknown	2	–	–	–	–	–	–	–	–	1	1	–
All Causes	330	39	24	16	4	12	16	22	42	49	56	50

DUNDEE—July 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	–	–	–	1	–	–	–	–	–	–
Whooping-cough	2	–	2	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	19	–	–	–	1	3	1	4	6	4	–	–
Tuberculous Meningitis	3	1	–	2	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	3	–	–	–	1	–	1	1	–	–	–	–
Cancer, Malignant Disease	22	–	–	–	–	1	1	3	6	3	3	5
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	2	1	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease	35	1	–	–	–	3	1	–	4	5	15	6
Bronchitis	10	–	2	–	–	–	–	2	–	2	1	3
Pneumonia (all forms)	8	–	–	2	–	–	–	2	–	3	–	1
Other Diseases of Respiratory Organs	2	–	1	–	–	–	1	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	14	9	5	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	3	3	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	3	–	–	–	–	–	–	–	–	–	2	1
Puerperal Sepsis	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	2	–	–	–	–	1	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	14	14	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	9	2	2	1	–	2	–	–	1	–	1	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	59	2	5	2	2	–	3	8	5	8	14	10
Diseases Ill-defined or Unknown	2	–	1	–	–	–	–	–	–	–	1	–
All Causes	216	33	19	8	4	11	10	20	22	26	37	26

ABERDEEN—July 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	21	10	11	–	–	–	–	–	–	–	–	–
Scarlet Fever	14	1	8	4	1	–	–	–	–	–	–	–
Whooping-cough	13	8	4	1	–	–	–	–	–	–	–	–
Diphtheria and Croup	4	2	1	–	–	1	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	24	–	1	–	2	5	3	6	3	4	–	–
Tuberculous Meningitis	2	–	1	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	2	–	2	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	4	–	–	–	1	1	1	–	–	1	–	–
Cancer, Malignant Disease	17	–	–	–	–	–	–	3	3	3	6	2
Rheumatic Fever	2	–	–	–	–	1	–	–	–	1	–	–
Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	23	–	–	–	–	2	–	1	1	5	6	8
Bronchitis	12	4	1	–	–	–	–	–	–	1	3	3
Pneumonia (all forms)	8	4	2	–	–	–	–	–	–	–	2	–
Other Diseases of Respiratory Organs	1	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	6	5	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	2	–	–	–	–	–	–	–	–	–	1	1
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	3	–	–	–	–	1	–	–	–	1	1	–
Puerperal Sepsis	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	3	–	–	–	–	1	1	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	11	11	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	6	–	–	–	–	1	2	1	2	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	52	6	3	–	1	2	3	2	3	7	14	11
Diseases Ill-defined or Unknown	2	–	–	–	–	–	–	–	–	2	–	–
All Causes	236	54	35	6	5	15	11	14	12	25	33	26

PAISLEY—July 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	10	3	7	–	–	–	–	–	–	–	–	–
Scarlet Fever	2	–	2	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	4	–	3	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	7	–	–	–	–	4	1	2	–	–	–	–
Tuberculous Meningitis	2	1	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	–	1	–	2	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	6	3	2	–	1	–	–	–	–	–	–	–
Organic Heart Disease	13	–	–	–	–	–	1	2	2	2	3	3
Bronchitis	5	–	–	–	–	–	–	–	–	4	1	–
Pneumonia (all forms)	5	1	1	2	–	–	–	1	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	7	6	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	3	–	–	–	–	–	1	–	1	1	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	3	–	1	–	–	–	2	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	23	–	1	1	–	1	–	3	1	4	4	8
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	100	19	19	4	1	5	5	9	5	12	10	11

LEITH—July 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
teric Fever	–	–	–	–	–	–	–	–	–	–	–	–
phus Fever	–	–	–	–	–	–	–	–	–	–	–	–
all-pox	–	–	–	–	–	–	–	–	–	–	–	–
easles	9	4	5	–	–	–	–	–	–	–	–	–
arlet Fever	2	–	1	–	–	1	–	–	–	–	–	–
hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
phtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
fluenza	–	–	–	–	–	–	–	–	–	–	–	–
ysipelas	–	–	–	–	–	–	–	–	–	–	–	–
thisis, Pulmonary Tuberculosis	13	–	–	–	–	4	7	–	1	1	–	–
berculous Meningitis	6	3	2	1	–	–	–	–	–	–	–	–
dominal Tuberculosis	1	1	–	–	–	–	–	–	–	–	–	–
her Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
ncer, Malignant Disease	8	–	–	–	–	–	1	–	1	3	3	–
eumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
eningitis	1	–	1	–	–	–	–	–	–	–	–	–
ganic Heart Disease	8	–	–	–	–	1	–	2	–	1	2	2
onchitis	6	–	–	–	–	–	–	–	1	2	1	2
eumonia (all forms)	3	1	2	–	–	–	–	–	–	–	–	–
her Diseases of Respiratory Organs	1	–	–	–	–	–	–	1	–	–	–	–
arrhœa and Enteritis (under 2 years)	3	3	–	–	–	–	–	–	–	–	–	–
pendicitis and Typhlitis	2	–	–	–	1	–	–	1	–	–	–	–
l Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
her Diseases of Digestive System (under 2 years)	3	3	–	–	–	–	–	–	–	–	–	–
ephritis and Bright's Disease	1	–	–	–	–	–	–	–	–	1	–	–
erperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
her Diseases & Accidents of Pregnancy & Parturition	2	–	–	–	–	1	1	–	–	–	–	–
ngenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
olent Deaths, excluding Suicide	2	–	–	–	–	1	–	–	–	–	–	1
icide	2	–	–	–	–	1	–	1	–	–	–	–
her Defined Diseases	24	3	2	–	–	–	3	1	1	4	2	8
seases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	1	–	–
All Causes	102	22	13	1	1	9	12	6	4	13	8	13

GREENOCK—July 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
teric Fever	–	–	–	–	–	–	–	–	–	–	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
nall-pox	–	–	–	–	–	–	–	–	–	–	–	–
easles	–	–	–	–	–	–	–	–	–	–	–	–
arlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
hooping-cough	2	–	2	–	–	–	–	–	–	–	–	–
iphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
nfluenza	–	–	–	–	–	–	–	–	–	–	–	–
ysipelas	–	–	–	–	–	–	–	–	–	–	–	–
nthisis, Pulmonary Tuberculosis	7	–	1	–	1	1	2	1	–	1	–	–
uberculous Meningitis	3	2	1	–	–	–	–	–	–	–	–	–
bdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
ther Tuberculous Diseases	1	–	–	–	–	–	–	–	1	–	–	–
ancer, Malignant Disease	9	–	–	–	–	–	–	2	3	2	2	–
heumatic Fever	1	–	–	–	–	1	–	–	–	–	–	–
eningitis	4	1	–	1	–	–	1	1	–	–	–	–
rganic Heart Disease	11	–	–	–	–	–	–	3	4	1	2	1
ronchitis	2	1	–	–	–	–	–	–	–	1	–	–
neumonia (all forms)	3	–	–	–	–	–	–	–	–	–	–	3
ther Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
iarrhœa and Enteritis (under 2 years)	2	1	1	–	–	–	–	–	–	–	–	–
ppendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
ll Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	1	–	–	–
ther Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
ephritis and Bright's Disease	2	–	–	–	–	–	1	1	–	–	–	–
uerperal Sepsis	1	–	–	–	–	–	1	–	–	–	–	–
ther Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
ongenital Debility and Malformation, including Premature Birth	10	10	–	–	–	–	–	–	–	–	–	–
iolent Deaths, excluding Suicide	6	–	–	–	–	1	2	2	–	–	–	1
uicide	–	–	–	–	–	–	–	–	–	–	–	–
ther Defined Diseases	21	2	–	–	1	1	–	2	1	3	7	4
iseases Ill-defined or Unknown	5	3	–	–	–	–	–	–	2	–	–	–
All Causes	91	20	5	1	2	4	7	12	12	8	11	9

PERTH—July 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	1	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	5	–	–	–	–	2	2	1	–	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	1	–	–	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease	9	–	–	–	–	1	1	1	1	4	–	1
Bronchitis	1	–	–	–	–	–	–	–	–	–	1	–
Pneumonia (all forms)	3	–	1	–	–	–	1	–	–	–	1	–
Other Diseases of Respiratory Organs	1	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	12	–	1	1	1	1	1	–	–	–	3	4
Diseases Ill-defined or Unknown	1	–	1	–	–	–	–	–	–	–	–	–
All Causes	43	6	7	1	1	4	5	2	2	4	5	6

COATBRIDGE—July 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	1	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	1	–	–	–	–	–	–	–	1	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	3	–	1	2	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	1	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	–	1	2	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	6	–	–	–	–	–	–	–	1	3	–	2
Bronchitis	2	–	–	–	–	–	–	–	–	–	2	–
Pneumonia (all forms)	6	1	1	1	–	–	–	2	–	–	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	1	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	3	–		–	–	–	1	–	2	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	1	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	–	–	–	–	–	1	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	8	–	1	–	–	–	1	–	1	1	3	–
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	–	–	–
All Causes	42	5	4	4	–	2	2	2	6	7	5	–

MOTHERWELL—July 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	1	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	2	1	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	2	–	–	–	–	1	1	–	–	–	–	–
Tuberculous Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	–	1	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	–	–	–	–	–	1	–	1	–	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	–	1	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease	3	–	–	–	–	–	–	1	1	–	–	1
Bronchitis	3	2	–	–	–	–	–	–	–	–	1	–
Pneumonia (all forms)	2	–	1	–	–	–	–	–	1	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	3	2	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	–	–	–	1	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	7	2	–	–	–	–	1	–	–	2	1	1
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	35	11	6	–	1	1	3	1	3	3	4	2

KIRKCALDY—July 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	1	2	1	–	–	–	–	–	–	1	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	2	–	2	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	5	–	–	–	–	3	–	1	1	–	–	–
Tuberculous Meningitis	2	–	2	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	–	–	–	–	–	–	1	1	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	1	1	1	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease	4	–	–	–	–	–	–	–	–	2	1	1
Bronchitis	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms)	4	2	–	–	1	–	–	–	–	1	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	3	–	–	–	–	–	1	–	2	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	1	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	6	–	–	–	–	–	–	–	1	–	2	3
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	44	5	9	2	1	3	1	4	6	4	4	5

HAMILTON—July 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	3	2	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	1	-	1	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	1	-	-	-	-	-	-	-	1	-	-	-
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease	2	-	-	-	-	-	-	-	-	1	1	-
Bronchitis	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)	3	-	-	-	-	1	-	-	-	1	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Enteritis (under 2 years)	3	2	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	3	-	-	1	-	-	-	1	-	-	1	-
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	1	-	-	-	-	-	-	-	1	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	11	1	-	-	-	1	-	2	2	2	1	2
Diseases Ill-defined or Unknown	-	-	-	-	-	-	-	-	-	-	-	-
All Causes	30	5	4	1	-	3	-	3	4	4	4	2

CLYDEBANK—July 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-		-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	4	3	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	3	-	-	-	-	-	2	-	1	-	-	-
Tuberculous Meningitis	3	1	-	2	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	2	-	-	-	-	-	-	1	-	-	1	-
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	3	1	1	1	-	-	-	-	-	-	-	-
Organic Heart Disease	3	-	-	-	2	-	-	-	-	-	1	-
Bronchitis	2	-	-	-	-	-	-	-	-	2	-	-
Pneumonia (all forms)	3	2	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	1	-	1	-	-	-	-	-	-	-	-	-
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	1	-	-	-	-	-	-	-	-	1	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	7	2	-	-	-	-	-	-	-	2	1	-
Diseases Ill-defined or Unknown	2	-	-	-	-	-	-	-	-	1	1	-
All Causes	44	16	6	3	2	-	2	2	1	6	4	-

KILMARNOCK—July 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
nteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
nall-pox	–	–	–	–	–	–	–	–	–	–	–	–
easles	–	–	–	–	–	–	–	–	–	–	–	–
carlet Fever	1	–	1	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
iphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
nfluenza	–	–	–	–	–	–	–	–	–	–	–	–
rysipelas	–	–	–	–	–	–	–	–	–	–	–	–
hthisis, Pulmonary Tuberculosis	1	–	–	–	–	–	–	–	–	1	–	–
uberculous Meningitis	2	–	2	–	–	–	–	–	–	–	–	–
bdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
ther Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
ancer, Malignant Disease	8	–	–	–	–	–	–	1	–	3	3	1
heumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
eningitis	1	–	–	1	–	–	–	–	–	–	–	–
rganic Heart Disease	4	–	–	–	–	–	–	–	2	1	–	1
ronchitis	1	–	–	–	–	–	–	–	–	1	–	–
neumonia (all forms)	1	–	–	–	–	–	–	–	–	–	1	–
ther Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
iarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
ppendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
ll Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
ther Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
ephritis and Bright's Disease	1	–	–	–	–	–	–	–	–	–	1	–
uerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
ther Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	–	1	–	–	–	–
ongenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
iolent Deaths, excluding Suicide	1	1	–	–	–	–	–	–	–	–	–	–
uicide	–	–	–	–	–	–	–	–	–	–	–	–
ther Defined Diseases	13	1	–	2	–	–	–	–	2	–	6	2
iseases Ill-defined or Unknown	2	–	–	–	–	–	–	–	1	–	1	–
All Causes	41	6	3	3	–	–	–	2	5	6	12	4

FALKIRK—July 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	–	1	–	–	–	–	–	–	–	–
Whooping-cough	1	–	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	2	–	1	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	2	–	–	–	–	1	1	–	–	–	–	–
Tuberculous Meningitis	2	–	–	–	–	–	2	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	1	–	–	–	–	–	–	–	–	1	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	4	–	–	–	–	1	–	–	1	–	1	1
Bronchitis	1	1	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms)	2	–	1	–	–	–	–	–	–	–	1	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	–	–	–	1	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	4	–	1	–	–	–	1	1	–	1	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	9	–	–	–	–	–	–	–	–	2	4	3
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	–	1	–
All Causes	32	2	4	1	–	3	4	1	1	4	8	4

CAUSES OF DEATH (corrected for Transfers).

AYR—July 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	6	–	–	–	1	–	3	2	–	–	–	–
Tuberculous Meningitis	2	–	1	–	–	–	1	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	1	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	5	–	–	–	–	–	–	–	1	3	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	–	–	–	–	1	–	–	–	–	–	–
Organic Heart Disease	3	–	–	–	–	1	–	–	2	–	–	–
Bronchitis	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (all forms)	3	1	–	–	–	1	–	–	–	1	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	3	–	–	–	–	–	–	2	–	1	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	3	1	1	–	–	–	–	–	–	1	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	14	–	–	–	–	–	–	1	–	2	3	8
Diseases Ill-defined or Unknown	3	–	–	–	–	–	–	–	–	–	1	2
All Causes	49	5	4	–	1	3	4	5	3	8	5	11

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, During the Month of July 1915.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-Level and 32°.	AIR TEMPERATURE. Mean of Maximum (A).	AIR TEMPERATURE. Mean of Minimum (B.)	AIR TEMPERATURE. Mean of A and B (Mean Temperature).	AIR TEMPERATURE. Difference from Average	AIR TEMPERATURE. Absolute Maximum and Minimum. Maximum	Day of Month.	Minimum.	Day of Month.	HYGROMETER. Mean at 9 A.M. and 9 P.M. Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	RAIN, AND OTHER FORMS OF PRECIPITATION. Number of Days.	Total Fall.	Difference from Average.	WIND DIRECTIONS. Number of Observations at 9 A.M. and 9 P.M. N	NE	E	SE	S	SW	W	NW	Calm or Variable.
	feet.	inch.	inch.	°	°	°	°	°		°		°	°	inch.	per cent.		inch.	inch.									
GLASGOW, Professor L. Becker, Ph.D., F.R.S.E.	184	29·573	29·773	63·3	50·8	57·1	−0·9	70	4th	46	18, 26	56·1	3·5	·354	78	22	3·72	+0·42	3	5	1	1	4	11	30	5	2
EDINBURGH, Professor R. A. Sampson, F.R.S.	441	29·299	29·772	63·4	49·9	56·7	0·0	70	3rd	46	13, 25, 26	55·6	3·3	·352	79	21	2·72	+0·12	2	3	5	4	5	13	24	3	3
DUNDEE, John Carnochan, Curator of Cemeteries.	164	29·579	29·757	66·5	50·0	58·3	−0·4	74	3, 5	45	16, 18	56·6	2·5	·386	84	19	3·44	+0·53	0	8	0	9	0	25	3	17	0
ABERDEEN,* The Meteorological Office.	90	29·652	29·751	62·5	49·3	55·9	−1·3	71	3rd	42	13th	56·1	2·2	·387	85	20	4·28	+1·38	3	5	3	9	12	6	8	12	4
PAISLEY, The Coats Observatory.	107	29·667	29·783	66·0	50·6	58·3	−0·4	73	31st	45	18, 26	57·4	3·6	·368	78	21	3·10	+0·30	6	2	6	0	3	6	25	7	7
Leith, † James Bolam, Navigation School.	76	29·697	29·780	63·5	50·6	57·1	−1·4	72	3rd	44	26th	58·1	4·2	·364	75	23	2·61	−0·32	0	4	6	2	2	10	34	4	0
GREENOCK, † Daniel Macalister, C.E., Greenock Waterworks.	233	29·519	29·779	63·7	50·2	57·0	−0·4	70	3rd	44	18, 29	57·2	3·6	·365	78	22	4·12	+0·24	0	3	1	3	0	5	27	23	0
PERTH, Henry Coates, F.R.S.E., The Museum.	82	29·677	29·768	66·7	48·8	57·8	−0·8	73	3, 4	39	26th	57·2	3·4	·370	79	18	2·33	−0·69	3	1	7	3	9	30	5	2	2
Means	172	29·583	29·770	64·5	50·0	57·3	−0·7	..	..	..	..	56·8	3·3	·368	79	21	3·29	+0·25	2	4	4	4	4	13	20	9	2

North Latitude.—Glasgow, 55° 51′; Edinburgh, 55° 55′; Dundee, 56° 28′; Aberdeen, 57° 9′; Paisley, 55° 51′; Leith, 55° 58′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 11′.
West Longitude.—Glasgow, 4° 13′; Edinburgh, 3° 11′; Dundee, 2° 57′; Aberdeen, 2° 7′; Paisley, 4° 27′; Leith, 3° 8′; Greenock, 4° 46′; Perth, 3° 25′; Mean, 3° 32′.

* At King's College, at 7 A.M. and 6 P.M. † At 9 A.M. only.

FOR OFFICIAL USE.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN SIXTEEN OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

AUGUST 1915.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by
J. SKINNER & Co., Ltd., Thistle Street.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of August 1915 there were registered in the Sixteen Principal Towns of Scotland, those burghs which at the date of the 1911 Census had populations of over 30,000, the births of 4408 living children, of whom 2230 were male, and 2178 were female. The male children whose births were registered number 123 less than in July, and 197 less than in August of last year. The female children number 55 less than in July, and 327 less than in August of last year. The total number registered number 178 less than in July, 403 less than the mean of the numbers in the three preceding months, May to July, and 524 less than in August of last year. The equivalent annual birth-rate is 22·1 per thousand of the estimated aggregate population of these towns, which rate is 0·9 less than that of the previous month, 2·3 less than the mean of those of the three preceding months, and 3·2 less than that of August of last year. In the individual towns the birth-rate ranged from 28·0 in Clydebank, 27·7 in Greenock, 26·7 in Coatbridge, and 26·2 in Hamilton, to 15·3 in Edinburgh, and 15·6 in Perth. In Motherwell this rate was 24·9; in Glasgow, 24·1; in Paisley, 22·7; in Kilmarnock, 21·4; in Aberdeen, 21·3; in Dundee, 21·0; in Ayr, 20·3; in Kirkcaldy, 20·2; in Falkirk, 19·9; and in Leith, 19·0.

Of the children whose births were registered, 4109, or 93·2 per cent., were legitimate, while 299, or 6·8 per cent., were illegitimate. The illegitimate children of the month are 13 more than those of the previous month, but are 20 less than the mean of the numbers of the three preceding months, and 59 less than those of August of last year. The illegitimate rate of the month is 0·6 more than that of the previous month, and 0·2 more than the mean of those of the three preceding months, but is 0·5 less than that of August of last year. In the individual towns this rate ranged from 12·8 per cent. in Perth, 11·4 in Aberdeen, 10·8 in Edinburgh, and 10·3 in Ayr, to 0 in Kilmarnock, 0·9 in Clydebank, 2·3 in Motherwell, and 3·1 in Leith. In Dundee this rate was 9·2; in Paisley, 7·1; in Coatbridge, 7·0; in Falkirk, 6·9; in Glasgow, 6·0; in Greenock, 4·9; in Hamilton, 4·7; and in Kirkcaldy, 4·3.

Marriages registered in these towns numbered 1851. These marriages are 875 fewer than registered in July, and 382 less than the mean of the numbers regis-

tered during the three preceding months, but are 353 more than registered in August of last year. The equivalent annual marriage-rate is 9·3 per thousand, which is 4·4 less than that of July, and 2·1 less than the mean of those of May, June, and July, but is 1·6 more than that of July of last year. In the individual towns this rate ranged from 12·4 in Edinburgh, 12·0 in Perth, and 11·5 in Paisley, to 2·6 in Clydebank, 4·3 in Coatbridge, and 4·5 in Motherwell. In Ayr this rate was 10·9; in Aberdeen, 10·1; in Glasgow, 9·4; in Kilmarnock, 8·9; in Dundee, 8·6; in Leith, 7·6; in Kirkcaldy, 7·5; in Falkirk, 6·9; in Greenock, 5·6; and in Hamilton, 5·2.

Deaths registered in these towns numbered 2611, 1359 being of males, and 1252 of females. These deaths include those of 199 persons with usual residence outwith these towns, but exclude those of 174 persons who though dying outwith these towns had their usual residence within them, and the difference, 25, falls to be deducted to get the corrected number of deaths of the month, which is thus found to be 2586. The corrected number of deaths is 222 less than in the previous month, 597 less than the mean of the numbers of the three preceding months, and 85 less than in August of last year.

The corrected death-rate of the month is 13·0 per thousand, which is 1·1 less than that of the previous month, 3·2 less than the mean of those of the three preceding months, and 0·7 less than that of August of last year. In the individual towns this rate ranged from 15·6 in Paisley, 14·6 in Aberdeen, and 13·7 in Glasgow, to 8·7 in Clydebank, 8·8 in Motherwell, 10·4 in Hamilton, and 10·9 in Coatbridge. In Dundee this rate was 13·0; in Greenock, 13·0; in Leith, 12·7; in Perth, 12·6; in Ayr, 12·6; in Falkirk, 12·0; in Edinburgh, 11·6; in Kirkcaldy, 11·2; and in Kilmarnock, 11·2.

Of the 2586 persons whose deaths were registered during the month, 802, or 31·0 per cent., were children of less than five years old, and 1213, or 46·9 per cent., were of ages between five and sixty-five, while 571, or 22·1 per cent., were sixty-five or over. Compared with the numbers in the previous month, deaths of children of under five are 138 fewer, those of persons between five and sixty-five, 62 fewer, and those of persons of over sixty-five, 22 fewer. Compared with the numbers in August of last year, deaths of children of less than five are 68 fewer, of persons between five and sixty-five, 13 fewer, and of those of over sixty-five, 4 fewer.

Deaths of children of less than one year old numbered 472. They are 38 fewer than in July, 122 less than the mean of the numbers of the three preceding months, and 119 fewer than in August of last year. These deaths are equal to an infantile mortality rate of 94 per thousand of the average number of births registered in these towns monthly during the preceding twelve months, which rate is 6 less than in July, 22 less than the mean of the rates of the three preceding months, and 20 less than that of August of last year. In the individual towns this rate ranged from 193 in Perth, 116 in Aberdeen, 104 in Dundee, and 100 in Falkirk, to 26 in Clydebank, 44 in Ayr, and 46 in Hamilton. In Glasgow this rate was 98; in Edinburgh, 93; in Greenock, 93; in Motherwell, 89; in Paisley, 85; in Coatbridge, 79; in Leith, 76; in Kilmarnock, 66; and in Kirkcaldy, 63.

Deaths from the principal epidemic diseases numbered 359, and included 8 from enteric fever, 111 from measles, 53 from scarlet fever, 31 from whooping-cough, 27 from diphtheria, and 129 from the diarrhœas of childhood. These deaths collectively are 94 fewer than in the previous month, and 178 less than the mean of the numbers of the three preceding months, but are of the same number as in August of last year. They are equal to an annual death-rate from these causes of 1·8 per thousand, which is 0·5 less than that of the previous month, and 0·9 less than the mean of those of the three preceding months, but is the same as in August

of last year. In the individual towns this death-rate ranged from 3·9 in Paisley, 3·0 in Aberdeen, and 2·1 in Ayr, to 0·3 in Hamilton, 0·7 in Leith, and 0·8 in Clydebank. In Glasgow this rate was 1·9; in Dundee, 1·9; in Perth, 1·7; in Coatbridge, 1·6; in Greenock, 1·4; in Motherwell, 1·4; in Edinburgh, 1·2; in Kirkcaldy, 1·2; in Kilmarnock, 1·0; and in Falkirk, 1·0. Compared with the returns of the previous month, deaths from the diarrhœas of childhood are 51 more, from scarlet fever, 7 more, and from enteric fever, 4 more, but those from diphtheria are 7 fewer, from whooping cough, 31 fewer, and from measles, 118 fewer.

No deaths from either typhus fever or from small-pox were registered during the month. Deaths from influenza, uncomplicated, numbered 4; from rheumatic fever, 4; from meningitis (non-tuberculous), 33; from heart disease, 243; from puerperal sepsis, 8; from malignant disease, 229; and from violence, 122, of which 12 were attributed to suicide.

Deaths from pneumonia numbered 159, constituted 6·1 per cent. of the total deaths of the month, and are equal to an annual death-rate of 0·8 per thousand; these deaths are 13 fewer than in the previous month, and 7 fewer than in August of last year. Deaths from bronchitis numbered 106, constituted 4·1 per cent. of the total of the month, and are equal to an annual death-rate of 0·5 per thousand; they are 2 fewer than in July, and 13 fewer than in August of last year.

Deaths from all forms of tuberculous disease numbered 295, constituted 11·4 per cent. of the total, and are equal to an annual death-rate of 1·5 per thousand. These deaths are 41 fewer than in July, and 9 fewer than in August of last year. Of them 200 were attributed to phthisis, 33 to tuberculous meningitis, 34 to abdominal tuberculosis, and 28 to other forms of tuberculous disease. The deaths from phthisis constituted 7·7 per cent. of the total deaths of the month, and are equal to an annual death-rate of 1·0 per thousand. The phthisis deaths are 22 fewer than in July, but 8 more than in August of last year. In the individual towns the phthisis death-rate ranged from 2·1 in Leith, 2·1 in Hamilton, and 1·5 in Dundee, to 0 in Perth, 0·3 in Motherwell, 0·3 in Clydebank, and 0·3 in Falkirk. In Kirkcaldy this rate was 1·2; in Paisley, 1·1; in Coatbridge, 1·1; in Glasgow, 1·0; in Kilmarnock, 1·0; in Edinburgh, 0·9; in Aberdeen, 0·8; in Greenock, 0·8; and in Ayr, 0·4.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. Watt, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

AUGUST 1915.

Mean barometric pressure, 29·952 in.; greater than the average of 1856–1905 by 0·094 in.

Mean temperature, 58°·1; greater by 1°·0.

Mean daily range of temperature, 12°·8; less by 1°·3.

Rain, number of days, 15; less by 2 days.

Rain, depth in inches, 3·50; less by 0·04 in.

Wind, direction of: a 3 days' excess of winds from between N.W. and N.E.

Hence the month was characterised by a rather high mean pressure; a rather high mean temperature, with a rather low mean daily range; a mean rainfall practically equal to the normal; and an excess of winds from between N.W. and N.E.

The mean pressure was 29·952 in. or 0·094 in. above the normal. At Leith, at sea-level, barometer readings reached 30 in. on 7th, from 17th to 27th, and on 31st, the extremes there being 30·18 in. on evening of 22nd and 29·60 in. on morning of 2nd.

The mean temperature was 58°·1, or 1°·0 above the normal, the days being 0°·4 and the nights 1°·7 above their respective averages. During the first week or so

(8622.) Wt. 4/607. 1150. 9/15. J.S.&Co.,Ltd. Group 4/11.

temperature was below the normal in eastern districts; during the second, with very sultry conditions, in general above it; during the third, somewhat lower, though in the west still above the normal; whilst the week ending 28th was in general warm, and in some eastern districts the warmest of the summer. During the last three days of the month there was a sharp drop in temperature, and at Braemar on night of 30th–31st the thermometer in screen fell to 30°, whilst a reading of 24° was registered by a thermometer exposed on the grass. At the chief towns the extremes were 75° at Aberdeen on 23rd, and 35° at Perth on 31st.

During the first half of the month there was a continuance of the unsettled weather of July, and thunderstorms were frequent in many districts, with some very heavy falls in short periods. From 16th to 27th, on the other hand, very settled conditions were general, except in the extreme north-west, followed by rather heavy falls in east on 28th and 31st. The month's aggregates were above the normal in the Upper Spey valley, at Perth and Dundee, and in Fife, Midlothian and East Lothian, but deficient elsewhere, and in the extreme north and extreme south-west only about one-third of the normal. In the Edinburgh area (5·67 in. at Blackford Hill, 7·05 in. at the University, and 6·18 in. at Leith), amounts were more than twice the normal, and during the last 100 years a wetter August has been experienced in Edinburgh only in 1877 (8·33 in.). The region of very excessive rainfall apparently did not extend far inland. Falls exceeding 1 in. occurred at Edinburgh on 4th, 12th, and 31st, with 0·89 in. in 40 minutes on afternoon of 4th. The mean rainfall of the chief towns was 3·50 in., or 1 per cent. below the normal, and at the western towns the greatest daily fall was only 0·38 in.,—at Glasgow on 15th.

Severe thunderstorms occurred in the border districts and elsewhere on 2nd; at Edinburgh and Perth on 4th; in the Edinburgh and many other districts on 12th, 13th and 14th; and here and there on other days during the first half of the month. These thunderstorms were frequently accompanied by very heavy hail, and were as a rule very local in character. Remarkable flooding occurred at times, especially at Carstairs on 2nd.

Sunshine amounts were below the normal, and fog occurred in the east during the first two weeks.

TABLE I. ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES in the Principal Towns, August 1915.

Towns.	Population.		Births.					Marriages.	Deaths.					
	Census. 1911.	Estimated to middle of 1915.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.	Out.	In.	Total Corrected.
GLASGOW,	1,008,487	1,078,400	1094	1110	2204	2072	132	860	665	579	1244	71	78	1251
EDINBURGH,	320,769	328,700	218	209	427	381	46	345	176	181	357	59	26	324
DUNDEE,	176,085	177,300	169	147	316	287	29	130	85	109	194	8	10	196
ABERDEEN,	163,891	164,800	143	155	298	264	34	141	105	102	207	13	10	204
PAISLEY,	84,455	87,700	87	82	169	157	12	86	53	54	107	4	13	116
LEITH,	80,601	80,500	69	61	130	126	4	52	39	43	82	5	10	87
GREENOCK,	75,140	78,100	97	87	184	175	9	37	61	32	93	9	2	86
PERTH,	35,854	35,500	28	19	47	41	6	36	22	24	46	8	0	38
Total (Eight Towns)	1,945,282	2,031,000	1905	1870	3775	3503	272	1687	1206	1124	2330	177	149	2302
COATBRIDGE,	43,290	44,100	53	47	100	93	7	16	20	17	37	0	4	41
MOTHERWELL	40,380	41,600	47	41	88	86	2	16	22	8	30	0	1	31
KIRKCALDY	39,601	40,800	39	31	70	67	3	26	18	19	37	0	2	39
HAMILTON,	38,644	38,600	45	41	86	82	4	17	14	17	31	1	4	34
CLYDEBANK,	37,548	44,600	53	53	106	105	1	10	10	15	25	1	9	33
KILMARNOCK,	34,728	36,900	37	30	67	67	0	28	20	20	40	8	3	35
FALKIRK,	33,574	34,300	19	39	58	54	4	20	23	14	37	4	2	35
AYR,	32,986	33,600	32	26	58	52	6	31	26	18	44	8	0	36
Total (Sixteen Towns)	2,246,033	2,345,500	2230	2178	4408	4109	299	1851	1359	1252	2611	199	174	2586

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES in the Principal Towns, August 1915.

TOWNS.	Birth-Rate per 1000 of Population.	Illegitimate Birth-Rate per 100 Births.	Marriage-Rate per 1000 of Population.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuberculosis.	Phthisis.	All Respiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncorrected.	Corrected.						
GLASGOW, .	24·1	6·0	9·4	13·6	13·7	1·9	1·5	1·0	1·6	240	98
EDINBURGH, .	15·3	10·8	12·4	12·8	11·6	1·2	1·2	0·9	1·4	51	93
DUNDEE, . .	21·0	9·2	8·6	12·9	13·0	1·9	1·9	1·5	1·5	37	104
ABERDEEN, .	21·3	11·4	10·1	14·8	14·6	3·0	1·3	0·8	1·0	39	116
PAISLEY, . .	22·7	7·1	11·5	14·4	15·6	3·9	1·7	1·1	1·5	16	85
LEITH, . .	19·0	3·1	7·6	12·0	12·7	0·7	2·8	2·1	0·7	13	76
GREENOCK, .	27·7	4·9	5·6	14·0	12·0	1·4	1·5	0·8	1·7	19	93
PERTH, . .	15·6	12·8	12·0	15·3	12·6	1·7	0·7	0·0	0·7	11	193
TOTAL . . (EIGHT TOWNS)	21·9	7·2	9·8	13·5	13·4	1·9	1·5	1·0	1·5	426	99
COATBRIDGE, .	26·7	7·0	4·3	9·9	10·9	1·6	1·3	1·1	2·7	9	79
MOTHERWELL,	24·9	2·3	4·5	8·5	8·8	1·4	1·7	0·3	0·9	9	89
KIRKCALDY, .	20·2	4·3	7·5	10·7	11·2	1·2	1·4	1·2	1·4	5	63
HAMILTON, .	26·2	4·7	5·2	9·5	10·4	0·3	2·1	2·1	0·9	5	46
CLYDEBANK, .	28·0	0·9	2·6	6·6	8·7	0·8	0·3	0·3	1·6	3	26
KILMARNOCK,	21·4	0·0	8·9	12·8	11·2	1·0	1·6	1·0	0·6	5	66
FALKIRK, . .	19·9	6·9	6·9	12·7	12·0	1·0	1·4	0·3	3·4	7	100
AYR, . . .	20·3	10·3	10·9	15·4	12·6	2·1	0·7	0·4	0·4	3	44
TOTAL . . (SIXTEEN TOWNS)	22·1	6·8	9·3	13·1	13·0	1·8	1·5	1·0	1·5	472	94

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR AUGUST 1915, and for the Corresponding Month of the Preceding Ten Years, in the PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth-rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature. (Eight Towns only.)
					Enteric Fever.	Smallpox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria and Croup.	Diarrhœa (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
AUG. 1915, .	**22·1**	**6·8**	**9·3**	**13·0**	**8**	**0**	**111**	**53**	**31**	**27**	**129**	**94**	**58°·1**
AUG. 1914, .	25·3	7·3	7·7	13·7	19	0	19	26	62	32	201	114	58°·6
AUG. 1913, .	24·0	6·8	6·2	13·3	4	0	65	17	42	31	215	112	58°·1
AUG. 1912, .	24·7	7·3	6·2	12·8	3	0	30	13	62	26	116	90	53°·6
AUG. 1911, .	24·9	6·9	7·1	15·1	8	2	32	7	41	18	290	157	60°·7
AUG. 1910, .	26·0	7·9	6·8	15·0	7	0	12	20	35	22	179	126	58°·1
AUG. 1909, .	26·4	7·5	6·9	13·8	11	0	22	19	42	21	113	109	58°·1
AUG. 1908, .	26·7	8·2	7·0	15·4	15	0	15	6	79	17	–	131	57°·1
AUG. 1907, .	26·1	7·4	6·8	14·1	14	0	19	7	93	21	–	94	55°·0
AUG. 1906, .	28·9	8·1	6·8	14·7	11	0	24	4	45	14	–	127	58°·5
AUG. 1905, .	28·9	7·5	7·2	15·0	11	0	45	6	63	8	–	129	56°·8

For all years up to and including 1911, figures are for Eight only of the Principal Towns.
Figures in Columns 5–13 have, for 1913 and subsequent years, been corrected for non-resident deaths.

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—August 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
Enteric Fever	8	–	–	–	–	2	2	1	1	2	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	111	35	73	2	1	–	–	–	–	–	–	–
Scarlet Fever	53	–	30	12	7	1	2	1	–	–	–	–
Whooping-cough	31	13	16	2	–	–	–	–	–	–	–	–
Diphtheria and Croup	27	3	17	4	2	1	–	–	–	–	–	–
Influenza	4	1	–	–	–	–	–	1	1	–	–	1
Erysipelas	10	3	–	–	–	–	–	1	1	1	3	1
Phthisis, Pulmonary Tuberculosis	200	2	5	7	6	46	46	30	35	21	1	1
Tuberculous Meningitis	33	7	11	7	3	3	–	1	–	1	–	–
Abdominal Tuberculosis	34	5	11	4	4	7	–	1	1	–	1	–
Other Tuberculous Diseases	28	5	5	–	4	8	–	1	2	2	1	–
Cancer, Malignant Disease	229	–	–	–	1	3	6	22	55	64	53	25
Rheumatic Fever	4	–	–	–	–	–	2	1	–	–	1	–
Meningitis	33	11	13	4	1	–	2	–	1	1	–	–
Organic Heart Disease	243	–	–	1	7	12	14	17	49	37	70	36
Bronchitis	106	12	11	2	–	2	1	5	4	16	31	22
Pneumonia (all forms)	159	38	38	5	3	–	10	9	19	16	18	3
Other Diseases of Respiratory Organs	29	2	6	–	2	2	1	1	–	6	6	3
Diarrhœa and Enteritis (under 2 years)	129	107	22	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	13	–	–	2	2	4	4	1	–	–	–	–
All Liver Diseases (not Malignant)	14	–	–	–	–	–	–	2	4	4	3	1
Other Diseases of Digestive System (under 2 years)	22	19	3	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	70	1	1	2	3	2	4	9	18	14	12	4
Puerperal Sepsis	8	–	–	–	–	3	3	1	1	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	14	–	–	–	–	5	6	3	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	152	152	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	110	8	13	10	7	9	10	17	7	14	9	6
Suicide	12	–	–	–	–	1	2	3	4	1	1	–
Other Defined Diseases	643	46	52	16	11	15	24	59	69	111	111	128
Diseases Ill-defined or Unknown	57	2	2	2	–	2	4	6	5	15	11	8
All Causes	2586	472	330	82	64	128	143	193	277	326	332	239

GLASGOW—August 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
Enteric Fever	3	–	–	–	–	1	1	–	1	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	64	23	39	1	1	–	–	–	–	–	–	–
Scarlet Fever	22	–	11	7	3	–	1	–	–	–	–	–
Whooping-cough	14	4	9	1	–	–	–	–	–	–	–	–
Diphtheria and Croup	8	1	6	1	–	–	–	–	–	–	–	–
Influenza	2	1	–	–	–	–	–	–	–	–	–	1
Erysipelas	8	3	–	–	–	–	–	1	1	1	2	–
Phthisis, Pulmonary Tuberculosis	94	1	3	3	4	22	18	17	15	10	–	1
Tuberculous Meningitis	14	3	4	4	2	1	–	–	–	–	–	–
Abdominal Tuberculosis	14	4	5	1	1	3	–	–	–	–	–	–
Other Tuberculous Diseases	13	–	4	–	3	3	–	–	1	1	1	–
Cancer, Malignant Disease	112	–	–	–	1	1	4	13	28	37	19	9
Rheumatic Fever	3	–	–	–	–	–	2	–	–	–	1	–
Meningitis	20	8	6	3	–	–	2	–	–	1	–	–
Organic Heart Disease	97	–	–	1	3	5	7	7	22	14	26	12
Bronchitis	60	5	7	2	–	1	1	3	3	10	16	12
Pneumonia (all forms)	80	22	19	2	1	–	5	4	10	7	8	2
Other Diseases of Respiratory Organs	11	1	5	–	1	1	–	–	–	1	1	1
Diarrhœa and Enteritis (under 2 years)	65	54	11	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	7	–	–	2	1	2	2	–	–	–	–	–
All Liver Diseases (not Malignant)	7	–	–	–	–	–	–	2	1	2	2	–
Other Diseases of Digestive System (under 2 years)	12	11	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	43	1	1	1	3	–	4	4	13	7	8	1
Puerperal Sepsis	3	–	–	–	–	2	1	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	7	–	–	–	–	2	2	3	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	68	68	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	52	5	6	9	4	3	2	9	3	4	5	2
Suicide	5	–	–	–	–	–	1	2	2	–	–	–
Other Defined Diseases	311	24	33	12	4	9	14	32	35	55	48	45
Diseases Ill defined or Unknown	32	1	2	2	–	2	3	1	3	10	5	3
All Causes	1251	240	172	52	32	58	70	98	138	160	142	89

EDINBURGH—August 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	12	3	9	–	–	–	–	–	–	–	–	–
Scarlet Fever	2	–	1	–	1	–	–	–	–	–	–	–
Whooping-cough	4	2	1	1	–	–	–	–	–	–	–	–
Diphtheria and Croup	7	1	4	2	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	24	–	–	1	–	5	7	4	5	2	–	–
Tuberculous Meningitis	5	1	–	1	–	1	–	1	–	1	–	–
Abdominal Tuberculosis	3	–	–	1	–	1	–	–	–	–	1	–
Other Tuberculous Diseases	2	1	–	–	–	–	–	–	–	1	–	–
Cancer, Malignant Disease	26	–	–	–	–	–	–	2	8	4	9	3
Rheumatic Fever	1	–	–	–	–	–	–	1	–	–	–	–
Meningitis	5	1	2	–	1	–	–	–	1	–	–	–
Organic Heart Disease	39	–	–	–	1	3	2	4	5	6	12	6
Bronchitis	11	2	1	–	–	–	–	1	–	–	6	1
Pneumonia (all forms)	23	7	4	–	1	–	2	–	2	1	5	1
Other Diseases of Respiratory Organs	4	1	–	–	–	–	–	–	–	1	1	1
Diarrhœa and Enteritis (under 2 years)	9	9	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	6	–	–	–	–	–	–	–	3	1	1	1
Other Diseases of Digestive System (under 2 years)	3	1	2	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	8	–	–	–	–	2	–	–	2	2	1	1
Puerperal Sepsis	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	12	12	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	12	3	1	–	–	1	2	1	–	2	–	2
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	100	7	4	2	–	1	3	9	8	20	19	27
Diseases Ill-defined or Unknown	4	–	–	–	–	–	–	2	–	–	1	1
All Causes	324	51	29	8	4	14	17	26	34	41	56	44

DUNDEE—August 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	2	–	–	–	–	–	1	–	–	1	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	
Measles	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	–	1	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	22	–	–	–	–	6	5	2	6	3	–	–
Tuberculous Meningitis	2	1	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	3	–	2	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	1	–	–	1	–	–	–	–	–	–	–
Cancer, Malignant Disease	15	–	–	–	–	1	–	2	2	4	5	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	2	–	2	–	–	–	–	–	–	–	–	–
Organic Heart Disease	24	–	–	–	1	1	2	3	6	3	6	2
Bronchitis	6	2	1	–	–	–	–	–	–	1	2	–
Pneumonia (all forms)	12	1	3	1	–	–	–	1	2	1	3	–
Other Diseases of Respiratory Organs	4	–	–	–	–	1	–	1	–	–	1	1
Diarrhœa and Enteritis (under 2 years)	23	19	4	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	5	–	–	–	1	2	1	1	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	1	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	9	9	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	5	–	1	–	1	–	1	1	–	1	–	–
Suicide	1	–	–	–	–	–	–	–	–	1	–	–
Other Defined Diseases	51	4	4	–	2	–	1	5	6	9	10	10
Diseases Ill-defined or Unknown	3	–	–	–	–	–	–	–	–	1	2	–
All Causes	196	37	20	3	6	11	11	18	22	25	29	14

ABERDEEN—August 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	1	–	–	–	–	1	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	10	3	7	–	–	–	–	–	–	–	–	–
Scarlet Fever	17	–	9	3	3	1	1	–	–	–	–	–
Whooping-cough	5	4	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	4	1	2	–	1	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	–	–	1	–
Phthisis, Pulmonary Tuberculosis	11	1	–	–	–	1	1	4	1	2	1	–
Tuberculous Meningitis	3	1	1	–	1	–	–	–	–	–	–	–
Abdominal Tuberculosis	3	–	1	1	–	–	–	–	1	–	–	–
Other Tuberculous Diseases	1	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease	18	–	–	–	–	–	–	2	2	7	6	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	3	–	3	–	–	–	–	–	–	–	–	–
Organic Heart Disease	23	–	–	–	–	–	–	1	6	4	7	5
Bronchitis	4	–	–	–	–	–	–	–	–	1	1	2
Pneumonia (all forms)	7	1	2	–	1	–	–	–	–	3	–	–
Other Diseases of Respiratory Organs	3	–	–	–	–	–	1	–	–	1	1	–
Diarrhœa and Enteritis (under 2 years)	5	4	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	–	–	1	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	4	4	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	5	–	–	–	–	–	–	2	1	1	–	1
Puerperal Sepsis	2	–	–	–	–	–	1	–	1	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	4	–	–	–	–	3	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	17	17	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	11	–	–	–	–	5	–	2	1	2	–	1
Suicide	1	–	–	–	–	–	–	1	–	–	–	–
Other Defined Diseases	39	3	1	–	–	2	2	2	5	4	7	13
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	204	39	28	4	6	14	8	14	18	26	24	23

PAISLEY—August 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	1	–	–	–	–	–	–	1	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	12	5	7	–	–	–	–	–	–	–	–	–
Scarlet Fever	6	–	6	–	–	–	–	–	–	–	–	–
Whooping-cough	2	–	2	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	4	–	2	–	1	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	8	–	1	–	1	1	4	–	1	–	–	–
Tuberculous Meningitis	1	–	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	2	–	1	–	1	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	1	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease	12	–	–	–	–	–	–	1	3	2	4	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	6	–	–	–	1	1	1	–	1	–	1	1
Bronchitis	8	–	1	–	–	1	–	–	–	3	1	2
Pneumonia (all forms)	1	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	2	–	–	–	–	–	–	–	–	1	1	–
Diarrhœa and Enteritis (under 2 years)	4	2	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	–	–	–	–	1
Puerperal Sepsis	1	–	–	–	–	1	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	8	–	1	–	1	–	1	2	–	2	–	1
Suicide	1	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases	23	1	2	1	1	–	–	–	4	3	5	6
Diseases Ill-defined or Unknown	4	–	–	–	–	–	–	–	1	1	1	1
All Causes	116	16	25	2	6	6	7	4	11	12	13	14

LEITH—August 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	4	1	3	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	–	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	14	–	–	1	–	2	4	1	5	1	–	–
Tuberculous Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	2	–	2	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	–	1	–	–	–	–	1	–	–	–	–
Cancer, Malignant Disease	12	–	–	–	–	–	2	1	2	1	3	3
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	8	–	–	–	–	–	1	1	1	1	2	2
Bronchitis	2	–	–	–	–	–	–	–	–	1	1	–
Pneumonia (all forms)	3	2	–	–	–	–	–	–	–	1	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	3	–	–	–	–	–	–	1	–	1	1	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	1	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	26	4	2	–	–	–	2	1	2	5	6	4
Diseases Ill-defined or Unknown	2	–	–	–	–	–	–	–	–	1	1	–
All Causes	87	13	10	2	–	2	9	6	10	12	14	9

GREENOCK—August 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	5	–	–	–	1	–	3	1	–	–	–	–
Tuberculous Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	2	1	–	–	1	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	2	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	5	–	–	–	–	–	–		2	2	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	9	–	–	–	–	–	–	–	1	1	4	3
Bronchitis	3	–	–	–	–	–	–	1	–	–	1	1
Pneumonia (all forms)	8	1	1	1	–	–	–	2	2	1	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	8	6	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	4	–	–	–	–	–	1	–	1	1	1	–
Suicide	2	–	–	–	–	1	–	–	–	–	1	–
Other Defined Diseases	22	–	3	–	2	1	–	2	2	2	3	7
Diseases Ill-defined or Unknown	5	1	–	–	–	–	–	1	–	1	1	1
All Causes	86	19	8	1	4	2	5	7	8	8	12	12

PERTH—August 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis	1	–	–	–	–	1	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	–	1	2	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	8	–	–	–	1	–	–	–	3	1	1	2
Bronchitis	1	–	–	–	–	–	–	–	–	–	1	–
Pneumonia (all forms)	1	–	1	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	5	5	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	–	–	–	–	1	1	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	3	–	1	–	–	–	–	–	1	–	1	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	6	–	–	–	–	–	–	1	–	1	2	2
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	–	–	1
All Causes	38	11	2	–	1	2	–	1	5	5	6	5

COATBRIDGE—August 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	3	–	3	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	4	–	–	1	–	2	1	–	–	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	–	2	–	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	5	–	–	–	–	1	1	1	1	1	–	–
Bronchitis	3	1	1	–	–	–	–	–	–	–	–	1
Pneumonia (all forms)	7	2	1	–	–	–	1	1	1	1	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	3	3	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–		–	–	–		–	–			–
Puerperal Sepsis	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	1	–	–	–	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	1	–	–	–
Other Defined Diseases	6	–	–	–	1	–	–	2	–	1	1	1
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	41	9	5	2	1	4	4	4	5	3	2	2

MOTHERWELL—August 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	–	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	–	–	–	–	–	1	–	–	–	–
Whooping-cough	1	–	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	1	–	–	–	–	–	1	–	–	–	–	–
Tuberculous Meningitis	3	1	2	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	–	–	–	–	–	1	–	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	–	–	2	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	–	–	1	–	–	–	–	–	–	–	–
Organic Heart Disease	1	–	–	–	–	1	–	–	–	–	–	–
Bronchitis	1	1	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms)	1	–	1	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	–	–	–	1	1	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	1	–	–	–	–	–	1	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	2	–	–	–	–	1	–	1	–	–	–	–
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	–	–	1
All Causes	31	9	7	1	–	3	1	2	3	2	2	1

KIRKCALDY—August 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	–	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	4	–	–	–	–	2	–	–	1	1	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	1	1	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	6	–	–	–	–	–	–	–	–	2	4	–
Bronchitis	5	1	–	–	–	–	–	–		–	1	3
Pneumonia (all forms)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–		–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	–	–	–	1	1	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	1	–	–	–	–	–	–	–	–	–
Suicide	1	–	–	–	–	–	1	–	–	–	–	–
Other Defined Diseases	10	–	–	1	1	–	–	1		2	1	4
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	39	5	4	1	1	3	1	1	3	7	6	7

HAMILTON—August 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	7	–	1	1	–	1	2	1	1	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	–	1	–	1	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	4	–	–	–	–	–	–	–	1	1	2	–
Bronchitis	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms)	2	–	–	–	–	–	1	–	–	–	1	–
Other Diseases of Respiratory Organs	1	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis		–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–		–	–	–	–	1	–	–	1	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	11	2	1	–	–	–	–	–	2	3	2	1
Diseases Ill-defined or Unknown	1	–	–	–	–	–	1	–	–	–	–	–
All Causes	34	5	3	1	–	1	4	2	5	4	7	2

CLYDEBANK—August 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–		–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	–	1	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	1	–	–	–	–	1	–	–	–	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	5	–	–	–	–	1	–	1	1	–	1	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	4	–	–	–	–	–	–	–	2	–	–	2
Bronchitis	1	–	–	–	–	–	–	–	1	–	–	–
Pneumonia (all forms)	4	1	2	–	–	–	1	–	–	–	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Enteritis (under 2 years)	2	1	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	1	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition		–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	4	–	–	–	–	–	2	1	–	1	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	7		1	–	–	–	–	2	2	–	–	2
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	33	3	4	1	–	2	3	5	7	2	1	5

KILMARNOCK—August 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
nteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
mall-pox	–	–	–	–	–	–	–	–	–	–	–	–
leasles	1	–	1	–	–	–	–	–	–	–	–	–
carlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
nfluenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	3	–	–	–	–	1	–	–	–	2	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	2	–	–	–	1	–	–	1	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	6	–	–	–	–	–	–	–	–	2	1	3
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	2	2	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	3	–	–	–	–	–	–	–	–	1	1	1
Bronchitis	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms)	2	–	–	1	–	–	–	–	1	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	2	1	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	–	–	–	–	–	–	1	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	10	–	1	–	–	–	–	1	1	2	5	–
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	1	–	–	–
All Causes	35	5	3	1	1	1	–	2	3	7	8	4

FALKIRK—August 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	2	1	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	–	–	–	1
Phthisis, Pulmonary Tuberculosis	1	–	–	–	–	1	–	–	–	–	–	–
Tuberculous Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	–	–	–	–	2	–	–	–	–	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	1	1	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	3	–	–	–	–	–	–	–	–	–	3	–
Bronchitis	1	–	–	–	–	–	–	–	–	–	1	–
Pneumonia (all forms)	8	–	4	–	–	–	–	1	1	1	1	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	–	–	–	–	–	1	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	7	1	1	–	–	–	1	–	1	2	1	
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	35	7	7	–	–	3	1	1	3	5	7	1

AYR—August 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	1	–	–	–	–	–	–	–	–	1	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	–	1	1	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	1	–	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	1	–	–	–	–	1	–	–	–	–	–	–
Tuberculous Meningitis	1	–	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	–	1	1	–	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	3	–	–	–	–	–	–	–	–	2	1	–
Bronchitis	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	1	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	1	–	–	–	–	–	–	1	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	–	–	1	–	1	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	12	–	–	–	–	1	1	–	1	2	1	6
Diseases Ill-defined or Unknown	3	–	–	–	–	–	–	2	–	1	–	–
All Causes	36	3	3	3	2	2	2	2	2	7	3	7

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, During the Month of August 1915.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-Level and 32°.	AIR TEMPERATURE. Mean of Maximum (A).	AIR TEMPERATURE. Mean of Minimum (B.)	AIR TEMPERATURE. Mean of A and B (Mean Temperature).	AIR TEMPERATURE. Difference from Average	AIR TEMPERATURE. Absolute Maximum and Minimum. Maximum	Day of Month.	Minimum.	Day of Month.	HYGROMETER. Mean at 9 A.M. and 9 P.M. Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	RAIN, AND OTHER FORMS OF PRECIPITATION. Number of Days.	Total Fall.	Difference from Average.	WIND DIRECTIONS. Number of Observations at 9 A.M. and 9 P.M. N	NE	E	SE	S	SW	W	NW	Calm or Variable.
	feet.	inch.	inch.	°	°	°	°	°		°		°	°	inch.	per cent.		inch.	inch.									
GLASGOW, Professor L. Becker, Ph.D., F.R.S.E.	184	29·754	29·954	64·0	52·8	58·4	+1·3	69	10*th*	40	31*st*	57·2	2·8	·386	82	15	2·00	−2·01	2	6	8	2	2	12	23	5	2
EDINBURGH, Professor R. A. Sampson, F.R.S.	441	29·484	29·958	62·9	51·4	57·2	+1·3	70	11*th*	40	29*th*	56·2	2·5	·380	84	14	5·67	+2·95	0	10	1	0	5	8	20	4	14
DUNDEE, John Carnochan, Curator of Cemeteries.	164	29·772	29·950	66·1	50·4	58·3	+0·8	74	27*th*	38	29, 31	56·6	2·0	·400	87	17	3·67	+0·43	4	10	0	15	0	21	3	9	0
ABERDEEN,* The Meteorological Office.	90	29·837	29·936	63·1	52·1	57·6	+1·1	75	23*rd*	42	29*th*	56·6	1·6	·411	89	16	1·52	−1·56	5	8	3	7	9	4	8	16	2
PAISLEY, The Coats Observatory.	107	29·848	29·964	65·9	52·1	59·0	+1·0	73	18*th*	39	29*th*	58·2	2·6	·407	84	15	1·99	−1·50	4	1	6	3	2	6	11	12	17
Leith,† James Bolam, Navigation School.	76	29·869	29·951	63·1	52·5	57·8	+0·1	71	18*th*	41	31*st*	59·1	3·2	·403	80	15	6·18	+3·18	0	8	12	0	2	10	26	4	0
GREENOCK,† Daniel Macalister, C.E., Greenock Waterworks.	233	29·697	29·955	64·2	52·5	58·4	+1·3	70	12*th*	40	29*th*	58·1	2·4	·412	84	13	2·19	−3·27	0	8	6	10	0	6	18	14	0
PERTH, Henry Coates, F.R.S.E., The Museum.	82	29·861	29·951	66·9	49·9	58·4	+0·8	73	11*th*	35	31*st*	57·1	2·1	·404	86	18	4·80	+1·49	2	6	11	8	3	21	3	4	4
Means	172	29·765	29·952	64·5	51·7	58·1	+1·0	..	..	..	..	57·4	2·4	·400	84	15	3·50	−0·04	2	7	6	6	3	11	14	8	5

North Latitude.—Glasgow, 55° 51′; Edinburgh, 55° 55′; Dundee, 56° 28′; Aberdeen, 57° 9′; Paisley, 55° 51′; Leith, 55° 58′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 11′.
West Longitude.—Glasgow, 4° 13′; Edinburgh, 3° 11′; Dundee, 2° 57′; Aberdeen, 2° 7′; Paisley, 4° 27′; Leith, 3° 8′; Greenock, 4° 46′; Perth, 3° 25′; Mean, 3° 32′.

* At King's College, at 7 A.M. and 6 P.M. † At 9 A.M. only.

FOR OFFICIAL USE.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN SIXTEEN OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

SEPTEMBER 1915.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by
J. SKINNER & Co., Ltd., Thistle Street.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of September 1915 there were registered in the Sixteen Principal Towns of Scotland, those burghs which at the date of the 1911 Census had populations of over 30,000, the births of 4254 living children, of whom 2120 were male and 2134 female. The male children whose births were registered number 110 fewer than in the previous month, and 257 fewer than in September of last year. The female children number 44 fewer than in the previous month, and 232 fewer than in September of last year. The total children registered number 154 fewer than in August, 349 less than the mean of the numbers of June, July and August, and 489 fewer than in September of last year. The equivalent annual birth-rate is 22·1 per thousand, which is the same as in the previous month, but is 1·3 less than the mean of the rates of the three preceding months, and 3·1 less than that of September of last year. In the individual towns the monthly birth-rate ranged from 32·2 in Hamilton, 28·4 in Motherwell, and 27·3 in Clydebank, to 17·6 in Kirkcaldy, 17·8 in Edinburgh, and 17·9 in Perth. In Coatbridge this rate was 26·8; in Greenock, 23·8; in Aberdeen, 23·3; in Glasgow, 22·8; in Falkirk, 22·3; in Leith, 21·5; in Kilmarnock, 21·5; in Dundee, 21·4; in Paisley, 20·7; and in Ayr, 18·8.

Of the 4254 children registered, 3956, or 93·0 per cent., were legitimate, while 298, or 7·0 per cent., were illegitimate. The illegitimate children of the month number 1 fewer than in the previous month, 7 less than the mean of the numbers of the three preceding months, and 37 less than that of the corresponding month of last year. The illegitimate rate is 0·2 more than that of the previous month, and 0·4 more than the mean of those of the three preceding months, but is 0·1 less than that of September of last year. In the individual towns the illegitimate rate of the month ranged from 13·6 in Kirkcaldy, 10·4 in Aberdeen, and 10·0 in Edinburgh, to 1·9 in Ayr, 2·8 in Leith, and 3·0 in Clydebank. In Dundee this rate was 8·0; in Kilmarnock, 7·7; in Glasgow, 7·1; in Falkirk, 4·8; in Paisley, 4·7; in Greenock, 3·9; in Hamilton, 3·9; in Perth, 3·8; in Coatbridge, 3·1; and in Motherwell, 3·1.

Marriages registered in these towns during the month numbered 1820. They are 31 less than registered in August, 620 less than the mean of the numbers regis-

tered in the three preceding months, and 72 less than registered in September of last year. The equivalent annual marriage-rate is 9·4 per thousand, which is 0·1 more than that of August, but is 3·0 less than the mean of those of June, July, and August, and 0·6 less than that of September of last year. In the individual towns the marriage-rate of the month ranged from 12·6 in Edinburgh, 11·1 in Aberdeen, and 10·1 in Glasgow, to 4·1 in Coatbridge, 4·7 in Hamilton, and 4·9 in Paisley. In Ayr this rate was 9·1; in Dundee, 8·8; in Perth, 8·6; in Kilmarnock, 7·3; in Leith, 7·0; in Greenock, 6·9; in Kirkcaldy, 6·3; in Falkirk, 6·0; in Clydebank, 5·7; and in Motherwell, 5·6.

Deaths registered in these towns numbered 2625, 1340 being of males, and 1285 of females. These deaths included those of 200 persons with usual residence outwith these towns, and excluded those of 194 persons with usual residence in one or other of these towns, but dying elsewhere in Scotland, and the difference, 6, falls to be deducted to get the corrected number of the month, which is thus found to be 2619. The corrected number of deaths of the month is 33 more than in August, but is 263 less than the mean of those of the three preceding months, and 433 less than that of September of last year.

The death-rate of the month, corrected, is 13·6 per thousand. It is 0·6 more than that of the previous month, but is 1·1 less than the mean of those of the three preceding months, and 2·6 less than that of September of last year. In the individual towns the death-rate of the month ranged from 15·4 in Greenock, 14·9 in Coatbridge, and 14·8 in Dundee, to 10·3 in Perth, 10·6 in Kilmarnock, and 10·8 in Motherwell. In Aberdeen the monthly death-rate was 14·5; in Glasgow, 14·0; in Kirkcaldy, 13·7; in Edinburgh and in Hamilton, 13·2; in Falkirk, 12·8; in Paisley, 11·9; in Leith, 11·7; in Ayr, 11·6; and in Clydebank, 11·5.

Of the 2619 deaths, 885, or 33·8 per cent., were of children of less than five years old, 1177, or 44·9 per cent., were of persons of more than five but less than sixty-five years old, and 557, or 21·3 per cent., were of persons of over sixty-five. Compared with the numbers of the previous month, deaths of children of less than five are 83 more, but those of persons of between five and sixty-five are 36 less, and those of persons of over sixty-five, 14 less. Compared with the number of September of last year, deaths of children of less than five are 242 fewer, of persons of between five and sixty-five, 104 fewer, and of persons of over sixty-five, 87 fewer.

Deaths of children of less than one year old numbered 581. They are 109 more than in the previous month, and 60 more than the mean of the numbers of the three preceding months, but are 230 less than that of September of last year. These deaths are equal to an infantile mortality rate of 120 per thousand of the average number of births registered monthly in these towns during the preceding twelve months, which rate is 26 more than that of the previous month, and 16 more than the mean of those of the three preceding months, but is 41 less than that of September of last year. In the individual towns this rate ranged from 181 in Dundee, 165 in Hamilton, 129 in Aberdeen, and 128 in Coatbridge, to 37 in Perth, and 82 in Motherwell and in Kilmarnock. In Paisley this rate was 122; in Glasgow, 119; in Falkirk, 119; in Clydebank, 117; in Greenock, 108; in Ayr, 108; in Edinburgh, 105; in Kirkcaldy, 97; and in Leith, 93.

Deaths from the principal epidemic diseases numbered 366, and included 11 from enteric fever, 50 from measles, 52 from scarlet fever, 17 from whooping-cough, 43 from diphtheria, and 193 from the diarrhœas of childhood. These deaths collectively are 7 more than in the previous month, but are 103 fewer than the mean of the numbers for the three preceding months, and 169 fewer than that for the corresponding week of last year. They are equal to an annual death-rate from these causes of 1·9 per thousand, which is 0·1 above that for the previous month, but

is 0·5 below the mean of the rates for the three preceding months, and 0·9 below that for the corresponding month of last year. In the individual towns this rate ranged from 3·2 in Hamilton, 2·7 in Aberdeen, and 2·5 in Dundee, to 0·7 in Perth, 0·8 in Clydebank, and 0·9 in Leith. In Greenock it was 2·2; in Paisley, 2·1; in Glasgow, in Edinburgh, and in Coatbridge, 1·9; in Ayr, 1·8; in Falkirk, 1·4; in Kilmarnock, 1·3; and in Motherwell and in Kirkcaldy, 1·2. Compared with the returns for the previous month, deaths from the diarrhœas of childhood are 64 more, from diphtheria, 16 more, and from enteric fever, 3 more, but those from scarlet fever are 1 fewer, from whooping cough, 14 fewer, and from measles, 61 fewer.

No deaths from small-pox were registered. One death was registered from typhus fever, 3 from influenza (uncomplicated), 10 from rheumatic fever, 50 from meningitis (non-tuberculous), 221 from heart disease, 6 from puerperal sepsis, and 101 from violence, of which 5 were suicidal.

Deaths from pneumonia numbered 194, constituted 7·4 per cent. of the total deaths, and are equal to an annual death-rate of 1·0 per thousand; these deaths are 35 more than in the previous month, and 36 more than in the corresponding month of last year. Deaths from bronchitis numbered 116, constituted 4·4 per cent. of the total deaths, and are equal to an annual death-rate of 0·6 per thousand; they are 10 more than in the previous month, but 1 fewer than in the corresponding month of last year.

Deaths from all forms of tuberculous disease numbered 300, constituted 11·5 per cent. of the total deaths, and are equal to an annual death-rate of 1·6 per thousand. These deaths are 5 more than in the previous month, but 19 fewer than in September of last year. Of these deaths 199 were attributed to phthisis, 34 to tuberculous meningitis, 28 to abdominal tuberculosis, and 39 to other forms of tubercular disease. The deaths from phthisis constituted 7·6 per cent. of the total deaths for the month, and are equal to an annual death-rate of 1·0 per thousand. They are 1 fewer than in August, and 10 fewer than in September of last year. In the individual towns the phthisis death-rate ranged from 1·6 in Greenock, 1·4 in Coatbridge, and 1·3 in Kilmarnock, to 0·3 in Motherwell and in Hamilton. In Dundee and in Kirkcaldy it was 1·2; in Edinburgh, in Falkirk, and in Ayr, 1·1; in Glasgow and in Aberdeen, 1·0; in Leith, 0·9; in Paisley and in Clydebank, 0·8; and in Perth, 0·7.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. Watt, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

SEPTEMBER 1915.

Mean barometric pressure, 29·972 in.; greater than the average of 1856–1905 by 0·096 in.

Mean temperature, 54°·3; greater by 0°·8.

Mean daily range of temperature, 13°·6; greater by 0°·3.

Rain, number of days, 11; less by 5 days.

Rain, depth in inches, 1·79; less by 1·42 in.

Wind, direction of: a 6 days' excess of winds from a northerly or easterly point.

Hence the month was characterised by a rather high mean pressure; a slightly high mean temperature, with a slightly high mean daily range; a mean rainfall considerably below the normal; and a large excess of northerly and easterly winds.

The mean pressure was 29·972 in. or 0·096 in. above the normal. At Leith, at sea-level, pressure was above 30 in. from 4th to 12th, and from 16th to 22nd, the extremes there being 30·34 in. on 11th and 29·26 in. on 26th.

The mean temperature was 54°·3, or 0°·8 above the normal, the days being 0°·9 and the nights 0°·6 above their respective averages. The cold northerly type of

(8690.) Wt. 4/607. 1150. 10/15. J.S.&Co.,Ltd. Group 4/11.

weather which had set in towards the end of August persisted during the first few days of September, and on 4th West Linton recorded a minimum of 27° in screen. There then followed a more or less continuous spell of warm, sunny weather, though with cold nights at times, and highest readings for the month from 7th to 10th. Towards the end of the month cold winds from some northerly or easterly point prevailed, and during the last three days both days and nights were cold. At Dumfries the thermometer on grass fell to 25° on night of 27th–28th, and on 29th the maximum temperature at Aberdeen was only 47°. At the chief towns the extremes were 75° at Aberdeen on 7th, and at Paisley on 9th and 10th, and 34° on 29th at Dundee, Paisley and Greenock.

As regards rainfall, rather heavy falls occurred on 1st in Edinburgh and south-eastern counties, but many districts were practically rainless during the first half of the month. On 16th and 17th conditions were rather unsettled. On 24th heavy rains were general over a large part of the country—as much as 1·40 in. at Edinburgh. On 25th, with strong north-easterly winds, extremely heavy rains occurred towards the north of Scotland, with considerable falls over a more limited area on 26th. On 25th Fortrose registered as much as 4·07 in., Nairn 3·80 in., Aviemore 3·33 in., Elgin 2·94 in. and Gordon Castle 2·65 in.; and on 26th, Elgin 1·36 in. and Gordon Castle 1·48 in. The month's aggregates were much above the normal in various northern districts, and at Nairn approached thrice the normal; but over a large part of the country there was a pronounced shortage, and considerable areas in west and south had only one-third or less of the normal. The mean rainfall of the chief towns was 1·79 in., or 44 per cent. below the normal. Edinburgh had an excess of 25 per cent.; Aberdeen all but its average amount; and the other towns a decided shortage. The number of "rain days" was unusually small.

The heavy rains of 25th and 26th caused disastrous flooding to the counties of Banff, Moray, Nairn and Inverness, and in disiricts further north. In the Spey valley and adjoining regions the floods appear to have been the most serious experienced since the historic "Moray Floods" of 1829.

On night of 24th to 25th a thunderstorm occurred at various points in south-west and south.

Sunshine amounts were above the normal, and decidedly above those for August.

TABLE I.—ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES in the Principal Towns, September 1915.

TOWNS.	POPULATION.		BIRTHS.					MARRIAGES.	DEATHS.					
	Census. 1911.	Estimated to middle of 1915.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.	Out.	In.	Total Corrected.
GLASGOW,	1,008,487	1,078,400	970	1046	2016	1873	143	897	620	605	1225	69	80	1236
EDINBURGH,	320,769	328,700	246	234	480	432	48	340	202	180	382	62	37	357
DUNDEE,	176,085	177,300	149	162	311	286	25	128	116	102	218	9	7	216
ABERDEEN,	163,891	164,800	140	176	316	283	33	150	108	102	210	18	5	197
PAISLEY,	84,455	87,700	83	66	149	142	7	35	46	42	88	3	1	86
LEITH,	80,601	80,500	77	65	142	138	4	46	32	31	63	1	15	77
GREENOCK,	75,140	78,100	90	63	153	147	6	44	43	57	100	6	5	99
PERTH,	35,854	35,500	30	22	52	50	2	25	21	13	34	6	2	30
Total (Eight Towns)	1,945,282	2,031,000	1785	1834	3619	3351	268	1665	1188	1132	2320	174	152	2298
COATBRIDGE,	43,290	44,100	54	43	97	94	3	15	30	24	54	3	3	54
MOTHERWELL	40,380	41,600	51	46	97	94	3	19	14	19	33	0	4	37
KIRKCALDY	39,601	40,800	34	25	59	51	8	21	18	21	39	0	7	46
HAMILTON,	38,644	38,600	49	53	102	98	4	15	21	15	36	1	7	42
CLYDEBANK,	37,548	44,600	48	52	100	97	3	21	15	16	31	3	14	42
KILMARNOCK,	34,728	36,900	36	29	65	60	5	22	18	23	41	12	3	32
FALKIRK,	33,574	34,300	30	33	63	60	3	17	16	20	36	2	2	36
AYR,	32,986	33,600	33	19	52	51	1	25	20	15	35	5	2	32
Total (Sixteen Towns)	2,246,033	2,345,500	2120	2134	4254	3956	298	1820	1340	1285	2625	200	194	2619

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES in the Principal Towns, September 1915.

TOWNS	Birth-Rate per 1000 of Population.	Illegitimate Birth-Rate per 100 Births.	Marriage-Rate per 1000 of Population.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuberculosis.	Phthisis.	All Respiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncorrected.	Corrected.						
GLASGOW, .	22·8	7·1	10·1	13·8	14·0	1·9	1·5	1·0	1·9	282	119
EDINBURGH, .	17·8	10·0	12·6	14·2	13·2	1·9	1·7	1·1	1·3	55	105
DUNDEE, . .	21·4	8·0	8·8	15·0	14·8	2·5	1·6	1·2	1·3	62	181
ABERDEEN, .	23·3	10·4	11·1	15·5	14·5	2·7	1·3	1·0	1·6	42	129
PAISLEY, . .	20·7	4·7	4·9	12·2	11·9	2·1	1·4	0·8	1·7	22	122
LEITH, . .	21·5	2·8	7·0	9·5	11·7	0·9	1·8	0·9	1·4	15	93
GREENOCK, .	23·8	3·9	6·9	15·6	15·4	2·2	2·5	1·6	0·8	21	108
PERTH, . .	17·9	3·8	8·6	11·7	10·3	0·7	1·0	0·7	0·3	2	37
TOTAL . . (EIGHT TOWNS)	21·7	7·4	10·0	13·9	13·8	1·9	1·6	1·0	1·6	501	121
COATBRIDGE, .	26·8	3·1	4·1	14·9	14·9	1·9	1·9	1·4	2·2	14	128
MOTHERWELL,	28·4	3·1	5·6	9·7	10·8	1·2	1·2	0·3	3·5	8	82
KIRKCALDY, .	17·6	13·6	6·3	11·6	13·7	1·2	1·5	1·2	2·7	7	97
HAMILTON, .	32·2	3·9	4·7	11·3	13·2	3·2	1·3	0·3	2·8	17	165
CLYDEBANK, .	27·3	3·0	5·7	8·5	11·5	0·8	1·1	0·8	1·6	13	117
KILMARNOCK,	21·5	7·7	7·3	13·5	10·6	1·3	1·7	1·3	1·7	6	82
FALKIRK, . .	22·3	4·8	6·0	12·8	12·8	1·4	3·2	1·1	2·1	8	119
AYR, . . .	18·8	1·9	9·1	12·7	11·6	1·8	1·1	1·1	2·2	7	108
TOTAL . . (SIXTEEN TOWNS)	22·1	7·0	9·4	13·6	13·6	1·9	1·6	1·0	1·7	581	120

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR SEPTEMBER 1915, and for the Corresponding Month of the Preceding Ten Years, in the PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth-rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature. (Eight Towns only.)
					Enteric Fever.	Smallpox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria and Croup.	Diarrhœa (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
SEPT. 1915, .	**22·1**	**7·0**	**9·4**	**13·6**	**11**	**0**	**50**	**52**	**17**	**43**	**193**	**120**	**54°·3**
SEPT. 1914, .	25·2	7·1	10·0	16·2	13	0	8	41	62	28	383	161	54°·1
SEPT. 1913, .	24·7	6·6	9·5	16·0	12	0	51	22	27	36	321	153	54°·4
SEPT. 1912, .	24·3	7·3	8·2	12·6	5	3	4	13	32	33	79	89	51°·3
SEPT. 1911, .	23·7	7·6	8·6	15·9	8	0	13	12	40	37	265	162	54°·1
SEPT. 1910, .	24·6	7·3	7·8	14·9	8	0	7	21	36	43	184	133	54°·5
SEPT. 1909, .	25·5	7·9	7·9	14·2	11	0	11	25	24	34	100	104	51°·7
SEPT. 1908, .	26·6	8·0	7·9	15·1	9	0	10	10	56	26	–	130	54°·2
SEPT. 1907, .	25·6	7·1	8·6	14·4	9	0	14	4	67	12	–	107	54°·6
SEPT. 1906, .	26·4	7·4	8·0	16·4	20	0	11	12	41	18	–	151	55°·2
SEPT. 1905, .	26·9	7·2	7·6	15·1	18	0	19	13	38	26	–	118	53°·3

For all years up to and including 1911, figures are for Eight only of the Principal Towns.
Figures in Columns 5–13 have, for 1913 and subsequent years, been corrected for non-resident deaths

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—September 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	11	–	–	3	1	2	1	2	1	1	–	–
Typhus Fever	1	–	–	–	–	–	–	1	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	50	18	31	–	–	–	1	–	–	–	–	–
Scarlet Fever	52	5	36	8	1	–	2	–	–	–	–	–
Whooping-cough	17	7	10	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	43	3	21	14	4	–	–	–	1	–	–	–
Influenza	3	–	–	–	–	–	1	1	1	–	–	–
Erysipelas	7	1	–	–	–	1	1	–	1	2	1	–
Phthisis, Pulmonary Tuberculosis	199	2	4	3	5	47	49	38	32	15	4	–
Tuberculous Meningitis	34	11	11	5	2	1	2	1	1	–	–	–
Abdominal Tuberculosis	28	10	13	1	1	2	–	1	–	–	–	–
Other Tuberculous Diseases	39	4	9	5	3	4	5	4	1	1	2	1
Cancer, Malignant Disease	215	–	1	–	1	–	4	23	49	67	54	16
Rheumatic Fever	10	–	–	–	1	6	–	1	1	1	–	–
Meningitis	50	21	17	4	1	2	2	2	1	–	–	–
Organic Heart Disease	221	1	–	3	3	11	10	27	25	51	64	26
Bronchitis	116	31	6	1	2	1	–	3	10	22	26	14
Pneumonia (all forms)	194	55	55	3	1	9	8	10	14	16	13	10
Other Diseases of Respiratory Organs	26	5	6	1	–	–	1	2	5	2	3	1
Diarrhœa and Enteritis (under 2 years)	193	160	33	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	19	–	–	2	4	7	1	1	4	–	–	–
All Liver Diseases (not Malignant)	24	–	1	–	1	–	–	2	5	11	3	1
Other Diseases of Digestive System (under 2 years)	13	11	2	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	88	–	3	3	2	5	5	4	17	20	17	12
Puerperal Sepsis	6	–	–	–	–	2	2	2	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	9	–	–	–	–	1	6	2	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	164	163	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	96	6	12	4	5	5	22	9	7	14	7	5
Suicide	5	–	–	–	–	1	1	1	1	1	–	–
Other Defined Diseases	633	62	27	7	16	18	20	45	69	106	140	123
Diseases Ill-defined or Unknown	53	5	5	2	1	3	1	5	7	10	13	1
All Causes	2619	581	304	69	55	128	145	187	253	340	347	2100

GLASGOW—September 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	3	–	–	1	–	1	–	–	1	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	17	8	8	–	–	–	1	–	–	–	–	–
Scarlet Fever	20	1	13	3	1	–	2	–	–	–	–	–
Whooping-cough	6	1	5	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	11	2	5	4	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	4	1	–	–	–	–	1	–	1	–	1	–
Phthisis, Pulmonary Tuberculosis	88	1	–	1	5	23	21	13	14	6	4	–
Tuberculous Meningitis	15	1	8	3	1	1	1	–	–	–	–	–
Abdominal Tuberculosis	16	6	8	1	1	–	–	–	–	–	–	–
Other Tuberculous Diseases	13	1	3	2	1	2	1	3	–	–	–	–
Cancer, Malignant Disease	106	–	1	–	1	–	–	14	22	37	25	66
Rheumatic Fever	5	–	–	–	–	4	–	1	–	–	–	–
Meningitis	28	15	8	1	1	1	1	1	–	–	–	–
Organic Heart Disease	100	1	–	2	1	5	5	12	14	22	30	88
Bronchitis	66	15	5	1	–	1	–	1	9	13	15	66
Pneumonia (all forms)	93	28	31	2	–	4	1	4	7	8	4	44
Other Diseases of Respiratory Organs	13	2	1	1	–	–	1	1	4	2	1	–
Diarrhœa and Enteritis (under 2 years)	109	88	21	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	10	–	–	1	2	4	–	1	2	–	–	–
All Liver Diseases (not Malignant)	10	–	1	–	1	–	–	1	2	4	–	1
Other Diseases of Digestive System (under 2 years)	6	4	2	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	52	–	2	–	–	1	2	3	7	13	14	100
Puerperal Sepsis	3	–	–	–	–	1	–	2	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	6	–	–	–	–	1	3	2	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	76	76	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	47	3	6	1	2	–	15	4	4	6	2	4
Suicide	1	–	–	–	–	–	–	1	–	–	–	–
Other Defined Diseases	275	25	17	2	7	14	10	17	37	48	50	48
Diseases Ill defined or Unknown	36	3	3	2	1	2	–	3	5	7	9	1
All Causes	1236	282	148	28	25	65	65	85	129	166	155	88

EDINBURGH—September 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
nteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
mall-pox	–	–	–	–	–	–	–	–	–	–	–	–
easles	15	3	12	–	–	–	–	–	–	–	–	–
carlet Fever	3	–	2	1	–	–	–	–	–	–	–	–
Whooping-cough	2	1	1	–	–	–	–	–	–	–	–	–
iphtheria and Croup	16	–	7	7	1	–	–	–	1	–	–	–
nfluenza	–	–	–	–	–	–	–	–	–	–	–	–
rysipelas	–	–	–	–	–	–	–	–	–	–	–	–
hthisis, Pulmonary Tuberculosis	31	–	1	1	–	4	7	7	6	5	–	–
uberculous Meningitis	2	1	–	–	–	–	–	–	1	–	–	–
bdominal Tuberculosis	2	1	1	–	–	–	–	–	–	–	–	–
ther Tuberculous Diseases	10	–	4	–	1	1	2	1	–	1	–	–
ancer, Malignant Disease	33	–	–	–	–	–	3	2	9	8	7	4
heumatic Fever	1	–	–	–	–	1	–	–	–	–	–	–
eningitis	6	1	2	1	–	–	1	1	–	–	–	–
rganic Heart Disease	31	–	–	–	1	2	1	4	3	7	8	5
ronchitis	8	2	–	–	–	–	–	–	–	–	3	3
neumonia (all forms)	24	6	8	–	–	1	–	–	2	3	2	2
ther Diseases of Respiratory Organs	3	–	2	–	–	–	–	–	–	–	1	–
iarrhœa and Enteritis (under 2 years)	14	12	2	–	–	–	–	–	–	–	–	–
ppendicitis and Typhlitis	4	–	–	–	1	1	1	–	1	–	–	–
ll Liver Diseases (not Malignant)	7	–	–	–	–	–	–	–	1	3	3	–
ther Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
ephritis and Bright's Disease	9	–	–	–	–	1	–	–	4	2	1	1
uerperal Sepsis	1	–	–	–	–	1	–	–	–	–	–	–
ther Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
ongenital Debility and Malformation, including Premature Birth	16	16	–	–	–	–	–	–	–	–	–	–
iolent Deaths, excluding Suicide	11	1	1	–	1	1	2	–	1	–	3	1
uicide	2	–	–	–	–	–	1	–	1	–	–	–
ther Defined Diseases	103	11	2	–	3	1	5	12	10	18	22	19
iseases Ill-defined or Unknown	3	–	–	–	–	–	–	–	2	1	–	–
All Causes	357	55	45	10	8	14	23	27	42	48	50	35

DUNDEE—September 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
nteric Fever	6	–	–	1	1	1	1	1	–	1	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
mall-pox	–	–	–	–	–	–	–	–	–	–	–	
easles	1	1	–	–	–	–	–	–	–	–	–	–
carlet Fever	2	–	2	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
iphtheria and Croup	2	1	–	–	1	–	–	–	–	–	–	–
nfluenza	1	–	–	–	–	–	–	–	1	–	–	–
rysipelas	–	–	–	–	–	–	–	–	–	–	–	–
hthisis, Pulmonary Tuberculosis	18	–	–	–	–	3	6	5	3	1	–	–
uberculous Meningitis	2	1	1	–	–	–	–	–	–	–	–	–
bdominal Tuberculosis	1	1	–	–	–	–	–	–	–	–	–	–
ther Tuberculous Diseases	2	–	–	1	–	–	–	–	–	–	1	–
ancer, Malignant Disease	14	–	–	–	–	–	1	2	5	2	4	–
heumatic Fever	1	–	–	–	–	1	–	–	–	–	–	–
eningitis	2	–	2	–	–	–	–	–	–	–	–	–
rganic Heart Disease	18	–	–	–	–	–	–	2	–	3	10	3
ronchitis	7	2	–	–	–	–	–	1	–	1	1	2
neumonia (all forms)	11	3	1	–	–	1	2	1	–	1	1	1
ther Diseases of Respiratory Organs	1	–	–	–	–	–	–	1	–	–	–	–
iarrhœa and Enteritis (under 2 years)	25	20	5	–	–	–	–	–	–	–	–	–
ppendicitis and Typhlitis	1	–	–	–	–	1	–	–	–	–	–	–
ll Liver Diseases (not Malignant)	4	–	–	–	–	–	–	–	2	2	–	–
ther Diseases of Digestive System (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
ephritis and Bright's Disease	6	–	–	1	–	–	–	1	1	1	1	1
uerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
ther Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
ongenital Debility and Malformation, including Premature Birth	23	23	–	–	–	–	–	–	–	–	–	–
iolent Deaths, excluding Suicide	9	2	3	2	–	–	–	–	–	2	–	–
uicide	1	–	–	–	–	–	–	–	–	1	–	–
ther Defined Diseases	55	6	1	1	2	1	1	4	9	7	12	11
iseases Ill-defined or Unknown	1	–	1	–	–	–	–	–	–	–	–	–
All Causes	216	62	16	6	4	8	11	18	21	22	30	18

ABERDEEN—September 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	2	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	18	3	12	3	–	–	–	–	–	–	–	–
Whooping-cough	2	2	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	4	–	3	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	14	1	1	1	–	5	2	1	3	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	3	2	–	–	–	–	–	–	1	–	–	–
Cancer, Malignant Disease	18	–	–	–	–	–	–	3	2	6	7	–
Rheumatic Fever	1	–	–	–	1	–	–	–	–	–	–	–
Meningitis	1	–	–	1	–	–	–	–	–	–	–	–
Organic Heart Disease	25	–	–	–	1	1	1	2	1	9	7	3
Bronchitis	7	2	–	–	–	–	–	1	–	2	2	–
Pneumonia (all forms)	13	4	3	–	–	1	1	–	1	–	1	2
Other Diseases of Respiratory Organs	2	1	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Enteritis (under 2 years)	10	8	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	2	–	–	–	–	–	–	1	–	1	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	5	–	–	1	2	–	–	–	2	–	–	–
Puerperal Sepsis	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	9	9	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	3	–	–	1	–	–	1	–	–	1	–	–
Suicide	1	–	–	–	–	1	–	–	–	–	–	–
Other Defined Diseases	50	7	4	1	–	1	–	–	5	9	12	11
Diseases Ill-defined or Unknown	4	–	–	–	–	–	–	–	–	–	4	–
All Causes	197	42	26	9	4	9	6	8	15	28	34	16

PAISLEY—September 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	1	–	–	–	–	–	–	1	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	3	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	2	–	2	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	4	–	3	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	6	–	–	–	–	2	1	2	–	1	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	3	1	1	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease	5	–	–	–	–	–	–	–	2	1	2	–
Rheumatic Fever	1	–	–	–	–	–	–	–	1	–	–	–
Meningitis	2	–	–	–	–	1	–	–	1	–	–	–
Organic Heart Disease	4	–	–	–	–	–	1	–	1	–	2	–
Bronchitis	4	2	–	–	–	–	–	–	–	1	1	–
Pneumonia (all forms)	7	2	3	–	–	–	1	1	–	–	–	–
Other Diseases of Respiratory Organs	1	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	4	4	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	1	–	–	1	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	–	–	1	–	1	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	25	3	–	–	–	–	1	2	2	2	8	7
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	1	–	–
All Causes	86	22	11	1	1	6	5	6	8	6	13	7

LEITH—September 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	4	–	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	6	–	1	–	–	–	2	–	2	1	–	–
Tuberculous Meningitis	4	3	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	–	1	–	–	–	–	–	–	–	1	–
Cancer, Malignant Disease	5	–	–	–	–	–	–	–	1	2	2	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	2	2	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	8	–	–	–	–	–	1	–	2	–	1	4
Bronchitis	3	1	–	–	1	–	–	–	–	–	–	1
Pneumonia (all forms)	5	1	–	–	–	–	–	1	1	–	2	–
Other Diseases of Respiratory Organs	1	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	–	–	–	–	1	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	1	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	4	–	–	–	–	–	2	1	–	1	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	21	–	1	–	1	–	–	4	2	3	6	4
Diseases Ill-defined or Unknown	2	–	1	–	–	–	–	–	–	1	–	–
All Causes	77	15	10	–	2	–	6	6	9	8	12	9

GREENOCK—September 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	–	3	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	10	–	1	–	–	4	1	2	2	–	–	–
Tuberculous Meningitis	3	2	–	–	–	–	1	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	3	1	–	1	–	–	–	–	–	–	–	1
Cancer, Malignant Disease	13	–	–	–	–	–	–	–	3	4	2	4
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	3	2	–	1	–	–	–	–	–	–	–	–
Organic Heart Disease	8	–	–	1	–	–	–	2	1	1	1	2
Bronchitis	3	–	1	–	1	–	–	–	–	1	–	–
Pneumonia (all forms)	2	–	1	1	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	10	9	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	4	–	1	1	–	–	2	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	2	–	–	–	–	–	2	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	3	–	–	–	–	1	–	1	–	–	1	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	24	1	1	1	1	–	–	1	3	8	6	2
Diseases Ill-defined or Unknown	2	–	–	–	–	–	1	1	–	–	–	–
All Causes	99	21	9	6	2	5	7	7	9	14	10	9

PERTH—September 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	1	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	2	–	–	–	–	–	2	–	–	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	1	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	–	1	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	3	–	–	–	–	–	1	1	–	1	–	–
Bronchitis	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms)	1	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	1	–	–	1	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	16	–	–	–	–	1	–	–	–	–	7	8
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	30	2	1	1	–	2	3	1	2	2	8	8

COATBRIDGE—September 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	2	–	–	1	–	–	–	1	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	1	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	1	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	–	1	–	–
Phthisis, Pulmonary Tuberculosis	5	–	–	–	–	3	2	–	–	–	–	–
Tuberculous Meningitis	2	–	–	1	–	–	–	1	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	1	–	–	–	–	–	–	–	–	1	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	1	–	–
Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease	4	–	–	–	–	1	–	1	–	–	1	1
Bronchitis	4	1	–	–	–	–	–	–	–	3	–	–
Pneumonia (all forms)	4	2	1	–	–	–	1	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	3	2	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	1	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	–	–	–	1	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	8	8	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	1	–	–	–	–	–	1	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	10	1	–	1	–	–	1	2	–	–	2	3
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	54	14	6	3	1	4	5	5	1	7	4	4

MOTHERWELL—September 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	1	–	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	2	–	2	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	1	–	–	–	–	–	–	1	–	–	–	–
Tuberculous Meningitis	1	–	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	2	1	–	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	4	–	–	–	–	–	–	–	2	1	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	1	–	–	–	–	–	–	1	–	–	–	–
Bronchitis	5	2	–	–	–	–	–	–	1	–	1	1
Pneumonia (all forms)	7	3	3	–	–	–	–	–	–	1	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	3	–	–	–	–	–	–	–	–	3	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	3	–	–	–	1	–	–	1	–	–	1	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	5	–	1	–	1	–	–	1	–	1	–	1
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	37	8	7	1	2	1	–	4	3	6	3	2

KIRKCALDY—September 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	1	–	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	4	–	–	–	–	1	1	2	–	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	1	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	8	–	–	–	–	–	–	2	1	4	1	–
Bronchitis	4	1	–	–	–	–	–	–	–	1	1	1
Pneumonia (all forms)	5	2	–	–	1	–	–	–	1	–	1	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	3	3	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	1	–	–	–	1	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	–	–	–	–	–	1	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	16	1	–	–	–	–	–	–	–	4	4	7
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	46	7	2	–	1	2	1	4	2	11	7	9

HAMILTON—September 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	1	–	–	–	–	–	–	–	–	–
Whooping-cough	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	2	–	–	1	1	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	1	–	–	–	–	–	–	1	–	–	–	–
Tuberculous Meningitis	2	1	–	–	1	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	–	1	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease	2	–	–	–	–	–	–	–	–	1	1	–
Bronchitis	1	–	–	–	–	–	–	–	–	–	1	–
Pneumonia (all forms)	8	–	2	–	–	1	–	1	–	2	1	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	5	5	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	–	–	–	–	–	1	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	5	3	–	–	–	–	–	–	–	1	1	–
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	42	17	6	1	2	1	1	2	–	6	5	1

CLYDEBANK—September 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–		–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles		–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	2	1	1	–	–	–	–	–	–	–	–	–
Whooping-cough	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	3	–	–	–	–	–	1	1	1	–	–	–
Tuberculous Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	1	1	–	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	4	–	–	–	–	–	–	–	2	2	–	–
Bronchitis	2	2	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms)	2	1	1	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	2	1	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	4	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	5	–	–	–	–	1	1	–	1	2	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	11	2	–	–	1	–	2	1	–	–	5	–
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	42	13	4	–	1	2	4	3	5	4	6	–

KILMARNOCK—September 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	–	1	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	–	–	1	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	4	–	–	–	–	–	2	2	–	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	–	–	–	–	1	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	1	1	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	3	1	2	–	–	–	–	–	–	–	–	–
Organic Heart Disease	1	–	–	–	–	1	–	–	–	–	–	–
Bronchitis	1	1	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms)	3	–	–	–	–	–	1	–	–	1	1	–
Other Diseases of Respiratory Organs	1	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	–	1	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	1	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	8	–	–	–	–	–	–	–	1	3	2	2
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	32	6	4	1	1	1	3	3	3	5	3	2

FALKIRK—September 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	1	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	2	–	2	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	1	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	3	–	–	–	–	1	–	1	1	–	–	–
Tuberculous Meningitis	2	1	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	4	–	1	–	1	–	2	–	–	–	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease	3	–	–	–	–	1	–	–	–	1	1	–
Bronchitis	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms)	6	2	1	–	–	–	–	2	1	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	1	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	–	1	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	4	1	–	1	–	–	–	1	–	–	1	–
Diseases Ill-defined or Unknown	1	–	–	–	–	1	–	–	–	–	–	–
All Causes	36	8	7	2	1	5	2	4	2	1	3	1

CAUSES OF DEATH (corrected for Transfers).

AYR—September 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75--
Enteric Fever	–	–	–	–	–	–	–	–	–	1	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	1	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	–	1	–	–
Phthisis, Pulmonary Tuberculosis	3	–	–	–	–	1	1	–	–	1	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	4	–	–	–	–	–	–	1	1	2	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	1	–	–	–	–	–	–	–	–	–	1	–
Bronchitis	1	–	–	–	–	–	–	–	–	–	1	–
Pneumonia (all forms)	3	1	–	–	–	1	1	–	–	–	–	–
Other Diseases of Respiratory Organs	2	–	–	–	–	–	–	–	1	–	–	1
Diarrhœa and Enteritis (under 2 years)	4	3	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	3	–	–	–	–	1	–	2	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	5	1	–	–	–	–	–	–	–	2	2	–
Diseases Ill-defined or Unknown	3	2	–	–	–	–	–	1	–	–	–	–
All Causes	32	7	2	–	–	3	3	4	2	6	4	1

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, During the Month of September 1915.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-Level and 32°.	AIR TEMPERATURE. Mean of Maximum (A).	AIR TEMPERATURE. Mean of Minimum (B.)	AIR TEMPERATURE. Mean of A and B (Mean Temperature).	AIR TEMPERATURE. Difference from Average	AIR TEMPERATURE. Absolute Maximum and Minimum. Maximum	Day of Month.	Minimum.	Day of Month.	HYGROMETER. Mean at 9 A.M. and 9 P.M. Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	RAIN, AND OTHER FORMS OF PRECIPITATION. Number of Days.	Total Fall.	Difference from Average.	WIND DIRECTIONS. Number of Observations at 9 A.M. and 9 P.M. N	NE	E	SE	S	SW	W	NW	Calm or Variable.
	feet.	inch.	inch.	°	°	°	°	°		°		°	°	inch.	per cent.		inch.	inch.									
GLASGOW, Professor L. Becker, Ph.D., F.R.S.E.	184	29·767	29·968	60·9	48·6	54·8	+1·6	71	9, 10	36	28, 29	53·1	2·5	·336	83	13	1·33	-2·36	8	4	18	2	4	8	12	3	1
EDINBURGH, Professor R. A. Sampson, F.R.S.	441	29·492	29·970	60·1	47·6	53·9	+1·1	74	9*th*	35	29*th*	52·8	2·9	·324	80	8	2·73	+0·56	2	3	4	9	5	7	14	7	9
DUNDEE, John Carnochan, Curator of Cemeteries.	164	29·789	29·968	61·5	47·2	54·4	+0·9	73	8*th*	34	29*th*	52·2	1·6	·348	89	10	1·19	-1·38	1	9	1	20	1	12	2	14	0
ABERDEEN,* The Meteorological Office.	90	29·858	29·958	59·7	48·3	54·0	+1·0	75	7*th*	38	3*rd*	52·7	1·4	·359	90	12	2·67	-0·04	5	3	3	8	18	5	5	11	2
PAISLEY, The Coats Observatory.	107	29·859	29·977	62·1	47·4	55·3	+0·9	75	9, 10	34	29*th*	54·2	2·9	·340	81	14	1·22	-2·48	9	2	9	4	5	5	9	3	14
Leith, † James Bolam, Navigation School.	76	29·897	29·980	60·2	47·8	54·0	-0·3	74	10*th*	37	29*th*	54·0	2·7	·342	82	9	1·68	-0·56	2	8	8	8	0	4	16	12	2
GREENOCK, † Daniel Macalister, C.E., Greenock Waterworks.	233	29·714	29·975	61·6	48·0	54·8	+1·4	74	10*th*	34	29*th*	53·8	2·4	·348	84	13	1·61	-4·17	0	10	7	9	1	7	14	12	0
PERTH, Henry Coates, F.R.S.E., The Museum.	82	29·888	29·979	61·6	45·2	53·4	+0·1	74	8*th*	36	29*th*	52·5	1·9	·344	87	10	1·86	-0·97	3	1	5	10	1	18	4	11	10
Means	172	29·783	29·972	61·1	47·5	54·3	+0·8	..	..	..	..	53·2	2·3	·343	84	11	1·79	-1·42	4	5	7	9	4	8	9	9	5

North Latitude.—Glasgow, 55° 51′; Edinburgh, 55° 55′; Dundee, 56° 28′; Aberdeen, 57° 9′; Paisley, 55° 51′; Leith, 55° 58′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 11′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 57′; Aberdeen, 2° 7′; Paisley, 4° 27′; Leith, 3° 8′; Greenock, 4° 46′; Perth, 3° 25′; Mean, 3° 32′.

* At King's College, at 7 A.M. and 6 P.M.

† At 9 A.M. only.

FOR OFFICIAL USE.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN SIXTEEN OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

OCTOBER 1915.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by
J. SKINNER & Co., Ltd., Thistle Street.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of October 1915 there were registered in the Sixteen Principal Towns of Scotland, those burghs which at the date of the 1911 Census had populations of over 30,000, the births of 4351 living children, of whom 2209 were male and 2142 female. The male children number 89 more than in the previous month, but 488 fewer than in October of last year. The female children number 8 more than in the previous month, but 379 fewer than in October of last year. The total children registered number 97 more than in the previous month, but 867 fewer than in October of last year, and 65 less than the mean of the numbers registered in the three preceding months. The equivalent annual birth-rate is 21·9 per thousand of the estimated aggregate population of these towns, which is 0·2 less than that of the previous month, 0·5 less than the mean of those of the three preceding months, and 4·9 less than that of the corresponding month of last year. In the individual towns the monthly birth-rate varied from 26·9 in Motherwell, 26·8 in Hamilton, 25·6 in Clydebank, and 25·5 in Greenock, to 16·9 in Perth, 17·4 in Edinburgh, and 17·9 in Falkirk. In Ayr this rate was 24·2; in Kilmarnock, 24·0; in Glasgow, 23·5; in Coatbridge, 23·2; in Paisley, 20·8; in Leith, 20·5; in Aberdeen, 20·3; in Dundee, 19·1; and in Kirkcaldy, 18·2.

Of the 4351 children whose births were registered during the month, 4070, or 93·5 per cent., were legitimate, while 281, or 6·5 per cent., were illegitimate. The illegitimate children of the month are 17 fewer than those of September, 92 fewer than those of October of last year, and 13 less than the mean of the numbers of the three preceding months. The illegitimate rate is 0·5 less than in September, and 0·6 less than in October of last year, and 0·2 less than the mean of those of the three preceding months. In the individual towns this rate ranged from 12·0 in Aberdeen, and 9·1 in Edinburgh and in Dundee, to 1·0 in Clydebank, 1·1 in Motherwell, 1·3 in Kilmarnock, and 1·6 in Kirkcaldy. In Ayr this rate was 8·7; in Coatbridge, 8·0; in Perth, 7·8; in Greenock, 7·7; in Glasgow, 5·9; in Leith, 4·3; in Paisley, 3·9; in Falkirk, 3·8; and in Hamilton, 2·3.

Marriages registered in these towns during the month numbered 1609. They are 211 fewer than in the previous month, and 523 less than the mean of the numbers

of the three preceding months, but are 263 more than in October of last year. The equivalent annual marriage-rate is 8·1 per thousand, which is 1·3 less than that of the previous month, and 2·7 less than the mean of those of the three preceding months, but is 1·2 more than that of October of last year. In the individual towns this rate ranged from 11·0 in Edinburgh, 9·8 in Dundee, and 9·5 in Aberdeen, to 3·1 in Motherwell, 3·2 in Coatbridge, and 3·4 in Falkirk. In Kilmarnock this rate was 8·9; in Perth, 8·3; in Glasgow, 8·1; in Greenock, 6·9; in Ayr, 6·0; in Leith, 5·7; in Hamilton, 5·5; in Paisley, 5·0; in Kirkcaldy, 4·6; and in Clydebank, 4·5.

Deaths registered in these towns during the month numbered 3132, 1594 being of males, and 1538 of females. These deaths included those of 257 persons with usual residence outwith the town of registration, but excluded those of 166 persons with usual residence within one or other of these towns, but dying elsewhere in Scotland, and the difference, 91, falls to be deducted to get the corrected number of deaths of the month, which is thus found to be 3041. The corrected number of deaths of the month is 422 more than that of the previous month, 370 more than the mean of those of the three preceding months, and 135 more than that of October of last year.

The death-rate of the month, corrected, is 15·3 per thousand, which is 1·7 more than that of September, and the same amount more than the mean of the rates of the preceding three months, and is 0·4 more than that of October of last year. In the individual towns the corrected death-rate ranged from 21·6 in Greenock, 16·9 in Dundee, and 16·2 in Glasgow, to 9·1 in Motherwell, 12·1 in Kirkcaldy, and 12·2 in Leith. In Kilmarnock this rate was 15·7; in Coatbridge, 15·5; in Falkirk, 15·4; in Hamilton, 15·3; in Paisley, 15·0; in Ayr, 14·7; in Perth, 14·0; in Clydebank, 13·7; in Aberdeen, 13·5; and in Edinburgh, 13·1.

Of the 3041 deaths, 1062, or 34·9 per cent., were of children of less than five years old, 1325, or 43·6 per cent., of persons of more than five but less than sixty-five years old, and 654, or 21·5 per cent., of persons of over sixty-five. Compared with the numbers of the previous month, deaths under five are 177 more, of persons of more than five but less than sixty-five, 148 more, and of those of over sixty-five, 97 more. Compared with the numbers of October of last year, deaths of children of under five are 115 more; and of persons of more than five but less than sixty-five, 31 more; but those of persons of over sixty-five are 11 fewer.

Deaths of children of less than one year old numbered 692. They are 111 more than in the previous month, 171 more than the mean of the numbers of the three preceding months, and 52 more than in October of last year. These deaths are equal to an infantile mortality rate of 140 per thousand of the average number of births registered monthly during the preceding twelve months, which is 20 more than that of the previous month, and 35 more than the mean of those of the three preceding months, and 17 more than that of October of last year. In the individual towns this rate varied from 187 in Greenock, 179 in Dundee, and 168 in Aberdeen, to 54 in Leith and in Perth, 82 in Paisley, and 89 in Motherwell. In Clydebank this rate was 159; in Coatbridge, 153; in Glasgow, 151; in Ayr, 134; in Falkirk, 132; in Kilmarnock, 118; in Kirkcaldy, 108; in Edinburgh, 107; and in Hamilton, 107.

Deaths from the principal epidemic diseases numbered 382. They include 10 from enteric fever, 67 from measles, 74 from scarlet fever, 12 from whooping-cough, 47 from diphtheria, and 172 from the diarrhœas of childhood. These deaths are 16 more than in the previous month, but they are 11 fewer than the mean of the numbers of the three preceding months, and 1 fewer than in October of last year. They are equal to an annual death-rate from these causes of 1·9 per thousand, which is the same as in the previous month, but 0·1 less than the mean of the rates of the three preceding months, and the same less than that of October of last

year. In the individual towns this rate varied from 4·8 in Greenock, 2·9 in Dundee, and 2·7 in Coatbridge, to 1·2 in Paisley and in Leith, and 1·3 in Perth. In Aberdeen this rate was 2·6; in Kirkcaldy, 2·3; in Kilmarnock, 2·2; in Falkirk, 2·1; in Clydebank, 1·9; in Hamilton, 1·8; in Ayr, 1·8; in Glasgow, 1·7; in Edinburgh, 1·4; and in Motherwell, 1·4. Compared with the returns of the previous month, deaths from the diarrhœas of childhood are 21 fewer, from whooping cough 5 fewer, and from enteric fever 1 fewer, but those from diphtheria are 4 more, from measles 17 more, and from scarlet fever 22 more.

No deaths from either small-pox or from typhus fever were registered in these towns during the month. Deaths from rheumatic fever numbered 9; from meningitis, other than tuberculous, 42; from heart disease, 267; from puerperal sepsis, 12; from malignant disease, 185; from influenza (uncomplicated), 6; and from violence, 110, of which 6 were ascribed to suicide.

Deaths from pneumonia numbered 320, constituted 10·5 per cent. of the total deaths of the month, and are equal to an annual death-rate of 1·6 per thousand. They are 126 more than in September, and 119 more than in October of last year. Those from bronchitis numbered 245, constituted 8·1 per cent. of the total, and are equal to an annual death-rate of 1·2 per thousand; they are 129 more than in September, and 72 more than in October of last year.

Deaths from all forms of tuberculous disease numbered 311, constituted 10·2 per cent. of the total, and are equal to an annual death-rate of 1·6 per thousand. They are 11 more than in September, but 5 fewer than in October of last year. Of them 209 were ascribed to phthisis, which deaths constituted 6·9 per cent. of the total, and are equal to an annual death-rate of 1·0 per thousand. The phthisis deaths are 10 more than in September, and 8 more than in October of last year. In the individual towns the phthisis death-rate ranged from 1·6 in Kilmarnock, 1·4 in Falkirk, and 1·3 in Edinburgh and in Aberdeen, to 0·0 in Motherwell, in Kirkcaldy, and in Ayr. In Glasgow this rate was 1·2; in Greenock, 1·1; in Dundee, in Paisley, and in Hamilton, 0·9; in Perth, 0·7; in Leith, 0·6; in Coatbridge, 0·5; and in Clydebank, 0·3.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. Watt, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

OCTOBER 1915.

Mean barometric pressure, 30·043 in.; greater than the average of 1856–1905 by 0·223 in.

Mean temperature, 46°·9; greater by 0°·1.

Mean daily range of temperature, 11°·4; less by 0°·2.

Rain, number of days, 15; less by 2 days.

Rain, depth in inches, 2·61; less by 0·86 in.

Wind, direction of: a 9 days' excess of winds from E. and S.E.

Hence the month was characterised by an extremely high mean pressure; a mean temperature practically equal to the normal, with a mean daily range practically equal to the normal; a somewhat low mean rainfall; and a considerable excess of easterly and south easterly winds.

The mean pressure was 30·043 in. or 0·223 in. above the normal. At Leith, at sea-level, pressure was above 30 in. from 3rd to 7th, from 15th to 22nd, and from 24th to 27th, and from the highest reading of 30·50 in. on morning of 26th there was a steady and continuous fall to the lowest reading of 29·34 in. on morning of 28th.

(8770.) Wt. 4/607. 1150. 11/15. J.S.&Co.,Ltd. Group 4/11.

The mean temperature was 46°·9, or 0°·1 above the normal, the days being exactly equal to their average and the nights 0°·2 above. The cold weather which had characterised the last few days of September persisted during the first week or so of October, with lowest readings for the month in various districts at that time, as low as 22° at Braemar on 6th. Around the middle of the month temperature was considerably above the normal for the time of year, with a cold south easterly type of weather during the last ten days, and lowest readings in many districts between 26th and 30th, as low as 21° at West Linton on 30th. At the chief towns the extremes were 63° at Greenock on 13th, and 26° at Perth on 2nd and 27th.

As regards rainfall, the first week or so was rainless in practically all districts, and in some no rain of importance fell during the first half of the month. Around 8th, 11th, and 17th conditions were in general somewhat unsettled. On 23rd heavy to very heavy falls occurred except in some northern districts—more than 1 in. at Glasgow and Paisley, and more than 2 in. at Whithorn and elsewhere in south. On 27th there were again considerable falls in many districts, followed by some extremely heavy falls in east and north-east on 28th, as much as 3·34 in. at Crathes and 2·55 in. at Fyvie Castle. At Dundee the month's aggregate was just equal to the normal, and in some inland districts in eastern counties there was a considerable excess. The greater part of the country, however, had a rainfall below the normal, and in north north-west, and extreme south-east the shortage was acute. Thus Glencarron had less than one quarter, Fort William less than one-half, and Wolfelee, near Hawick, less than one-third of the normal. The mean of the chief towns was 2·61 in., or 22 per cent. below the normal.

Around 28th the weather was stormy with a south-easterly gale in some districts, and on the morning of that day H.M.S. Argyll was wrecked "off the east coast of Scotland."

A thunderstorm occurred on evening of 11th in some western districts.

A considerable amount of coast fog occurred.

Aurora was somewhat widely observed on 15th, and less widely on 14th and 24th.

TABLE I.—ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES in the Principal Towns, October 1915.

TOWNS.	POPULATION.		BIRTHS.					MARRIAGES.	DEATHS.					
	Census. 1911.	Estimated to middle of 1915.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.	Out.	In.	Total Corrected.
GLASGOW,	1,008,487	1,078,400	1074	1081	2155	2028	127	745	797	737	1534	112	60	1482
EDINBURGH,	320,769	328,700	270	214	484	440	44	307	195	208	403	69	31	365
DUNDEE,	176,085	177,300	151	136	287	261	26	148	125	127	252	6	9	255
ABERDEEN,	163,891	164,800	147	137	284	250	34	133	97	101	198	18	9	189
PAISLEY,	84,455	87,700	86	69	155	149	6	37	67	51	118	9	3	112
LEITH,	80,601	80,500	71	69	140	134	6	39	45	33	78	5	10	83
GREENOCK,	75,140	78,100	82	87	169	156	13	46	69	76	145	5	3	143
PERTH,	35,854	35,500	25	26	51	47	4	25	20	30	50	10	2	42
TOTAL (EIGHT TOWNS)	1,945,282	2,031,000	1906	1819	3725	3465	260	1480	1415	1363	2778	234	127	2671
COATBRIDGE,	43,290	44,100	33	54	87	80	7	12	27	28	55	1	4	58
MOTHERWELL	40,380	41,600	51	44	95	94	1	11	18	10	28	0	4	32
KIRKCALDY	39,601	40,800	26	37	63	62	1	16	24	15	39	0	3	42
HAMILTON,	38,644	38,600	52	36	88	86	2	18	20	24	44	1	7	50
CLYDEBANK,	37,548	44,600	48	49	97	96	1	17	23	17	40	0	12	52
KILMARNOCK,	34,728	36,900	36	39	75	74	1	28	19	33	52	6	3	49
FALKIRK,	33,574	34,300	28	24	52	50	2	10	23	23	46	6	5	45
AYR,	32,986	33,600	29	40	69	63	6	17	25	25	50	9	1	42
TOTAL (SIXTEEN TOWNS)	2,246,033	2,345 500	2209	2142	4351	4070	281	1609	1594	1538	3132	257	166	3041

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES in the Principal Towns, October 1915.

TOWNS.	Birth-Rate per 1000 of Population.	Illegitimate Birth-Rate per 100 Births.	Marriage-Rate per 1000 of Population.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuberculosis.	Phthisis.	All Respiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncorrected.	Corrected.						
GLASGOW, .	23·5	5·9	8·1	16·8	16·2	1·7	1·6	1·2	4·2	364	151
EDINBURGH, .	17·4	9·1	11·0	14·4	13·1	1·4	1·7	1·3	1·8	57	107
DUNDEE, . .	19·1	9·1	9·8	16·7	16·9	2·9	2·1	0·9	2·1	62	179
ABERDEEN, .	20·3	12·0	9·5	14·2	13·5	2·6	1·6	1·3	1·6	55	168
PAISLEY, . .	20·8	3·9	5·0	15·8	15·0	1·2	1·3	0·9	3·8	15	82
LEITH, . .	20·5	4·3	5·7	11·4	12·2	1·2	1·0	0·6	2·3	9	54
GREENOCK, .	25·5	7·7	6·9	21·9	21·6	4·8	1·8	1·1	3·5	37	187
PERTH, . .	16·9	7·8	8·3	16·6	14·0	1·3	1·3	0·7	1·0	3	54
TOTAL . . (EIGHT TOWNS)	21·6	7·0	8·6	16·1	15·5	1·9	1·6	1·1	3·2	602	143
COATBRIDGE, .	23·2	8·0	3·2	14·7	15·5	2·7	0·8	0·5	1·1	17	153
MOTHERWELL,	26·9	1·1	3·1	7·9	9·1	1·4	0·6	0·0	2·6	9	89
KIRKCALDY, .	18·2	1·6	4·6	11·2	12·1	2·3	0·9	0·0	2·3	8	108
HAMILTON, .	26·8	2·3	5·5	13·4	15·3	1·8	1·2	0·9	2·7	11	107
CLYDEBANK, .	25·6	1·0	4·5	10·6	13·7	1·9	0·8	0·3	3·4	18	159
KILMARNOCK,	24·0	1·3	8·9	16·6	15·7	2·2	2·6	1·6	1·0	9	118
FALKIRK, . .	17·9	3·8	3·4	15·8	15·4	2·1	2·4	1·4	2·1	9	132
AYR, . . .	24·2	8·7	6·0	17·5	14·7	1·8	0·0	0·0	3·9	9	134
TOTAL . . (SIXTEEN TOWNS)	21·9	6·5	8·1	15·7	15·3	1·9	1·6	1·0	3·1	692	140

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, etc., for October 1915, and for the Corresponding Month of the Preceding Ten Years, in the PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth-rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature. (Eight Towns only.)
					Enteric Fever.	Smallpox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria and Croup.	Diarrhœa (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
OCT. 1915, .	**21·9**	**6·5**	**8·1**	**15·3**	**10**	**0**	**67**	**74**	**12**	**47**	**172**	**140**	**46°·9**
OCT. 1914, .	26·8	7·1	6·9	14·9	22	0	7	63	45	75	171	123	49°·3
OCT. 1913, .	26·5	6·9	7·2	14·4	14	0	63	47	17	53	151	117	50°·3
OCT. 1912, .	27·2	6·3	7·3	14·6	5	5	3	21	38	48	79	110	46°·6
OCT. 1911, .	24·6	8·2	7·7	16·2	5	0	36	32	21	41	109	132	46°·0
OCT. 1910, .	25·0	7·6	7·3	14·5	9	0	5	21	29	57	104	115	50°·1
OCT. 1909, .	25·2	6·9	6·2	13·4	8	0	25	24	13	41	68	97	48°·1
OCT. 1908, .	27·4	7·3	6·4	15·0	6	0	6	16	58	36	–	123	53°·1
OCT. 1907, .	29·3	7·0	8·0	15·7	10	0	60	9	60	23	–	113	47°·9
OCT. 1906, .	29·6	7·6	8·3	18·3	20	0	18	15	52	32	–	151	48°·9
OCT. 1905, .	28·5	7·1	7·6	17·5	17	0	63	10	35	28	–	125	44°·7

For all years up to and including 1911, figures are for Eight only of the Principal Towns.
Figures in Columns 5–13 have, for 1913 and subsequent years, been corrected for non-resident deaths.

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—October 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	10	–	1	1	3	1	2	–	2	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	67	24	41	2	–	–	–	–	–	–	–	–
Scarlet Fever	74	3	38	26	5	2	–	–	–	–	–	–
Whooping-cough	12	6	6	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	47	1	35	10	1	–	–	–	–	–	–	–
Influenza	6	–	–	–	–	–	–	1	1	1	3	–
Erysipelas	3	1	–	–	–	–	–	–	1	–	1	–
Phthisis, Pulmonary Tuberculosis	209	3	5	6	6	36	59	45	30	15	2	2
Tuberculous Meningitis	41	12	17	8	2	–	2	–	–	–	–	–
Abdominal Tuberculosis	25	6	12	2	–	3	2	–	–	–	–	–
Other Tuberculous Diseases	36	6	5	3	5	8	3	2	1	1	1	1
Cancer, Malignant Disease	185	–	1	–	–	2	5	15	41	62	40	19
Rheumatic Fever	9	–	–	1	–	2	2	–	3	1	–	–
Meningitis	42	25	8	2	1	3	–	–	2	1	–	–
Organic Heart Disease	267	1	–	2	6	14	9	14	45	63	70	43
Bronchitis	245	71	23	–	–	1	2	7	17	38	45	41
Pneumonia (all forms)	320	104	72	7	2	14	10	21	25	27	21	17
Other Diseases of Respiratory Organs	57	11	13	2	1	2	8	2	3	5	6	4
Diarrhœa and Enteritis (under 2 years)	172	134	38	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	19	–	–	3	7	3	5	–	–	–	1	–
All Liver Diseases (not Malignant)	20	–	1	–	–	1	1	5	3	5	3	1
Other Diseases of Digestive System (under 2 years)	21	19	2	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	98	2	4	3	4	1	8	8	25	16	22	5
Puerperal Sepsis	12	–	–	–	–	4	4	4	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	23	–	–	–	–	3	7	13	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	189	188	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	104	11	14	7	3	5	7	14	12	14	11	6
Suicide	6	–	–	–	–	3	–	1	1	–	1	–
Other Defined Diseases	670	59	29	16	10	17	30	50	73	111	128	147
Diseases Ill-defined or Unknown	52	5	4	2	2	1	–	3	14	8	5	8
All Causes	3041	692	370	103	58	126	166	205	299	368	360	294

GLASGOW—October 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	5	–	1	1	1	1	1	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	28	11	17	–	–	–	–	–	–	–	–	–
Scarlet Fever	32	1	18	12	1	–	–	–	–	–	–	–
Whooping-cough	4	3	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	10	–	7	3	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	1	1	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	107	1	1	4	3	16	28	27	16	10	1	–
Tuberculous Meningitis	14	3	6	3	1	–	1	–	–	–	–	–
Abdominal Tuberculosis	12	2	8	–	–	1	1	–	–	–	–	–
Other Tuberculous Diseases	14	4	2	2	1	4	–	–	–	–	1	–
Cancer, Malignant Disease	85	–	–	–	–	1	2	8	16	28	18	12
Rheumatic Fever	4	–	–	1	–	–	2	–	1	–	–	–
Meningitis	19	11	4	1	–	1	–	–	1	1	–	–
Organic Heart Disease	104	1	–	1	3	4	5	7	14	23	29	17
Bronchitis	150	53	20	–	–	1	–	7	9	17	21	22
Pneumonia (all forms)	198	75	46	3	2	7	6	13	15	13	10	8
Other Diseases of Respiratory Organs	38	9	9	2	–	2	3	1	2	3	5	2
Diarrhœa and Enteritis (under 2 years)	78	56	22	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	12	–	–	3	2	3	3	–	–	–	1	–
All Liver Diseases (not Malignant)	10	–	1	–	–	1	1	2	–	3	2	–
Other Diseases of Digestive System (under 2 years)	9	9	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	54	1	2	1	4	1	4	7	13	6	11	4
Puerperal Sepsis	8	–	–	–	–	4	3	1	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	12	–	–	–	–	2	2	8	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	87	87	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	43	4	7	2	2	1	4	9	4	7	1	2
Suicide	3	–	–	–	–	1	–	1	–	–	1	–
Other Defined Diseases	309	28	14	6	8	11	17	24	45	56	46	54
Diseases Ill-defined or Unknown	31	4	1	1	1	1	–	2	10	5	2	4
All Causes	1482	364	187	46	29	63	83	117	146	173	149	125

EDINBURGH—October 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	17	7	9	1	–	–	–	–	–	–	–	–
Scarlet Fever	4	–	2	2	–	–	–	–	–	–	–	–
Whooping-cough	1	–	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	9	–	7	2	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	35	–	–	–	–	7	11	8	6	2	1	–
Tuberculous Meningitis	8	2	4	2	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	2	–	1	–	–	–	1	–	–	–	–	–
Other Tuberculous Diseases	3	–	1	–	–	1	1	–	–	–	–	–
Cancer, Malignant Disease	26	–	1	–	–	1	1	2	7	9	5	–
Rheumatic Fever	1	–	–	–	–	–	–	–	1	–	–	–
Meningitis	1	–	–	–	–	–	–	–	1	–	–	–
Organic Heart Disease	41	–	–	–	–	2	1	1	9	12	9	7
Bronchitis	19	–	2	–	–	–	1	–	2	5	7	2
Pneumonia (all forms)	25	8	3	–	–	1	2	3	2	1	3	2
Other Diseases of Respiratory Organs	6	–	1	–	–	–	2	–	–	2	1	–
Diarrhœa and Enteritis (under 2 years)	7	6	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	7	–	–	–	–	–	–	1	2	2	1	1
Other Diseases of Digestive System (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	13	1	–	–	–	–	1	–	4	2	4	1
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	2	–	–	–	–	1	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	25	25	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	11	–	1	1	–	1	1	–	1	–	5	1
Suicide	2	–	–	–	–	1	–	–	1	–	–	–
Other Defined Diseases	94	6	3	2	1	1	3	6	9	15	22	26
Diseases Ill-defined or Unknown	3	–	–	–	–	–	–	–	1	–	–	2
All Causes	365	57	37	10	1	16	26	21	47	50	58	42

DUNDEE—October 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	4	–	–	–	2	–	1	–	1	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	5	–	2	2	1	–	–	–	–	–	–	–
Whooping-cough	1	–	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	9	–	7	2	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	14	–	2	–	–	2	4	4	–	1	–	1
Tuberculous Meningitis	7	3	2	1	1	–	–	–	–	–	–	–
Abdominal Tuberculosis	4	2	–	1	–	1	–	–	–	–	–	–
Other Tuberculous Diseases	6	1	–	–	2	2	–	–	–	1	–	–
Cancer, Malignant Disease	16	–	–	–	–	–	–	1	2	8	5	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	4	4	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	25	–	–	–	1	–	1	2	5	6	7	3
Bronchitis	10	2	–	–	–	–	–	–	1	2	4	1
Pneumonia (all forms)	18	4	4	2	–	1	–	–	–	2	1	4
Other Diseases of Respiratory Organs	3	–	1	–	1	–	1	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	24	21	3	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	1	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	8	–	–	–	–	–	–	1	3	1	3	–
Puerperal Sepsis	2	–	–	–	–	–	1	1	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	3	–	–	–	–	–	2	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	20	20	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	7	1	2	1	1	–	–	1	1	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	59	3	2	2	1	2	1	4	5	10	14	15
Diseases Ill-defined or Unknown	4	–	–	–	–	–	–	1	1	1	–	1
All Causes	255	62	26	11	11	8	11	16	19	32	34	25

ABERDEEN—October 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	22	2	11	6	2	1	–	–	–	–	–	–
Whooping-cough	2	1	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	3	–	1	1	1	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	18	2	1	1	1	3	3	3	3	–	–	1
Tuberculous Meningitis	2	–	1	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	–	–	1	–	–	–	–	–	–
Other Tuberculous Diseases	1	1	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	12	–	–	–	–	–	1	2	1	5	1	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	4	4	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	18	–	–	1	–	1	–	–	3	5	2	6
Bronchitis	11	5	–	–	–	–	–	–	1	1	2	2
Pneumonia (all forms)	10	5	2	–	–	1	–	1	1	–	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Enteritis (under 2 years)	10	9	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	5	–	1	–	–	–	–	–	2	1	1	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	13	12	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	12	2	1	1	–	–	1	1	3	3	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	40	11	–	–	–	–	2	5	1	2	9	10
Diseases Ill-defined or Unknown	1	–	1	–	–	–	–	–	–	–	–	–
All Causes	189	55	22	11	4	7	7	12	16	17	16	22

PAISLEY—October 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	6	–	4	–	1	1	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	7	–	–	–	1	1	3	–	1	1	–	–
Tuberculous Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	1	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	1	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	7	–	–	–	–	–	–	1	2	3	1	–
Rheumatic Fever	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	11	–	–	–	1	1	1	–	3	1	4	–
Bronchitis	13	2	1	–	–	–	–	–	1	1	5	3
Pneumonia (all forms)	13	2	2	1	–	1	–	2	–	2	2	1
Other Diseases of Respiratory Organs	2	–	1	–	–	–	1	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	2	1	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	2	–	–	–	1	–	1	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	4	–	–	1	–	–	1	–	–	2	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	4	2	–	–	–	–	–	–	–	1	1	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	30	1	3	2	–	1	3	1	3	2	8	6
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	1	–	–
All Causes	112	15	13	5	4	6	10	4	10	14	21	10

LEITH—October 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	1	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	3	–	3	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	4	–	–	–	1	–	2	–	1	–	–	–
Tuberculous Meningitis	1	–	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	–	–	–	–	–	1	–	–	–
Cancer, Malignant Disease	7	–	–	–	–	–	1	–	4	1	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	11	–	–	–	1	1	–	–	3	1	3	2
Bronchitis	5	–	–	–	–	–	–	–	–	4	–	1
Pneumonia (all forms)	10	–	3	–	–	–	–	–	3	3	1	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	1	–	–	–
Diarrhœa and Enteritis (under 2 years)	3	1	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	–	–	–	–	1	1	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	1	–	1	–	–	–	–	–	–	–	–
Suicide	1	–	–	–	–	1	–	–	–	–	–	–
Other Defined Diseases	21	1	2	2	–	1	–	1	1	5	4	4
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	–	–	1
All Causes	83	9	11	5	2	3	3	3	14	15	10	8

GREENOCK—October 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	12	3	8	1	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	7	–	1	–	–	2	4	–	–	–	–	–
Tuberculous Meningitis	3	2	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	–	1	–	1	–	–	–	–	–	–	–
Cancer, Malignant Disease	10	–	–	–	–	–	–	–	5	2	2	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	5	3	2	–	–	–	–	–	–	–	–	–
Organic Heart Disease	19	–	–	–	–	4	–	–	4	3	5	3
Bronchitis	5	–	–	–	–	–	1	–	–	1	3	–
Pneumonia (all forms)	15	2	4	–	–	1	–	1	3	3	1	–
Other Diseases of Respiratory Organs	3	1	–	–	–	–	1	–	–	–	–	1
Diarrhœa and Enteritis (under 2 years)	19	14	5	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	–	1	–	–	–
Puerperal Sepsis	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	9	9	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	6	–	–	–	–	1	1	–	1	1	1	1
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	22	2	1	1	–	–	1	1	4	4	4	4
Diseases Ill-defined or Unknown	3	1	1	–	–	–	–	–	–	–	1	–
All Causes	143	37	25	2	1	8	8	3	18	14	17	10

PERTH—October 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	
Small-pox	–	–	–	–	–	–	–	–	–	–	–	
Measles	–	–	–	–	–	–	–	–	–	–	–	
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	
Diphtheria and Croup	1	–	–	1	–	–	–	–	–	–	–	
Influenza	–	–	–	–	–	–	–	–	–	–	–	
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	
Phthisis, Pulmonary Tuberculosis	2	–	–	–	–	1	–	–	–	1	–	
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	
Abdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	
Other Tuberculous Diseases	1	–	–	–	–	–	1	–	–	–	–	
Cancer, Malignant Disease	4	–	–	–	–	–	–	1	–	1	1	
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	
Meningitis	–	–	–	–	–	–	–	–	–	–	–	
Organic Heart Disease	4	–	–	–	–	–	–	–	–	1	1	
Bronchitis	–	–	–	–	–	–	–	–	–	–	–	
Pneumonia (all forms)	2	–	2	–	–	–	–	–	–	–	–	
Other Diseases of Respiratory Organs	1	–	1	–	–	–	–	–	–	–	–	
Diarrhœa and Enteritis (under 2 years)	3	2	1	–	–	–	–	–	–	–	–	
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	
Congenital Debility and Malformation, including Premature Birth	–	–	–	–	–	–	–	–	–	–	–	
Violent Deaths, excluding Suicide	2	–	–	–	–	–	–	1	–	1	–	
Suicide	–	–	–	–	–	–	–	–	–	–	–	
Other Defined Diseases	19	–	2	–	–	–	–	1	–	4	5	
Diseases Ill-defined or Unknown	1	–	1	–	–	–	–	–	–	–	–	
All Causes	42	3	8	1	–	1	1	3	–	8	7	1

COATBRIDGE—October 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	77
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	
Small-pox	–	–	–	–	–	–	–	–	–	–	–	
Measles	–	–	–	–	–	–	–	–	–	–	–	
Scarlet Fever	2	–	1	1	–	–	–	–	–	–	–	
Whooping-cough	1	–	1	–	–	–	–	–	–	–	–	
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	
Influenza	–	–	–	–	–	–	–	–	–	–	–	
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	
Phthisis, Pulmonary Tuberculosis	2	–	–	1	–	–	1	–	–	–	–	
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	
Other Tuberculous Diseases	1	–	1	–	–	–	–	–	–	–	–	
Cancer, Malignant Disease	4	–	–	–	–	–	–	–	1	2	1	
Rheumatic Fever	1	–	–	–	–	–	–	–	1	–	–	
Meningitis	2	–	2	–	–	–	–	–	–	–	–	
Organic Heart Disease	4	–	–	–	–	–	–	–	1	2	–	
Bronchitis	3	2	–	–	–	–	–	–	–	1	–	
Pneumonia (all forms)	1	1	–	–	–	–	–	–	–	–	–	
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	
Diarrhœa and Enteritis (under 2 years)	7	7	–	–	–	–	–	–	–	–	–	
Appendicitis and Typhlitis	2	–	–	–	2	–	–	–	–	–	–	
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	1	–	–	–	
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	
Nephritis and Bright's Disease	3	–	1	1	–	–	1	–	–	–	–	
Puerperal Sepsis	1	–	–	–	–	–	–	1	–	–	–	
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	–	1	–	–	–	
Congenital Debility and Malformation, including Premature Birth	7	7	–	–	–	–	–	–	–	–	–	
Violent Deaths, excluding Suicide	2	–	–	–	–	1	–	–	1	–	–	
Suicide	–	–	–	–	–	–	–	–	–	–	–	
Other Defined Diseases	9	–	–	–	–	–	1	2	2	1	1	
Diseases Ill-defined or Unknown	3	–	–	1	–	–	–	–	–	–	2	
All Causes	58	17	7	4	2	1	3	5	6	6	4	

MOTHERWELL—October 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	1	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	–	1	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	2	1	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	2	1	–	1	–	–	–	–	–	–	–	–
Organic Heart Disease	1	–	–	–	–	–	–	–	1	–	–	–
Bronchitis	5	–	–	–	–	–	–	–	2	1	1	1
Pneumonia (all forms)	4	1	1	–	–	1	–	–	–	–	1	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	3	3	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	–	–	–	–	–	1	1	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	8	–	–	–	–	–	1	–	–	4	2	1
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	32	9	2	2	–	1	1	2	4	5	4	2

KIRKCALDY—October 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	7	–	6	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis	2	–	2	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	–	–	–	–	1	–	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	–	–	1	1	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	2	–	–	–	–	–	–	–	–	2	–	–
Bronchitis	5	2	–	–	–	–	–	–	–	1	–	2
Pneumonia (all forms)	3	–	1	–	–	1	–	1	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	–	–	–	–	1	1	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	3	1	–	–	–	–	–	–	–	1	1	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	8	–	–	–	–	–	1	–	1	–	2	4
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	42	8	10	1	–	1	1	2	1	6	5	7

HAMILTON—October 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	1	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	3	–	–	–	–	–	1	2	–	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	1	–	–	–	–	–	–	–	1	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	5	–	–	–	–	1	1	–	1	–	2	–
Bronchitis	3	–	–	–	–	–	–	–	–	3	–	–
Pneumonia (all forms)	6	1	2	–	–	–	–	–	1	2	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	3	3	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	–	–	1	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	3	–	1	–	–	1	–	–	–	–	1	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	15	1	2	1	–	–	–	3	–	3	2	3
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	50	11	8	1	–	2	3	5	3	8	6	3

CLYDEBANK—October 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	1	–	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	1	–	–	1	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	1	–	–	–	–	1	–	–	–	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	–	–	–	1	–	–	1	–	–	–	–
Cancer, Malignant Disease	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	3	–	–	–	–	–	–	–	–	1	2	–
Bronchitis	6	3	–	–	–	–	–	–	1	–	1	1
Pneumonia (all forms)	6	2	1	–	–	–	2	–	–	–	1	–
Other Diseases of Respiratory Organs	1	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	5	5	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	1	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	–	1	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	–	1	–	–	–	1	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	12	2	–	–	–	1	–	–	1	3	3	2
Diseases Ill-defined or Unknown	2	–	–	–	1	–	–	–	1	–	–	–
All Causes	52	18	3	1	3	2	2	4	4	4	8	3

KILMARNOCK—October 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	1	–	–	–	–	–	–	–	1	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	–	1	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	–	–	1	–
Phthisis, Pulmonary Tuberculosis	5	–	–	–	–	2	2	1	–	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	3	–	–	–	–	1	1	–	–	–	–	1
Cancer, Malignant Disease	3	–	–	–	–	–	–	–	–	–	2	1
Rheumatic Fever	1	–	–	–	–	–	–	–	–	1	–	–
Meningitis	2	–	–	–	1	1	–	–	–	–	–	–
Organic Heart Disease	4	–	–	–	–	–	–	–	–	4	–	–
Bronchitis	2	–	–	–	–	–	–	–	–	–	1	1
Pneumonia (all forms)	1	–	–	1	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	5	4	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	4	–	–	–	–	–	1	–	1	1	1	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	2	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	10	1	–	–	–	–	–	1	–	1	2	5
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	49	9	3	2	1	4	4	2	2	7	7	8

FALKIRK—October 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	–	1	–	–	–	–	–	–	–	–
Whooping-cough	2	2	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	2	1	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	1	–	–	–
Phthisis, Pulmonary Tuberculosis	4	–	–	–	–	1	–	–	3	–	–	–
Tuberculous Meningitis	3	1	1	–	–	–	1	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	–	1	–	1
Rheumatic Fever	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis	1	–	–	–	–	1	–	–	–	–	–	–
Organic Heart Disease	7	–	–	–	–	–	–	2	–	–	3	2
Bronchitis	2	–	–	–	–	–	–	–	–	–	–	2
Pneumonia (all forms)	4	2	–	–	–	–	–	–	–	1	–	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	–	–	1	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	–	–	–	–	–	–	–	–	1	1
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	10	2	–	–	–	–	–	1	–	1	4	2
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	45	9	3	1	–	3	1	3	4	4	8	9

CAUSES OF DEATH (corrected for Transfers).

AYR—October 1915.

CAUSES OF DEATH.	All Ages.	Age.									
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–
Measles	3	–	3	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	–	–	–	–	–	–	–	–	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	5	–	–	–	–	–	–	–	2	1	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease	8	–	–	–	–	–	–	2	1	2	3
Bronchitis	6	2	–	–	–	–	–	–	–	1	–
Pneumonia (all forms)	4	1	1	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	1	–	–	–
Diarrhœa and Enteritis (under 2 years)	2	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	2	–	–	–	–	–	2	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	4	1	–	–	–	–	–	–	1	–	–
Diseases Ill-defined or Unknown	2	–	–	–	–	–	–	–	1	1	–
All Causes	42	9	5	–	–	–	2	3	5	5	6

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth,

During the Month of October 1915.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-Level and 32°.	AIR TEMPERATURE. Mean of Maximum (A).	AIR TEMPERATURE. Mean of Minimum (B.)	AIR TEMPERATURE. Mean of A and B (Mean Temperature)	AIR TEMPERATURE. Difference from Average	AIR TEMPERATURE. Absolute Maximum and Minimum. Maximum	Day of Month.	Minimum.	Day of Month.	HYGROMETER. Mean at 9 A.M. and 9 P.M. Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	RAIN, AND OTHER FORMS OF PRECIPITATION. Number of Days.	Total Fall.	Difference from Average.	WIND DIRECTIONS. Number of Observations at 9 A.M. and 9 P.M. N	NE	E	SE	S	SW	W	NW	Calm or Variable.
	feet.	inch.	inch.	°	°	°	°	°		°		°	°	inch.	per cent.		inch.	inch.									
GLASGOW, Professor L. Becker, Ph.D., F.R.S.E.	184	29·817	30·020	52·0	42·4	47·2	+0·4	59	13*th*	34	1, 6	46·2	1·7	·274	89	14	2·77	- 0·97	2	11	30	6	2	5	2	1	3
EDINBURGH, Professor R. A. Sampson, F.R.S.	441	29·556	30·043	51·9	42·1	47·0	+1·0	61	14*th*	34	6*th*	46·4	2·2	·264	84	14	2·00	- 0·47	1	3	4	20	12	3	5	0	14
DUNDEE, Alex. Macrae, Curator of Cemeteries.	164	29·869	30·050	52·8	40·7	46·8	+0·3	61	14*th*	32	2*nd*	46·0	1·0	·287	93	19	2·65	+ 0·01	1	5	0	37	0	12	0	7	0
ABERDEEN,* The Meteorological Office.	90	29·965	30·066	53·5	41·4	47·5	+0·6	62	14*th*	31	2*nd*	47·0	0·9	·301	94	17	2·64	- 0·30	5	0	2	22	15	6	3	5	4
PAISLEY, The Coats Observatory.	107	29·909	30·029	52·9	41·0	47·0	- 0·7	62	13*th*	32	1*st*	46·2	1·6	·276	89	13	2·61	- 1·51	0	1	12	17	5	5	2	1	19
Leith, † James Bolam, Navigation School.	76	29·967	30·051	52·0	41·1	46·6	- 0·8	61	13*th*	32	2*nd*	46·8	1·3	·289	91	15	2·09	- 0·50	0	6	18	14	6	8	6	4	0
GREENOCK, † Daniel Macalister, C.E., Greenock Waterworks.	233	29·767	30·031	52·8	42·4	47·6	+0·7	63	13*th*	33	26*th*	46·1	1·2	·284	91	14	3·55	- 2·61	0	7	18	26	0	5	4	2	0
PERTH, Henry Coates, F.R.S.E., The Museum.	82	29·960	30·052	52·9	38·2	45·6	- 0·8	61	12*th*	26	2, 27	43·2	0·8	·262	93	15	2·54	- 0·56	1	4	7	25	0	10	3	11	1
Means	172	29·851	30·043	52·6	41·2	46·9	+0·1	..	..	..	..	46·0	1·3	·280	91	15	2·61	- 0·86	1	5	11	21	5	7	3	4	5

North Latitude.—Glasgow, 55° 51′; Edinburgh, 55° 55′; Dundee, 56° 28′; Aberdeen, 57° 9′; Paisley, 55° 51′; Leith, 55° 58′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 11′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 57′; Aberdeen, 2° 7′; Paisley, 4° 27′; Leith, 3° 8′; Greenock, 4° 46′; Perth, 3° 25′; Mean, 3° 32′.

* At King's College, at 7 A.M. and 6 P.M. † At 9 A.M. only.

FOR OFFICIAL USE.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN SIXTEEN OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

NOVEMBER 1915.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by
J. SKINNER & Co., Ltd., Thistle Street.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of November 1915 there were registered in the Sixteen Principal Towns of Scotland, those burghs which at the date of the 1911 Census had populations of over 30,000, the births of 4136 living children, of whom 2096 were male and 2040 female. The male children are 113 fewer than registered in the previous month, and 338 fewer than registered in November of last year. The female children are 102 fewer than in the previous month, and 244 fewer than in November of last year. The total children registered are 215 fewer than in the previous month, 202 fewer than the mean of the numbers of the three preceding months, and 582 fewer than in the corresponding month of last year. The equivalent annual birth-rate is 21·5 per thousand of the estimated aggregate population of these towns, which is 0·4 less than that of the previous month, 0·5 less than the mean of those of the three preceding months, and 3·5 less than that of November of last year. In the individual towns the birth-rate of the month ranged from 27·8 in Motherwell, 24·8 in Greenock, and 24·3 in Hamilton, to 15·9 in Edinburgh, 16·5 in Perth, 19·1 in Dundee, and 19·5 in Falkirk. In Glasgow this rate was 23·3; in Coatbridge, 22·6; in Kirkcaldy, 22·4; in Clydebank, 22·4; in Ayr, 21·4; in Aberdeen, 21·2; in Leith, 21·0; in Kilmarnock, 20·5; and in Paisley, 20·3.

Of the 4136 children whose births were registered during the month, 3863, or 93·4 per cent., were legitimate, while 273, or 6·6 per cent., were illegitimate. The illegitimate children of the month are 8 fewer than in the previous month, 20 less than the mean of the numbers in the three preceding months, and 101 fewer than in November of last year. The illegitimate rate of the month is 0·1 more than that of the previous month, but is 0·2 less than the mean of those of the three preceding months, and 1·3 less than that of November of last year. In the towns taken individually this rate varied from 12·9 per cent. in Kilmarnock, 11·2 in Edinburgh, and 10·1 in Aberdeen, to 2·4 in Coatbridge and in Clydebank, 3·1 in Greenock, and 4·2 in Motherwell and in Perth. In Kirkcaldy this rate was 9·3 per cent.; in Dundee, 9·0; in Falkirk, 7·3; in Ayr, 6·8; in Hamilton, 6·5; in Paisley, 6·2; in Glasgow, 5·4; and in Leith, 5·0.

Marriages registered in these towns during the month numbered 2104, and the

equivalent annual marriage-rate is 10·9. The marriages are 495 more than those registered in the previous month, 344 more than the mean of the numbers registered in the three preceding months, and 652 more than registered in November of last year. The monthly marriage-rate is 2·8 more than that of the previous month, 2·0 more than the mean of those of the three preceding months, and 3·2 more than that of November of last year. In the towns taken individually the marriage-rate of the month varied from 14·9 in Edinburgh, 14·0 in Aberdeen, and 13·0 in Perth, to 4·4 in Coatbridge, 5·7 in Kirkcaldy and in Clydebank, and 5·9 in Motherwell. In Ayr this rate was 11·6; in Dundee, 11·2; in Glasgow, 10·8; in Kilmarnock, 9·9; in Greenock, 9·4; in Leith, 9·2; in Paisley, 7·4; in Falkirk, 6·7; and in Hamilton, 6·0.

Deaths registered in these towns during the month numbered 3842, 1937 being of males, and 1905 of females. These deaths included those of 257 persons whose usual residence was outwith the town of registration, but exclude those of 174 persons with usual residence within one or other of these towns and whose deaths were registered elsewhere in Scotland, and the difference, 83, falls to be deducted to get the corrected number of deaths of the month, which is thus found to be 3759. The corrected number of deaths of the month is 718 more than in October, 1010 more than the mean of the numbers of the three preceding months, and 604 more than that of November of last year.

The death-rate of the month, corrected, is 19·5 per thousand. This rate is 4·2 more than that of the previous month, 5·5 more than the mean of those of the three preceding months, and 2·7 more than that of November of last year. In the towns taken individually the corrected death-rate of the month ranged from 24·3 in Hamilton, 22·8 in Paisley, and 21·0 in Glasgow, to 11·9 in Kilmarnock, 12·6 in Clydebank, and 13·5 in Falkirk. In Dundee this rate was 20·9; in Coatbridge, 20·4; in Greenock, 19·8; in Edinburgh, 18·2; in Ayr, 17·4; in Kirkcaldy, 17·0; in Aberdeen, 16·8; in Perth, 16·8; in Motherwell, 16·1; and in Leith, 15·7.

Of the 3759 deaths, 1092, or 29·1 per cent., were of children of less than five years old, 1612, or 42·8 per cent., of persons of more than five but less than sixty-five, and 1055, or 28·1 per cent., were of persons of over sixty-five. Compared with the numbers in the previous month, deaths of children of less than five are 30 more, of persons of more than five but less than sixty-five, 287 more, and of persons of over sixty-five, 401 more. Compared with the numbers in November of last year, deaths under five are 108 more; between five and sixty-five, 194 more, and over sixty-five, 302 more.

Deaths of children of less than one year old numbered 659. They are 33 fewer than in the previous month, but are 77 more than the mean of the numbers of the three preceding months, and 22 more than in November of last year. These deaths are equal to an infantile mortality rate of 139 per thousand of the average number of births registered monthly during the preceding twelve months, which rate is 1 less than in the previous month, but is 21 more than the mean of those of the three preceding months, and 14 more than that of November of last year. In the individual towns this rate ranged from 215 in Ayr, 204 in Dundee, and 192 in Hamilton, to 62 in Falkirk, 69 in Kirkcaldy, and 75 in Perth. In Glasgow this rate was 144; in Edinburgh, 139; in Aberdeen, 137; in Coatbridge, 133; in Paisley, 114; in Leith, 113; in Motherwell, 113; in Kilmarnock, 111; in Greenock, 90; and in Clydebank, 84.

Deaths from the principal epidemic diseases numbered 336, and included 8 from enteric fever, 103 from measles, 59 from scarlet fever, 16 from whooping-cough, 59 from diphtheria, and 91 from the diarrhœas of childhood. These deaths collectively are 46 fewer than in the previous month, and 33 less than the mean of the numbers in the three preceding months. They are equal to an annual death-

rate from these causes of 1·7 per thousand, which is 0·2 less than in October, and the same amount less than the mean of the rates of the three preceding months. In the individual towns this death-rate varied from 7·6 in Hamilton, 4·2 in Greenock, and 4·0 in Ayr, to 0·3 in Perth and in Kilmarnock, and 0·6 in Leith and in Kirkcaldy. In Motherwell this death-rate was 2·3; in Aberdeen, 2·1; in Paisley, 2·1; in Edinburgh, 2·0; in Dundee, 1·8; in Falkirk, 1·8; in Glasgow, 1·4; in Coatbridge, 1·1; and in Clydebank, 0·8. Compared with the returns of the previous month, deaths from the diarrhœas of childhood are 81 fewer, from scarlet fever 15 fewer, and from enteric fever 2 fewer, but those from whooping cough are 4 more, from diphtheria 12 more, and from measles 36 more.

No deaths from either typhus fever or from small-pox were registered in these towns during the month. Deaths from rheumatic fever numbered 10; from meningitis, other than tuberculous, 31; from heart disease, 324; from puerperal sepsis, 10; from malignant disease, 212; from influenza (uncomplicated), 14; and from violence, 119, of which 7 were attributed to suicide.

Deaths from pneumonia numbered 419, constituted 11·1 per cent. of the total deaths of the month, and are equal to an annual death-rate of 2·2 per thousand. They number 99 more than in October, and 127 more than in November of last year. Deaths from bronchitis numbered 518, constituted 13·8 per cent. of the total, and are equal to an annual death-rate of 2·7 per thousand; they number 273 more than in October, and 293 more than in November of last year.

Deaths from all forms of tuberculous disease numbered 382, constituted 10·2 per cent. of the total, and are equal to an annual death-rate of 2 0 per thousand. These deaths are 71 more than in October, and 44 more than in November of last year. Of these deaths 276 were ascribed to phthisis, these constituting 7·3 per cent. of the total deaths of the month, and being equal to an annual death-rate of 1·4 per thousand. Deaths from phthisis are 67 more than in October, and 46 more than in November of last year. In the towns taken individually the phthisis death-rate varied from 1·9 in Paisley, 1·8 in Ayr, 1·7 in Glasgow, and 1·6 in Dundee, to 0·3 in Perth, in Motherwell, in Kirkcaldy, and in Clydebank. In Edinburgh this rate was 1·4; in Greenock, 1·4; in Coatbridge, 1·4; in Aberdeen, 0·9; in Leith, 0·8; in Kilmarnock, 0·7; in Falkirk, 0·7; and in Hamilton, 0·6.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. Watt, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

NOVEMBER 1915.

Mean barometric pressure, 29·925 in.; greater than the average of 1856–1905 by 0·084 in.

Mean temperature, 36°·7; less by 5°·0.

Mean daily range of temperature, 10°·9; greater by 1°·0.

Rain, number of days, 10; less by 6 days.

Rain, depth in inches, 2·00; less by 1·40 in.

Wind, direction of: a 3 days' excess of winds from N.W.

Hence the month was characterised by a high mean pressure; an abnormally low mean temperature, with a rather high mean daily range; a low mean rainfall; and an excess of north-westerly winds.

The mean pressure was 29·925 in. or 0·084 in. above the normal. There were considerable fluctuations of the barometer from 6th to 9th and again at the end of the month; but at Leith, at sea-level, pressure was above 30 in. from 4th to 6th, and from 16th to 27th, and above 30·5 in. from 19th to 21st. The extremes at Leith were 30·74 in. on 21st and 28·81 in. on 9th.

The mean temperature of 36°·7 was as much as 5°·0 below the normal. In

(8830.) Wt. 4/607. 1150. 12/15. J.S.&Co.,Ltd. Group 4/11.

November 1910 (when pressure was abnormally low), the mean temperature was practically the same, but with that exception the month was on the whole the coldest November since 1862. There were moderately high temperatures around 6th and 7th, but temperature was for the most part low or very low not only in Scotland but in all districts of our Islands. On 15th, a frost of great intensity set in, persisting with but slight interruptions until the end of the month, and the mean temperature of the third week was below the normal at various places by fully 10° and at Glasgow by 14°. On night of 17th–18th temperature in screen at Balmoral and Braemar fell to 10°, with a reading of 3° at Braemar from a thermometer exposed on the grass. At the chief towns the extremes were 54° at Aberdeen on 6th and at Perth on 7th, and 13° at Paisley on 17th.

As regards rainfall, many districts were rainless or nearly so until 6th or 7th. On 8th, moderate to rather heavy falls were general; and on 9th, very heavy falls, partly accounted for by snow and sleet, occurred over wide areas towards the north of Scotland—more than 2 in. at Grantown-on-Spey, Aviemore and Kingussie. In the north-east there were rather heavy falls again on 10th. On 15th, a heavy snowfall occurred rather widely, but in some eastern districts there was practically no precipitation from 13th to 27th or 29th, and nearly everywhere none from at least 16th to 26th. Unsettled conditions were general during the last three or four days of the month with some rather heavy falls—as much as 2 in. at Lednathie (near Kirriemuir) on 29th. In most northern districts the month's aggregates were above the normal; but elsewhere there was a moderate to large deficiency. Edinburgh had less than one-half the normal, and Fort William less than one-third. The mean of the chief towns was 1·40 in., or 41 per cent., below the normal.

From 9th to 13th the weather was stormy with snow and sleet at times, and in northern districts there was serious damage from flooding. The snowstorm of 15th was experienced in all except some eastern districts, and was followed by a spell of dry and fine weather, during which snow lay on the ground for a considerable time. During this settled spell there was on several days dense fog over the Clyde area, and fog occurred at other times also.

Aurora was observed at Aberdeen on 1st and 5th, and at various points on 15th.

TABLE I.—ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES in the Principal Towns, November 1915.

TOWNS.	POPULATION.		BIRTHS.					MARRIAGES.	DEATHS.					
	Census. 1911.	Estimated to middle of 1915.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.	Out.	In.	Total Corrected.
GLASGOW,	1,008,487	1,078,400	1057	1006	2063	1951	112	961	984	919	1903	105	63	1861
EDINBURGH,	320,769	328,700	210	219	429	381	48	402	246	266	512	61	40	491
DUNDEE,	176,085	177,300	142	136	278	253	25	163	144	172	316	20	8	304
ABERDEEN,	163,891	164,800	137	150	287	258	29	190	115	118	233	14	9	228
PAISLEY,	84,455	87,700	70	76	146	137	9	53	69	93	162	2	4	164
LEITH,	80,601	80,500	75	64	139	132	7	61	42	54	96	1	9	104
GREENOCK,	75,140	78,100	81	78	159	154	5	60	60	76	136	10	1	127
PERTH,	35,854	35,500	20	28	48	46	2	38	26	27	53	7	3	49
TOTAL (EIGHT TOWNS)	1,945,282	2,031,000	1792	1757	3549	3312	237	1928	1686	1725	3411	220	137	3328
COATBRIDGE,	43,290	44,100	38	44	82	80	2	16	40	32	72	4	6	74
MOTHERWELL	40,380	41,600	56	39	95	91	4	20	36	19	55	1	1	55
KIRKCALDY	39,601	40,800	42	33	75	68	7	19	35	18	53	2	6	57
HAMILTON,	38,644	38,600	33	44	77	72	5	19	40	33	73	3	7	77
CLYDEBANK,	37,548	44,600	43	39	82	80	2	21	18	20	38	1	9	46
KILMARNOCK,	34,728	36,900	31	31	62	54	8	30	21	21	42	10	4	36
FALKIRK,	33,574	34,300	29	26	55	51	4	19	26	14	40	5	3	38
AYR,	32,986	33,600	32	27	59	55	4	32	35	23	58	11	1	48
TOTAL (SIXTEEN TOWNS)	2,246,033	2,345,500	2096	2040	4136	3863	273	2104	1937	1905	3842	257	174	3759

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES in the Principal Towns, November 1915.

TOWNS.	Birth-Rate per 1000 of Population.	Illegitimate Birth-Rate per 100 Births.	Marriage-Rate per 1000 of Population.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuberculosis.	Phthisis.	All Respiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncorrected.	Corrected.						
GLASGOW, .	23·3	5·4	10·8	21·5	21·0	1·4	2·2	1·7	7·0	334	144
EDINBURGH, .	15·9	11·2	14·9	19·0	18·2	2·0	1·9	1·4	3·6	71	139
DUNDEE, . .	19·1	9·0	11·2	21·7	20·9	1·8	2·2	1·6	4·3	68	204
ABERDEEN, .	21·2	10·1	14·0	17·2	16·8	2·1	1·2	0·9	3·4	43	137
PAISLEY, . .	20·3	6·2	7·4	22·5	22·8	2·1	3·2	1·9	5·6	20	114
LEITH, . .	21·0	5·0	9·2	14·5	15·7	0·6	1·8	0·8	3·9	18	113
GREENOCK, .	24·8	3·1	9·4	21·2	19·8	4·2	1·9	1·4	4·5	17	90
PERTH, . .	16·5	4·2	13·0	18·2	16·8	0·3	1·0	0·3	2·1	4	75
TOTAL . . (EIGHT TOWNS)	21·3	6·7	11·6	20·4	20·0	1·7	2·1	1·5	5·6	575	142
COATBRIDGE, .	22·6	2·4	4·4	19·9	20·4	1·1	2·2	1·4	5·5	14	133
MOTHERWELL,	27·8	4·2	5·9	16·1	16·1	2·3	0·9	0·3	5·0	11	113
KIRKCALDY, .	22·4	9·3	5·7	15·8	17·0	0·6	0·9	0·3	1·8	5	69
HAMILTON, .	24·3	6·5	6·0	23·0	24·3	7·6	2·5	0·6	2·2	19	192
CLYDEBANK, .	22·4	2·4	5·7	10·4	12·6	0·8	0·8	0·3	2·5	9	84
KILMARNOCK,	20·5	12·9	9·9	13·9	11·9	0·3	0·7	0·7	2·6	8	111
FALKIRK, . .	19·5	7·3	6·7	14·2	13·5	1·8	1·1	0·7	0·7	4	62
AYR, . . .	21·4	6·8	11·6	21·0	17·4	4·0	2·5	1·8	2·5	14	215
TOTAL . . (SIXTEEN TOWNS)	21·5	6·6	10·9	19·9	19·5	1·7	2·0	1·4	5·2	659	139

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR NOVEMBER 1915, and for the Corresponding Month of the Preceding Ten Years, in the PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth-rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature. (Eight Towns only.)
					Enteric Fever.	Smallpox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria and Croup.	Diarrhœa (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
NOV. 1915, .	**21·3**	**6·7**	**11·6**	**20·0**	**8**	**0**	**66**	**57**	**14**	**55**	**78**	**142**	**36°·7**
NOV. 1914, .	25·0	7·9	7·7	16·8	14	0	16	75	71	62	79	125	43°·1
NOV. 1913, .	22·6	7·1	6·8	15·0	6	0	116	36	19	46	74	128	45°·3
NOV. 1912, .	24·6	6·3	6·1	16·5	15	4	12	16	44	34	50	152	42°·4
NOV. 1911, .	23·9	7·5	6·5	17·0	6	0	100	18	25	46	55	152	41°·5
NOV. 1910, .	24·9	7·7	6·3	17·2	11	0	7	28	44	54	67	115	36°·7
NOV. 1909, .	25·4	8·0	7·0	21·9	9	0	157	33	45	43	46	165	39°·0
NOV. 1908, .	24·6	7·2	6·6	18·0	16	0	6	33	57	37	–	133	44°·2
NOV. 1907, .	26·3	6·7	6·8	18·1	8	0	147	12	63	28	–	139	42°·2
NOV. 1906, .	27·3	7·4	6·4	18·7	12	0	41	14	52	25	–	149	45°·0
NOV. 1905, .	27·4	7·0	6·7	19·7	5	0	148	10	24	24	–	146	40°·6

For all years up to and including 1911, figures are for Eight only of the Principal Towns.
Figures in Columns 5–13 have, for 1913 and subsequent years, been corrected for non-resident deaths.

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—November 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75
Enteric Fever	8	–	–	–	–	3	4	1	–	–	–	
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	
Small-pox	–	–	–	–	–	–	–	–	–	–	–	
Measles	103	28	69	6	–	–	–	–	–	–	–	
Scarlet Fever	59	4	33	16	3	2	–	–	1	–	–	
Whooping-cough	16	8	8	–	–	–	–	–	–	–	–	
Diphtheria and Croup	59	4	43	9	2	1	–	–	–	–	–	
Influenza	14	1	–	1	–	–	–	–	1	2	6	
Erysipelas	11	1	–	–	–	–	2	1	–	6	–	
Phthisis, Pulmonary Tuberculosis	276	–	5	6	6	48	67	64	51	25	4	
Tuberculous Meningitis	42	10	20	8	2	1	1	–	–	–	–	
Abdominal Tuberculosis	36	8	11	4	2	2	4	1	4	–	–	
Other Tuberculous Diseases	28	3	6	2	3	6	2	3	1	1	1	
Cancer, Malignant Disease	212	1	–	–	–	1	5	15	48	64	47	33
Rheumatic Fever	10	–	2	2	2	3	–	–	–	–	1	
Meningitis	31	9	13	1	3	2	3	–	–	–	–	
Organic Heart Disease	324	3	–	2	1	10	13	29	51	78	89	44
Bronchitis	518	88	34	3	3	4	10	19	50	85	119	100
Pneumonia (all forms)	419	117	113	10	6	6	27	21	24	40	29	22
Other Diseases of Respiratory Organs	67	11	8	1	–	–	5	5	6	13	6	11
Diarrhœa and Enteritis (under 2 years)	91	77	14	–	–	–	–	–	–	–	–	
Appendicitis and Typhlitis	14	–	1	3	2	2	–	1	–	3	2	
All Liver Diseases (not Malignant)	24	–	–	–	–	–	–	4	3	8	6	
Other Diseases of Digestive System (under 2 years)	22	19	3	–	–	–	–	–	–	–	–	
Nephritis and Bright's Disease	116	–	3	6	3	1	10	14	13	30	26	11
Puerperal Sepsis	10	–	–	–	–	2	5	3	–	–	–	
Other Diseases & Accidents of Pregnancy & Parturition	21	–	–	–	–	4	11	6	–	–	–	
Congenital Debility and Malformation, including Premature Birth	200	195	3	–	–	1	1	–	–	–	–	
Violent Deaths, excluding Suicide	112	7	13	5	2	7	14	11	19	19	10	
Suicide	7	–	–	–	–	1	1	2	1	1	–	
Other Defined Diseases	809	56	29	7	8	19	24	51	71	123	205	211
Diseases Ill-defined or Unknown	100	9	2	1	–	2	1	4	10	26	27	11
All Causes	3759	659	433	93	48	128	210	255	354	524	578	477

GLASGOW—November 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75
Enteric Fever	7	–	–	–	–	2	4	1	–	–	–	
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	
Small-pox	–	–	–	–	–	–	–	–	–	–	–	
Measles	22	7	15	–	–	–	–	–	–	–	–	
Scarlet Fever	28	2	17	7	1	1	–	–	–	–	–	
Whooping-cough	9	6	3	–	–	–	–	–	–	–	–	
Diphtheria and Croup	19	2	13	4	–	–	–	–	–	–	–	
Influenza	2	1	–	–	–	–	–	–	–	–	–	
Erysipelas	6	1	–	–	–	–	1	1	–	3	–	
Phthisis, Pulmonary Tuberculosis	155	–	4	4	3	31	39	33	27	14	–	
Tuberculous Meningitis	18	3	6	6	2	–	1	–	–	–	–	
Abdominal Tuberculosis	11	2	3	2	1	1	–	–	2	–	–	
Other Tuberculous Diseases	13	–	3	–	2	3	1	3	–	–	1	
Cancer, Malignant Disease	88	1	–	–	–	–	4	7	20	28	15	11
Rheumatic Fever	4	–	–	1	1	1	–	–	–	–	1	
Meningitis	11	4	4	1	1	1	–	–	–	–	–	
Organic Heart Disease	133	1	–	–	1	7	7	12	30	28	36	11
Bronchitis	334	53	22	1	1	3	6	17	38	56	69	66
Pneumonia (all forms)	253	71	61	5	4	5	17	13	17	24	22	11
Other Diseases of Respiratory Organs	34	4	6	1	–	–	5	3	2	5	2	
Diarrhœa and Enteritis (under 2 years)	36	31	5	–	–	–	–		–	–	–	
Appendicitis and Typhlitis	6	–	1	2	–	–	–	–	–	2	1	
All Liver Diseases (not Malignant)	12	–	–	–	–	–	–	2	2	5	2	
Other Diseases of Digestive System (under 2 years)	11	9	2	–	–	–	–	–	–	–	–	
Nephritis and Bright's Disease	64	–	–	4	3	–	7	6	7	21	10	
Puerperal Sepsis	2	–	–	–	–	–	2	–	–	–	–	
Other Diseases & Accidents of Pregnancy & Parturition	9	–	–	–	–	1	4	4	–	–	–	
Congenital Debility and Malformation, including Premature Birth	103	100	2	–	–	1	–	–	–	–	–	
Violent Deaths, excluding Suicide	62	1	10	5	1	5	9	8	11	8	3	
Suicide	2	–	–	–	–	1	–	–	–	1	–	
Other Defined Diseases	346	27	16	3	3	8	12	20	35	51	87	8
Diseases Ill defined or Unknown	61	8	–	1	–	2	–	3	7	12	16	1
All Causes	1861	234	193	47	24	73	119	133	198	258	265	21

EDINBURGH—November 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
nteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
yphus Fever	–	–	–	–	–	–	–	–	–	–	–	–
nall-pox	–	–	–	–	–	–	–	–	–	–	–	–
easles	23	6	16	1	–	–	–	–	–	–	–	–
carlet Fever	13	1	6	4	–	1	–	–	1	–	–	–
Whooping-cough	1	–	1	–	–	–	–	–	–	–	–	–
iphtheria and Croup	13	1	8	3	–	1	–	–	–	–	–	–
nfluenza	1	–	–	–	–	–	–	–	–	–	1	–
rysipelas	–	–	–	–	–	–	–	–	–	–	–	–
hthisis, Pulmonary Tuberculosis	38	–	–	1	–	5	9	11	8	3	1	–
uberculous Meningitis	3	1	1	–	–	1	–	–	–	–	–	–
bdominal Tuberculosis	4	1	–	–	–	–	2	–	1	–	–	–
ther Tuberculous Diseases	5	–	1	2	–	1	–	–	–	1	–	–
ancer, Malignant Disease	38	–	–	–	–	–	–	3	9	9	12	5
heumatic Fever	1	–	1	–	–	–	–	–	–	–	–	–
eningitis	1	–	1	–	–	–	–	–	–	–	–	–
rganic Heart Disease	61	–	–	–	–	1	3	7	4	11	22	13
ronchitis	40	6	–	–	–	–	1	–	4	5	12	12
neumonia (all forms)	45	12	8	–	1	1	3	5	3	5	–	7
ther Diseases of Respiratory Organs	12	3	1	–	–	–	–	2	–	3	1	2
iarrhœa and Enteritis (under 2 years)	5	4	1	–	–	–	–	–	–	–	–	–
ppendicitis and Typhlitis	2	–	–	–	–	–	–	–	–	1	1	–
ll Liver Diseases (not Malignant)	5	–	–	–	–	–	–	1	–	–	2	2
ther Diseases of Digestive System (under 2 years)	6	6	–	–	–	–	–	–	–	–	–	–
ephritis and Bright's Disease	9	–	–	–	–	–	–	–	–	1	7	1
uerperal Sepsis	1	–	–	–	–	–	1	–	–	–	–	–
ther Diseases & Accidents of Pregnancy & Parturition	3	–	–	–	–	1	–	2	–	–	–	–
ongenital Debility and Malformation, including Premature Birth	20	19	–	–	–	–	1	–	–	–	–	–
iolent Deaths, excluding Suicide	11	1	1	–	–	–	3	–	3	1	2	–
uicide	–	–	–	–	–	–	–	–	–	–	–	–
ther Defined Diseases	127	10	2	–	2	2	5	8	9	21	34	34
iseases Ill-defined or Unknown	3	–	–	–	–	–	–	–	1	1	1	–
All Causes	491	71	48	11	3	14	28	39	43	62	96	76

DUNDEE—November 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	1	–	–	–	–	1	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	4	–	2	1	1	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	3	–	3	–	–	–	–	–	–	–	–	–
Influenza	3	–	–	–	–	–	–	–	1	–	2	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	23	–	–	–	–	4	4	5	4	5	1	–
Tuberculous Meningitis	2	1	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	5	2	2	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	–	–	–	–	–	1	–	1	–	–	–
Cancer, Malignant Disease	21	–	–	–	–	–	–	1	3	9	7	1
Rheumatic Fever	1	–	1	–	–	–	–	–	–	–	–	–
Meningitis	2	1	–	–	–	1	–	–	–	–	–	–
Organic Heart Disease	25	–	–	–	–	–	–	3	2	9	9	2
Bronchitis	32	9	2	–	–	1	–	1	1	5	9	4
Pneumonia (all forms)	23	9	8	1	–	–	–	1	–	1	1	2
Other Diseases of Respiratory Organs	8	–	–	–	–	–	–	–	2	4	–	2
Diarrhœa and Enteritis (under 2 years)	18	17	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	2	–	–	1	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant)	3	–	–	–	–	–	–	–	1	1	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	7	–	1	–	–	–	–	1	3	1	1	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	1	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	21	21	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	10	4	–	–	–	1	1	–	1	2	–	1
Suicide	3	–	–	–	–	–	1	1	1	–	–	–
Other Defined Diseases	79	4	3	–	–	2	1	6	7	10	22	24
Diseases Ill-defined or Unknown	5	–	–	–	–	–	1	–	–	1	3	–
All Causes	304	68	24	4	1	12	9	19	27	48	56	36

ABERDEEN—November 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	7	–	3	3	1	–	–	–	–	–	–	–
Whooping-cough	3	1	2	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	8	–	7	–	1	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	2
Erysipelas	2	–	–	–	–	–	–	–	–	1	–	1
Phthisis, Pulmonary Tuberculosis	12	–	1	–	–	2	2	3	2	1	1	–
Tuberculous Meningitis	2	1	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	1	1	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	16	–	–	–	–	–	–	3	1	2	5	5
Rheumatic Fever	1	–	–	–	1	–	–	–	–	–	–	–
Meningitis	2	–	–	–	1	–	1	–	–	–	–	–
Organic Heart Disease	14	–	–	–	–	–	1	–	2	6	3	2
Bronchitis	19	5	2	1	–	–	–	1	1	2	4	3
Pneumonia (all forms)	22	8	8	1	–	–	1	1	1	1	–	1
Other Diseases of Respiratory Organs	5	2	–	–	–	–	–	–	–	–	1	2
Diarrhœa and Enteritis (under 2 years)	11	7	4	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	2	–	–	–	2	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	11	–	1	1	–	–	1	–	1	3	3	1
Puerperal Sepsis	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	2	–	–	–	–	1	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	13	13	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	6	–	–	–	–	–	–	1	1	1	2	1
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	61	4	–	–	–	3	–	4	6	10	17	17
Diseases Ill-defined or Unknown	3	–	–	–	–	–	–	–	–	1	–	2
All Causes	228	43	30	6	6	6	7	14	15	28	36	37

PAISLEY—November 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	1	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	3	–	3	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	9	–	6	2	1	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	1	1	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	14	–	–	1	1	1	5	4	2	–	–	–
Tuberculous Meningitis	3	–	3	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	4	–	2	–	–	1	–	–	1	–	–	–
Other Tuberculous Diseases	2	1	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease	5	–	–	–	–	–	–	–	2	3	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease	18	1	–	1	–	1	–	3	3	4	2	3
Bronchitis	27	1	3	1	–	–	1	–	2	6	8	5
Pneumonia (all forms)	13	2	3	2	1	–	1	–	–	2	2	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	–	–	–	1	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	5	–	–	–	–	–	–	2	–	–	3	–
Puerperal Sepsis	3	–	–	–	–	1	1	1	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	2	–	–	–	–	–	2	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	11	11	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	–	–	–	–	–	–	–	–	1	1
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	34	1	2	1	1	–	1	5	3	6	4	10
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	–	1	–
All Causes	164	20	24	8	4	5	11	16	13	22	22	19

LEITH—November 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	1	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	–	–	–	–	1	–	–	1	–	–
Phthisis, Pulmonary Tuberculosis	5	–	–	–	–	2	–	–	3	–	–	–
Tuberculous Meningitis	3	1	2	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	3	1	–	–	1	–	1	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	–	1	–	–	–	–	–	–	–
Cancer, Malignant Disease	5	–	–	–	–	–	–	–	–	2	3	–
Rheumatic Fever	1	–	–	1	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	9	1	–	–	–	–	1	–	1	3	3	–
Bronchitis	15	3	–	–	–	–	1	–	–	2	6	3
Pneumonia (all forms)	11	5	4	–	–	–	–	–	2	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	7	–	–	1	–	–	1	2	1	1	–	1
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	6	–	1	–	–	–		–	3	1	1	–
Suicide	1	–	–	–	–	–	–	1	–	–	–	–
Other Defined Diseases	23	–	–	1	1	–	–	1	2	5	6	7
Diseases Ill-defined or Unknown	4	–	–	–	–	–	–	–	–	3	1	–
All Causes	104	18	8	3	3	2	5	4	12	18	20	11

GREENOCK—November 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	17	1	14	2	–	–	–	–	–	–	–	–
Scarlet Fever	2	1	1	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	3	–	3	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	1	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	9	–	–	–	–	1	3	3	2	–	–	–
Tuberculous Meningitis	3	2	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	6	–	–	–	–	1	–	1	–	2	–	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease	13	–	–	–	–	–	1	1	1	3	5	2
Bronchitis	7	–	1	–	–	–	–	–	–	–	4	2
Pneumonia (all forms)	20	3	8	–	–	–	2	1	–	3	2	1
Other Diseases of Respiratory Organs	2	1	–	–	–	–	–	–	–	–	1	–
Diarrhœa and Enteritis (under 2 years)	5	4	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	1	–	–	–	1	–	–
Puerperal Sepsis	2	–	–	–	–	1	–	1	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	1	–	–	–	–	–	1	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	26	3	–	–	–	1	–	2	2	4	7	7
Diseases Ill-defined or Unknown	4	–	–	–	–	–	–	1	1	2	–	–
All Causes	127	17	30	3	–	5	7	11	6	15	19	14

PERTH—November 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	1	–	–	–	–	–	–	–	–	1	–	–
Tuberculous Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	–	–	–	–	1	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	–	–	1	–	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	–	–	–	–	–	1	–	–	–	–	–
Organic Heart Disease	10	–	–	–	–	–	–	–	1	3	1	5
Bronchitis	5	1	–	–	–	–	–	–	–	1	1	2
Pneumonia (all forms)	1	–	–	–	–	–	–	–	–	1	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	1	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	20	1	–	1	–	–	–	2	–	2	6	8
Diseases Ill-defined or Unknown	3	–	–	–	–	–	–	–	–	1	1	1
All Causes	49	4	1	1	–	–	2	3	1	10	9	18

COATBRIDGE—November 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	–	2	1	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	–	1	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	5	–	–	–	–	1	2	1	1	–	–	–
Tuberculous Meningitis	1	–	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	1	1	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	8	–	–	–	–	–	–	–	3	3	2	–
Rheumatic Fever	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis	3	1	2	–	–	–	–	–	–	–	–	–
Organic Heart Disease	7	–	–	–	–	–	–	1	1	3	2	–
Bronchitis	12	3	1	–	1	–	–	–	–	4	2	1
Pneumonia (all forms)	8	1	5	–	–	–	–	–	1	1	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	2	–	–	–	–	–	–	–	–	2	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	3	–	–	–	1	–	–	–	–	2	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	11	1	–	–	–	–	2	1	1	2	1	3
Diseases Ill-defined or Unknown	1	1	–	–	–	–	–	–	–	–	–	–
All Causes	74	14	11	3	2	2	4	3	7	17	7	4

CAUSES OF DEATH (corrected for Transfers).

MOTHERWELL—November 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	7	3	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	–	1	–	–
Phthisis, Pulmonary Tuberculosis	1	–	–	–	–	–	–	–	–	1	–	–
Tuberculous Meningitis	1	–	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	1	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	4	–	–	–	–	–	–	–	2	1	–	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	4	–	–	–	–	–	–	1	–	–	1	2
Bronchitis	7	3	1	–	–	–	–	–	–	2	–	1
Pneumonia (all forms)	8	–	5	1	–	–	1	–	–	–	1	–
Other Diseases of Respiratory Organs	2	–	1	–	–	–	–	–	1	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	–	–	1	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	–	–	–	–	1
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	2	–	–	–	–	–	2	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	–	–	–	1	1	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	9	1	1	–	–	1	–	1	1	3	1	–
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	–	1	–
All Causes	55	11	12	2	–	2	4	2	4	8	5	5

KIRKCALDY—November 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	1	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	1	–	–	–	–	–	–	1	–	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	2	–	1	–	–	–	1	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	1	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	2	1	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease	11	–	–	–	–	–	–	–	2	3	2	4
Bronchitis	3	1	–	–	–	–	–	–	–	1	–	1
Pneumonia (all forms)	2	–	1	–	–	–	–	–	–	–	1	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	3	–	–	–	–	–	–	1	–	1	1	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	2	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	4	–	–	–	–	–	–	–	–	3	–	1
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	19	1	2	–	–	1	1	1	2	4	3	4
Diseases Ill-defined or Unknown	2	–	–	–	–	–	–	–	–	2	–	–
All Causes	57	5	8	–	–	1	2	3	4	15	9	10

HAMILTON—November 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	21	8	12	1	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	2	–	–	–	–	1	1	–	–	–	–	–
Tuberculous Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	4	1	2	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease	5	–	–	–	–	–	–	–	4	1	–	–
Rheumatic Fever	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	8	–	–	–	–	–	–	–	1	2	3	2
Bronchitis	3	–	1	–	–	–	1	–	–	–	1	–
Pneumonia (all forms)	3	2	–	–	–	–	–	–	–	–	–	1
Other Diseases of Respiratory Organs	1	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	2	1	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	1	–	–	–	–	1	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	–	–	–	–	–	–	1	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	13	–	2	1	–	–	–	–	1	1	3	5
Diseases Ill-defined or Unknown	–	–	–	–	–	–	–	–	–	–	–	–
All Causes	77	19	22	3	–	4	2	1	6	4	8	8

CLYDEBANK—November 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	1	–	–	–	–	–	–	–	1	–	–	–
Tuberculous Meningitis	2	–	2	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	1	–	–	1	–	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	–	–	–	1	–	–	–	–	–	–	–
Organic Heart Disease	3	–	–	1	–	–	–	–	–	1	–	1
Bronchitis	6	–	1	–	1	–	–	–	3	–	1	–
Pneumonia (all forms)	3	1	1	–	–	–	1	–	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	3	3	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	–	–	–	1	–	1	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	1	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	–	–	–	1	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	1
Other Defined Diseases	14	1	1	–	1	1	–	–	1	2	2	5
Diseases Ill-defined or Unknown	1	–	1	–	–	–	–	–	–	–	–	–
All Causes	46	9	6	1	3	1	3	1	6	4	4	8

KILMARNOCK—November 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	2	–	–	–	–	–	1	–	–	–	1	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	4	–	–	–	–	–	–	–	3	–	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	2	–	2	–	–	–	–	–	–	–	–	–
Organic Heart Disease	3	–	–	–	–	1	–	–	–	1	–	1
Bronchitis	5	2	–	–	–	–	–	–	–	1	1	1
Pneumonia (all forms)	1	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	2	–	–	–	–	–	–	–	1	–	1	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	6	–	–	–	–	–	–	–	–	–	5	1
Diseases Ill-defined or Unknown	5	–	–	–	–	–	–	–	1	2	2	–
All Causes	36	8	2	–	–	1	2	–	5	4	11	3

FALKIRK—November 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	2	–	2	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	2	–	–	–	–	–	–	2	–	–	–	–
Tuberculous Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Organic Heart Disease	4	–	–	–	–	–	–	1	2	1	–	–
Bronchitis	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (all forms)	2	–	–	–	–	–	1	–	–	1	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	3	2	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	–	–	1	–	1	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	2	–	1	–	–	–	–	–	–	1	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	10	–	–	–	–	–	1	–	1	1	4	3
Diseases Ill-defined or Unknown	3	–	1	–	–	–	–	–	–	–	–	2
All Causes	38	4	7	–	–	–	2	5	3	6	5	6

CAUSES OF DEATH (corrected for Transfers).

AYR—November 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	6	1	4	1	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	2	1	1	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	5	–	–	–	2	–	1	1	1	–	–	–
Tuberculous Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	–	1	2	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	–	–	–	–	–	1	–	–	–	–	–
Organic Heart Disease	1	–	–	–	–	–	–	–	1	–	–	–
Bronchitis	3	1	–	–	–	–	–	–	1	–	1	–
Pneumonia (all forms)	4	2	1	–	–	–	–	–	–	1	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	3	3	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	11	2	–	–	–	–	1	–	–	1	3	4
Diseases Ill-defined or Unknown	3	–	–	–	–	–	–	–	–	1	1	1
All Causes	48	14	7	1	2	–	3	1	4	5	6	5

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth,

During the Month of November 1915.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-Level and 32°.	AIR TEMPERATURE. Mean of Maximum (A).	AIR TEMPERATURE. Mean of Minimum (B.)	AIR TEMPERATURE. Mean of A and B (Mean Temperature).	AIR TEMPERATURE. Difference from Average	AIR TEMPERATURE. Absolute Maximum and Minimum. Maximum	Day of Month.	Minimum.	Day of Month.	HYGROMETER. Mean at 9 A.M. and 9 P.M. Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	RAIN, AND OTHER FORMS OF PRECIPITATION. Number of Days.	Total Fall.	Difference from Average.	WIND DIRECTIONS. Number of Observations at 9 A.M. and 9 P.M. N	NE	E	SE	S	SW	W	NW	Calm or Variable.
	feet.	inch.	inch.	°	°	°	°	°		°		°	°	inch.	per cent.		inch.	inch.									
GLASGOW, Professor L. Becker, Ph.D., F.R.S.E.	184	29·724	29·933	41·3	31·2	36·3	-6·0	53	7th	17	17th	35·5	1·8	·174	84	10	1·97	-1·68	10	11	5	3	4	8	10	7	2
EDINBURGH, Professor R. A. Sampson, F.R.S.	441	29·439	29·932	42·4	31·8	37·1	-4·0	53	10, 11	23	29th	36·9	2·2	·179	82	10	1·00	-1·30	3	3	1	1	4	8	19	9	12
DUNDEE, Alex. Macrae, Curator of Cemeteries.	164	29·729	29·915	41·0	30·5	35·8	-4·9	53	7th	21	27th	35·1	1·2	·181	88	9	1·59	-0·98	3	6	0	2	0	15	0	34	0
ABERDEEN,* The Meteorological Office.	90	29·786	29·888	42·6	34·2	38·4	-3·5	54	6th	27	15, 16, 27	38·0	1·0	·208	91	19	2·77	-0·45	6	1	2	1	7	6	15	20	2
PAISLEY, The Coats Observatory.	107	29·825	29·947	41·9	29·7	35·8	-6·5	53	6, 7	13	17th	35·3	1·7	·174	84	10	2·67	-1·32	4	2	3	0	3	4	10	10	24
Leith,† James Bolam, Navigation School.	76	29·837	29·923	42·4	32·3	37·4	-5·0	51	7th	23	21st	36·9	1·9	·183	84	9	0·88	-1·43	2	4	4	0	2	8	30	2	8
GREENOCK,† Daniel Macalister, C.E., Greenock Waterworks.	233	29·669	29·940	43·5	31·6	37·6	-4·2	52	6, 7	21	18th	36·8	0·9	·201	93	9	3·22	-3·08	0	3	6	9	0	7	23	10	2
PERTH, Henry Coates, F.R.S.E., The Museum.	82	29·825	29·919	41·5	28·2	34·9	-6·0	54	7th	15	16, 18	33·4	1·3	·165	86	6	1·92	-0·98	9	6	0	7	0	11	1	17	9
Means	172	29·729	29·925	42·1	31·2	36·7	-5·0	..	..	..	..	36·0	1·5	·183	87	10	2·00	-1·40	5	4	3	3	2	8	14	14	7

North Latitude.—Glasgow, 55° 51′; Edinburgh, 55° 55′; Dundee, 56° 28′; Aberdeen, 57° 9′; Paisley, 55° 51′; Leith, 55° 58′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 11′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 57′; Aberdeen, 2° 7′; Paisley, 4° 27′; Leith, 3° 8′; Greenock, 4° 46′; Perth, 3° 25′; Mean, 3° 32′.

* At King's College, at 7 A.M. and 6 P.M.

† At 9 A.M. only.

FOR OFFICIAL USE.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN SIXTEEN OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

DECEMBER 1915.

Published by Authority of the Registrar-General.

EDINBURGH: Printed under the authority of His Majesty's Stationery Office by
J. SKINNER & Co., Ltd., Thistle Street.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of December 1915 there were registered in the Sixteen Principal Towns of Scotland, those burghs which at the date of the 1911 Census had populations of over 30,000, the births of 4517 living children, of whom 2295 were male and 2222 female. The male children number 199 more, and the female children 182 more, than those registered in the previous month, while the male children number 176 fewer, and the female 260 fewer, than those registered in December of the previous year. The total children of the month number 381 more than in the previous month, and 270 more than the mean of the numbers of the preceding three months, but 436 fewer than the number registered in December of the previous year. The equivalent annual birth-rate is 22·7 per thousand, which is 1·2 more than that of the previous month, and 0·9 more than the mean of those of the three preceding months, but is 2·7 less than that of the corresponding month of the previous year. In the individual towns the birth-rate of the month ranged from 31·5 in Motherwell, 27·7 in Greenock, and 27·5 in Clydebank, to 12·3 in Perth, 15·9 in Kirkcaldy, 16·1 in Edinburgh, and 16·5 in Ayr In Leith this rate was 26·1; in Glasgow, 25·3; in Hamilton, 24·7; in Kilmarnock, 24·0; in Falkirk, 23·3; in Aberdeen, 23·0; in Dundee, 18·9; in Paisley, 18·5; and in Coatbridge, 18·4.

Of the 4517 children registered, 4206, or 93·1 per cent., were legitimate, while 311, or 6·9 per cent., were illegitimate. The illegitimate children of the month are 38 more than in the previous month, and 27 more than the mean of the numbers of the three preceding months, but are 37 fewer than in December of the previous year. The illegitimate rate of the month is 0·3 more than that of the previous month, and 0·2 more than the mean of those of the three preceding months, but is 0·1 below that of December of the previous year. In the towns taken individually this rate varied from 15·5 per cent. in Aberdeen and 15·1 in Edinburgh, to 1·5 in Falkirk, 1·8 in Motherwell, and 1·9 in Clydebank. In Dundee this rate was 8·5; in Kilmarnock, 6·7; in Coatbridge, 5·8; in Glasgow, 5·7; in Perth, 5·4; in Ayr, 4·3; in Hamilton, 3·7; in Kirkcaldy, 3·6; in Greenock, 3·3; in Leith, 2·8; and in Paisley, 2·2.

Marriages registered in these towns during the month numbered 2182. They

are 78 more than registered in the previous month, 338 more than the mean of the numbers registered in the three preceding months, and 256 more than registered in the corresponding month of the previous year. The equivalent annual marriage-rate is 11·0, which is 0·1 more than that of the previous month, 1·5 more than the mean of those of the preceding three months, and 1·1 more than that of December of the previous year. In the towns taken individually this rate varied from 16·5 in Aberdeen, 13·6 in Perth, and 12·4 in Edinburgh, to 4·9 in Hamilton, 5·3 in Coatbridge, and 5·4 in Motherwell. In Glasgow this rate was 11·5; in Dundee, 11·0; in Greenock, 10·6; in Leith, 9·7; in Kilmarnock, 9·6; in Kirkcaldy, 7·5; in Clydebank, 7·1; in Falkirk, 5·8; in Paisley, 5·6; and in Ayr, 5·6.

Deaths registered in these towns during the month numbered 3873, 1978 being of males, and 1895 of females. These deaths included those of 246 persons whose usual residence was outwith the town of registration, but excluded those of 192 persons who while dying and registered elsewhere in Scotland had usual residence in one or other of these towns, and the difference, 54, falls to be deducted to get the corrected number of deaths of the month, which is thus found to be 3819. The corrected number of deaths of the month is 60 more than that of the previous month, 679 more than the mean of those of the three preceding months, and 179 more than that of December of the previous year.

The death-rate of the month, corrected, is 19·2 per thousand. It is 0·3 less than that of the previous month, but is 3·1 more than the mean of those of the three preceding months, and 0·5 more than that of December of the previous year. In the towns taken individually this rate ranged from 28·7 in Greenock, 22·6 in Hamilton, 21·1 in Coatbridge, and 20·2 in Aberdeen, to 15·0 in Kilmarnock, 15·3 in Clydebank, and 16·8 in Falkirk. In Dundee this rate was 19·9; in Leith, 19·5; in Edinburgh, 19·4; in Perth, 18·9; in Glasgow, 18·6; in Paisley, 18·1; in Motherwell, 17·9; in Kirkcaldy, 17·6; and in Ayr, 17·5.

Of the 3819 deaths, 1050, or 27·5 per cent., were of children of less than five years old; 1660, or 43·5 per cent., of persons of between five and sixty-five; and 1109, or 29·0 per cent., of persons of over sixty-five. Compared with the numbers in the previous month, deaths under five are 42 fewer, but those between five and sixty-five are 48 more, and those over sixty-five are 54 more. Compared with the numbers in December of the previous year, deaths under five are 181 fewer, but those between five and sixty-five are 112 more, and those over sixty-five, are 248 more.

Deaths of children of less than one year old numbered 612. Compared with the number in the previous month these are 47 fewer, compared with the mean of the numbers of the previous three months they are 32 fewer, and compared with the number in December of last year they are 157 fewer. These deaths are equal to an infantile mortality rate of 126 per thousand of the average number of births registered monthly during the preceding twelve months, which rate is 13 less than that of the previous month, 7 less than the mean of those of the three preceding months, and 21 less than that of December of the previous year. In the towns taken individually this rate ranged from 226 in Perth, 212 in Greenock, and 180 in Hamilton, to 67 in Kilmarnock, 103 in Leith, and 107 in Paisley and in Clydebank. In Aberdeen this rate was 157; in Ayr, 154; in Falkirk, 149; in Dundee, 147; in Motherwell, 137; in Coatbridge, 135; in Edinburgh, 129; in Kirkcaldy, 125; and in Glasgow, 111.

Deaths from the principal epidemic diseases numbered 320, and included 3 from enteric fever, 106 from measles, 73 from scarlet fever, 17 from whooping-cough, 65 from diphtheria, and 56 from the diarrhœas of childhood. These deaths collectively are 16 fewer than in the previous month, and 63 fewer than in the

corresponding month of the previous year, and are 41 less than the mean of the numbers of the three preceding months. They are equal to an annual death-rate from these causes of 1·6 per thousand, which rate is 0·1 less than that of the previous month, 0·2 less than the mean of those of the three preceding months, and 0·4 less than that of December of the previous year. In the individual towns this death-rate ranged from 7·0 in Hamilton, where deaths from measles were relatively numerous, 4·7 in Greenock, and 3·7 in Coatbridge, to 0 in Kilmarnock, 0·5 in Clydebank, and 0·6 in Leith. In Kirkcaldy this rate was 2·6; in Aberdeen, 2·4; in Paisley, 1·9; in Edinburgh, 1·7; in Falkirk, 1·4; in Ayr, 1·4; in Dundee, 1·3; in Glasgow, 1·2; in Motherwell, 1·1; and in Perth, 1·0. Compared with the returns for the previous month, deaths from the diarrhœas of childhood are 35 fewer, and from enteric fever 5 fewer, but those from whooping-cough are 1 more, from measles 3 more, from diphtheria 6 more, and from scarlet fever 14 more.

One death from typhus fever was registered in these towns during the month, but there were none from small-pox. Deaths from rheumatic fever numbered 15; from meningitis, other than tuberculous or cerebro-spinal, 34; from heart disease, 320; from puerperal sepsis, 14; from malignant disease, 239; from influenza (uncomplicated), 17; and from violence, 136, of which 8 were attributed to suicide.

Deaths from pneumonia numbered 416, constituted 10·9 per cent. of the total deaths of the month, and are equal to an annual death-rate of 2·1 per thousand. They number 3 fewer than in the previous month, and 16 fewer than in the corresponding month of the previous year. Deaths from bronchitis numbered 452, constituted 11·8 per cent. of the total deaths of the month, and are equal to an annual death-rate of 2·3 per thousand. These deaths are 66 fewer than in the previous month, but are 122 more than in December of the previous year.

Deaths from all forms of tuberculous disease numbered 354, constituted 9·3 per cent. of the total deaths of the month, and are equal to an annual death-rate of 1·8 per thousand. These deaths are 28 less than in the previous month, but 13 fewer than in the corresponding month of the previous year. Of them 233 were ascribed to phthisis, a number which is 43 less than that of the previous month, but 22 less than that of the corresponding month of the previous year. The phthisis deaths of the month constituted 6·1 per cent. of the total deaths, and are equal to an annual death-rate of 1·2 per thousand. In the individual towns this death-rate ranged from 1·6 in Dundee, Leith, Clydebank and Kilmarnock, to 0·3 in Falkirk, 0·6 in Kirkcaldy, and 0·7 in Perth. In Greenock this rate was 1·5; in Glasgow, 1·2; in Aberdeen, 1·1; in Paisley, 1·1; in Coatbridge, 1·1; in Ayr, 1·1; in Motherwell, 0·9; in Hamilton, 0·9; and in Edinburgh, 0·8.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. Watt, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

DECEMBER 1915.

Mean barometric pressure, 29·506 in.; less than the average of 1856–1905 by 0·293 in.

Mean temperature, 38°·0; less by 0°·6.

Mean daily range of temperature, 7°·7; less by 1°·4.

Rain, number of days, 24; greater by 7 days.

Rain, depth in inches, 5·58; greater by 1·85 in.

Wind, direction of: a 7 days' excess of winds from between N.E. and S.E.

Hence the month was characterised by an abnormally low mean pressure; a slightly low mean temperature, with a low mean daily range; a very high mean rainfall; and a considerable excess of easterly winds.

The mean pressure of 29·506 in. was 0·293 in. below the normal, and fully 0·4 in. below the mean for November. Almost throughout the entire month there were rapid and considerable fluctuations of the barometer, and at Leith, at sea-level, pressure was above 30 in. only on 13th and 14th and from 18th to 20th. The extremes at Leith were 30·45 in. on 19th and 28·66 in. on 6th.

(8906.) Wt. 4/607. 1150. 1/16. J.S.&Co.,Ltd. Group 4/11.

The mean temperature of 38°·0 was 0·6 below the normal, and decidedly above the mean for the very cold month of November. The slight deficiency was mainly accounted for by the frequency of low day readings. Early in the month cold and wintry weather occurred with lowest readings about 4th or 9th, and in general the thermometer remained at a low or rather low level until about the end of the third week. There then set in a spell of mild weather with highest readings of the month very widely on 31st, and that day was in many districts the warmest day for seven or eight weeks. The extremes at the chief towns were 54° at Greenock on 31st and 19° at Perth on 4th. At Balmoral and Kingussie temperature in screen fell to 9° on 4th.

As regards rainfall, many districts were rainless during the first three or four days of the month, but on 5th heavy falls, partly due to melting snow, were more or less general, and thereafter conditions were mostly unsettled. Falls exceeding 1 in. occurred towards north-east and south-east on 5th; towards north-west on 7th; in some western districts on 10th (as much as 3 in. at Lochbuie, in Mull); at places on 22nd and 24th; and rather widely on 31st. The month's aggregates were below the normal at Greenock and generally towards the north-west, but in northern, eastern, and southern districts the month was a very wet one, and considerable areas had more than twice the normal. At Ardross Castle, in Ross-shire, the total of 8·60 in. exceeded that of any other December in a record going back to 1866; at Dundee (6·10 in.) the month was the wettest December since 1876; and at Edinburgh, the wettest since 1891. In many of the wet districts, however, December 1914 was a wetter month. The mean of the chief towns was 5·58 in., or 50 per cent. above the normal.

Early in the month and towards the end of it the weather was mainly of a stormy easterly to south-easterly type, with damage to shipping on the East Coast about 6th and 23rd. Snowstorms occurred around 4th and 9th, and on 4th the snow gave place to heavy rain followed by flooding in some districts.

A thunderstorm occurred at Aberdeen on 12th.

There was much fog at times over the Clyde area.

A fine display of Aurora was widely observed on 6th.

TABLE I.—ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES in the Principal Towns, December 1915.

TOWNS.	POPULATION.		BIRTHS.					MARRIAGES.	DEATHS.					
	Census. 1911.	Estimated to middle of 1915.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.	Out.	In.	Total Corrected.
GLASGOW,	1,008,487	1,078,400	1192	1123	2315	2183	132	1050	900	840	1740	105	65	1700
EDINBURGH,	320,769	328,700	207	242	449	381	68	346	284	270	554	62	49	541
DUNDEE,	176,085	177,300	149	135	284	260	24	165	140	162	302	10	8	300
ABERDEEN,	163,891	164,800	164	158	322	272	50	231	143	151	294	25	13	282
PAISLEY,	84,455	87,700	71	67	138	135	3	42	61	74	135	4	4	135
LEITH,	80,601	80,500	92	86	178	173	5	66	74	53	127	0	6	133
GREENOCK,	75,140	78,100	96	88	184	178	6	70	87	100	187	3	6	190
PERTH,	35,854	35,500	18	19	37	35	2	41	37	29	66	12	3	57
TOTAL (EIGHT TOWNS)	1,945,282	2,031,000	1989	1918	3907	3617	290	2011	1726	1679	3405	221	154	3338
COATBRIDGE,	43,290	44,100	29	40	69	65	4	20	37	40	77	3	5	79
MOTHERWELL	40,380	41,600	54	57	111	109	2	19	31	29	60	0	3	63
KIRKCALDY	39,601	40,800	24	31	55	53	2	26	31	24	55	1	7	61
HAMILTON,	38,644	38,600	37	44	81	78	3	16	36	36	72	1	3	74
CLYDEBANK,	37,548	44,600	58	46	104	102	2	27	25	22	47	1	12	58
KILMARNOCK,	34,728	36,900	43	32	75	70	5	30	32	17	49	6	4	47
FALKIRK,	33,574	34,300	40	28	68	67	1	17	32	19	51	4	2	49
AYR,	32,986	33,600	21	26	47	45	2	16	28	29	57	9	2	50
TOTAL (SIXTEEN TOWNS)	2,246,033	2,345,500	2295	2222	4517	4206	311	2182	1978	1895	3873	246	192	3819

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES in the Principal Towns, December 1915.

TOWNS.	Birth-Rate per 1000 of Population.	Illegitimate Birth-Rate per 100 Births.	Marriage-Rate per 1000 of Population.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuberculosis.	Phthisis.	All Respiratory Diseases.	Number.	* Rate per 1000 Births.
				Uncorrected.	Corrected.						
GLASGOW, .	25·3	5·7	11·5	19·0	18·6	1·2	1·8	1·2	5·1	264	111
EDINBURGH, .	16·1	15·1	12·4	19·9	19·4	1·7	1·3	0·8	4·4	67	129
DUNDEE, . .	18·9	8·5	11·0	20·1	19·9	1·3	2·3	1·6	4·1	49	147
ABERDEEN, .	23·0	15·5	16·5	21·0	20·2	2·4	1·6	1·1	3·1	51	157
PAISLEY, . .	18·5	2·2	5·6	18·1	18·1	1·9	1·6	1·1	4·6	19	107
LEITH, . .	26·1	2·8	9·7	18·6	19·5	0·6	2·3	1·6	4·8	17	103
GREENOCK, .	27·7	3·3	10·6	28·2	28·7	4·7	2·9	1·5	7·5	41	212
PERTH, . .	12·3	5·4	13·6	21·9	18·9	1·0	1·0	0·7	4·3	12	226
TOTAL . . (EIGHT TOWNS)	22·7	7·4	11·7	19 8	19·4	1·5	1·8	1·2	4·8	520	125
COATBRIDGE, .	18·4	5·8	5·3	20·6	21·1	3·7	1·3	1·1	7·2	14	135
MOTHERWELL,	31·5	1·8	5·4	17·0	17·9	1·1	1·7	0·9	4·8	14	137
KIRKCALDY, .	15·9	3·6	7·5	15·9	17·6	2·6	1·2	0·6	5·8	9	125
HAMILTON, .	24·7	3·7	4·9	22·0	22·6	7·0	0·9	0·9	5·5	18	180
CLYDEBANK, .	27·5	1·9	7·1	12·4	15·3	0·5	2·1	1·6	2·9	12	107
KILMARNOCK,	24·0	6·7	9·6	15·7	15·0	0·0	2·2	1·6	2·9	5	67
FALKIRK, . . .	23·3	1·5	5·8	17·5	16·8	1·4	2·1	0·3	3·8	10	149
AYR, . . .	16·5	4·3	5·6	20·0	17·5	1·4	1·4	1·1	3·5	10	154
TOTAL . . (SIXTEEN TOWNS)	22·7	6·9	11·0	19·5	19·2	1·6	1·8	1·2	4·7	612	126

* Based on the average number of births registered monthly during the past 12 months.

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR DECEMBER 1915, and for the Corresponding Month of the Preceding Ten Years, in the PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth-rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature. (Eight Towns only.)
					Enteric Fever.	Smallpox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria and Croup.	Diarrhœa (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
DEC. 1915, .	**22·7**	**6·9**	**11·0**	**19·2**	**3**	**0**	**106**	**73**	**17**	**65**	**56**	**126**	**38°·0**
DEC. 1914, .	25·4	7·0	9·9	18·7	11	0	19	71	156	66	60	147	37°·9
DEC. 1913, .	27·0	6·9	10·4	17·9	6	0	184	45	26	62	56	157	39°·8
DEC. 1912, .	26·1	7·8	11·5	19·7	5	2	20	22	108	33	57	166	41°·3
DEC. 1911, .	23·3	8·0	9·8	17·1	10	0	133	15	41	41	32	133	41°·5
DEC. 1910, .	25·3	7·8	9·0	17·2	7	0	5	27	43	57	37	125	42°·3
DEC. 1909, .	25·6	7·8	8·3	23·1	16	0	233	30	48	39	33	178	36°·5
DEC. 1908, .	25·9	6·4	8·8	17·7	6	0	5	15	96	36	–	116	39°·5
DEC. 1907, .	27·2	6·9	11·1	21·6	13	1	280	18	97	41	–	169	39°·0
DEC. 1906, .	27·0	7·4	12·4	20·2	16	0	32	19	75	37	–	144	37°·5
DEC. 1905, .	27·0	8·0	9·7	18·5	9	0	153	15	33	33	–	130	42°·9

For all years up to and including 1911, figures are for Eight only of the Principal Towns.
Figures in Columns 5–13 have, for 1913 and subsequent years, been corrected for non-resident deaths

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—December 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	3	–	–	–	–	1	–	1	1	–	–	–
Typhus Fever	1	–	–	–	1	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	106	22	75	8	–	–	1	–	–	–	–	–
Scarlet Fever	73	4	40	19	3	6	–	1	–	–	–	–
Whooping-cough	17	6	10	1	–	–	–	–	–	–	–	–
Diphtheria and Croup	65	11	36	14	3	–	–	–	–	1	–	–
Influenza	17	–	–	–	1	–	–	2	2	2	5	5
Erysipelas	13	1	1	–	–	1	–	2	–	2	4	2
Phthisis, Pulmonary Tuberculosis	233	1	8	5	7	42	61	43	36	20	8	2
Tuberculous Meningitis	50	10	22	6	6	4	–	–	1	1	–	–
Abdominal Tuberculosis	29	6	10	4	3	3	–	1	2	–	–	–
Other Tuberculous Diseases	42	6	9	7	3	6	2	5	2	–	2	–
Cancer, Malignant Disease	239	–	1	–	–	3	4	25	49	62	55	40
Rheumatic Fever	15	–	2	2	1	4	2	–	2	2	–	–
Meningitis	34	10	19	1	–	1	1	1	–	1	–	–
Organic Heart Disease	320	4	–	5	5	12	13	21	48	62	80	70
Bronchitis	452	58	20	2	–	4	4	18	46	97	108	95
Pneumonia (all forms)	416	89	94	6	2	12	16	36	45	43	36	37
Other Diseases of Respiratory Organs	74	6	15	1	1	2	3	8	7	13	10	8
Diarrhœa and Enteritis (under 2 years)	56	45	11	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	16	–	1	3	2	4	1	–	–	3	1	1
All Liver Diseases (not Malignant)	9	–	–	–	–	–	–	1	5	2	–	1
Other Diseases of Digestive System (under 2 years)	21	18	3	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	107	–	2	3	3	5	6	10	12	27	22	17
Puerperal Sepsis	14	–	–	–	–	7	3	4	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	16	–	–	–	–	4	4	8	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	226	222	4	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	128	13	13	5	6	15	7	17	16	15	10	11
Suicide	8	–	–	–	–	–	2	3	2	1	–	–
Other Defined Diseases	924	73	38	9	14	17	33	60	84	150	186	260
Diseases Ill-defined or Unknown	95	7	4	1	–	1	2	7	13	27	21	12
All Causes	3819	612	438	102	61	154	165	274	373	531	548	561

GLASGOW—December 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	2	–	–	–	–	1	–	–	1	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	23	3	16	3	–	–	1	–	–	–	–	–
Scarlet Fever	35	1	20	9	1	4	–	–	–	–	–	–
Whooping-cough	6	2	3	1	–	–	–	–	–	–	–	–
Diphtheria and Croup	20	6	7	6	1	–	–	–	–	–	–	–
Influenza	5	–	–	–	–	–	–	–	1	1	2	1
Erysipelas	8	1	1	–	–	1	–	1	–	–	3	1
Phthisis, Pulmonary Tuberculosis	114	–	3	–	5	19	27	21	23	11	4	1
Tuberculous Meningitis	26	4	13	3	2	4	–	–	–	–	–	–
Abdominal Tuberculosis	10	2	2	–	2	3	–	1	–	–	–	–
Other Tuberculous Diseases	17	1	3	5	2	1	2	2	–	–	1	–
Cancer, Malignant Disease	92	–	–	–	–	1	3	10	17	22	22	17
Rheumatic Fever	9	–	1	2	–	1	2	–	2	1	–	–
Meningitis	18	4	10	–	–	1	1	1	–	1	–	–
Organic Heart Disease	117	–	–	3	4	6	6	11	15	24	27	21
Bronchitis	236	19	9	1	–	1	2	14	27	55	59	49
Pneumonia (all forms)	191	39	30	3	1	8	4	18	25	27	20	16
Other Diseases of Respiratory Organs	36	6	10	1	–	1	–	5	2	6	2	3
Diarrhœa and Enteritis (under 2 years)	21	16	5	–	–	–	–		–	–	–	–
Appendicitis and Typhlitis	8	–	1	1	1	2	–	–	–	2	1	–
All Liver Diseases (not Malignant)	2	–	–	–	–	–	–	–	–	2	–	–
Other Diseases of Digestive System (under 2 years)	10	8	2	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	59	–	1	2	2	2	3	5	8	13	12	11
Puerperal Sepsis	8	–	–	–	–	5	1	2	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	10	–	–	–	–	3	3	4	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	111	108	3	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	64	7	10	3	4	6	2	7	10	7	3	5
Suicide	2	–	–	–	–	–	–	1	–	1	–	–
Other Defined Diseases	387	32	23	3	8	5	16	28	40	63	78	91
Diseases Ill defined or Unknown	53	5	1	–	–	1	2	4	8	17	9	6
All Causes	1700	264	174	46	33	76	75	135	179	253	243	222

CAUSES OF DEATH (corrected for Transfers).

EDINBURGH—December 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	18	5	12	1	–	–	–	–	–	–	–	–
Scarlet Fever	12	2	6	3	–	1	–	–	–	–	–	–
Whooping-cough	1	–	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	14	2	11	1	–	–	–	–	–	–	–	–
Influenza	7	–	–	–	–	–	–	2	–	1	1	3
Erysipelas	1	–	–	–	–	–	–	–	–	1	–	–
Phthisis, Pulmonary Tuberculosis	22	–	–	–	–	3	7	4	5	2	1	–
Tuberculous Meningitis	7	2	3	–	1	–	–	–	–	1	–	–
Abdominal Tuberculosis	4	1	1	–	1	–	–	–	1	–	–	–
Other Tuberculous Diseases	3	–	1	–	–	1	–	1	–	–	–	–
Cancer, Malignant Disease	45	–	–	–	–	–	–	5	9	10	11	10
Rheumatic Fever	2	–	–	–	1	1	–	–	–	–	–	–
Meningitis	2	–	2	–	–	–	–	–	–	–	–	–
Organic Heart Disease	55	–	–	–	1	1	2	2	6	12	17	14
Bronchitis	44	5	3	–	–	–	1	1	3	9	8	14
Pneumonia (all forms)	58	9	12	–	–	–	4	4	6	6	8	9
Other Diseases of Respiratory Organs	20	–	3	–	–	–	2	1	3	4	5	2
Diarrhœa and Enteritis (under 2 years)	3	3	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	–	–	–	–	–	–	–	1
All Liver Diseases (not Malignant)	3	–	–	–	–	–	–	–	2	–	–	1
Other Diseases of Digestive System (under 2 years)	3	3	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	9	–	–	–	–	–	–	3	–	5	–	1
Puerperal Sepsis	1	–	–	–	–	1	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	22	22	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	10	1	–	–	–	2	1	1	–	1	3	1
Suicide	2	–	–	–	–	–	1	1	–	–	–	–
Other Defined Diseases	166	12	5	–	1	1	7	12	14	22	33	59
Diseases Ill-defined or Unknown	6	–	–	–	–	–	–	–	1	1	2	2
All Causes	541	67	60	5	5	11	25	37	50	75	89	117

DUNDEE—December 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	1	–	–	–	–	–	–	1	–	–	–	–
Typhus Fever	1	–	–	–	1	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	
Measles	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	3	–	2	–	–	–	–	1	–	–	–	–
Whooping-cough	3	1	2	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	4	1	2	1	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	1	–	–	–	–	–	–	–
Erysipelas	2	–	–	–	–	–	–	1	–	1	–	–
Phthisis, Pulmonary Tuberculosis	24	1	1	–	–	4	7	2	4	3	2	–
Tuberculous Meningitis	4	–	3	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	6	2	4	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	1	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	22	–	–	–	–	–	1	2	4	9	5	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	3	–	3	–	–	–	–	–	–	–	–	–
Organic Heart Disease	30	–	–	–	–	–	2	1	8	5	9	5
Bronchitis	29	6	1	–	–	–	–	2	2	6	5	7
Pneumonia (all forms)	27	8	7	–	1	–	–	3	2	3	–	3
Other Diseases of Respiratory Organs	5	–	1	–	–	–	–	–	1	1	1	1
Diarrhœa and Enteritis (under 2 years)	7	7	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	2	–	–	–	–	1	1	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	7	–	–	–	–	2	1	1	1	2	–	–
Puerperal Sepsis	1	–	–	–	–	–	1	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	17	17	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	7	–	–	1	–	–	–	2	–	1	–	3
Suicide	2	–	–	–	–	–	–	–	2	–	–	–
Other Defined Diseases	78	4	1	–	1	2	3	5	3	16	18	25
Diseases Ill-defined or Unknown	9	–	–	–	–	–	–	1	2	4	2	–
All Causes	300	49	29	3	4	9	16	23	29	51	42	45

ABERDEEN—December 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	–	1	1	–	–	–	–	–	–	–	–
Scarlet Fever	16	1	9	4	2	–	–	–	–	–	–	–
Whooping-cough	2	1	1	–		–	–	–	–	–	–	–
Diphtheria and Croup	4	1	1	1	1	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	15	–	–	1	–	4	5	3	1	–	1	–
Tuberculous Meningitis	4	1	1	1	1	–	–	–	–	–	–	–
Abdominal Tuberculosis	2	–	–	1	–	–	–	–	1	–	–	–
Other Tuberculous Diseases	2	1	1	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	21	–	–	–	–	–	–	3	6	5	4	3
Rheumatic Fever	1	–	–	–	–	–	–	–	–	1	–	–
Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	36	1	–	2	–	1	1	2	2	8	9	10
Bronchitis	22	2	–	–	–	1	–	–	3	4	7	5
Pneumonia (all forms)	19	3	5	2	–	–	–	1	2	2	2	2
Other Diseases of Respiratory Organs	2	–	1	–	–	–	–	–	–	–	1	–
Diarrhœa and Enteritis (under 2 years)	10	9	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	–	–	–	–	–	1	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	6	–	–	–	–	–	–	–	1	–	4	1
Puerperal Sepsis	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	2	–	–	–	–	1	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	16	16	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	20	2	1	–	1	3	3	3	3	2	2	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	73	12	1	1	–	3	1	3	5	11	16	20
Diseases Ill-defined or Unknown	2	–	–	–	–	–	–	–	1	–	–	1
All Causes	282	51	23	14	5	13	10	17	26	34	46	43

PAISLEY—December 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	3	–	–	2	–	1	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	10	–	7	2	–	–	–	–	–	1	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	8	–	–	1	–	2	2	2	–	1	–	–
Tuberculous Meningitis	1	–	–	–	1	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	1	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease	8	–	–	–	–	–	–	1	2	2	2	1
Rheumatic Fever	1	–	1	–	–	–	–	–	–	–	–	–
Meningitis	2	2	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	14	–	–	–	–	–	–	–	3	2	4	5
Bronchitis	21	2	2	1	–	1	–	–	1	6	5	3
Pneumonia (all forms)	12	4	2	–	–	–	1	1	3	–	–	1
Other Diseases of Respiratory Organs	1	–	–	–	–	–	1	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	3	–	–	–	–	–	1	–	1	–	1	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	8	8	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	–	–	–	–	1	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	35	1	1	1	–	1	2	2	2	6	9	10
Diseases Ill-defined or Unknown	2	–	–	1	–	–	–	–	–	1	–	–
All Causes	135	19	14	8	1	6	7	6	14	19	21	20

LEITH—December 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	2	–	2	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	–	–	–	1
Phthisis, Pulmonary Tuberculosis	11	–	2	–	–	1	4	2	–	2	–	–
Tuberculous Meningitis	2	–	1	–	–	–	–	–	1	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	3	1	–	–	–	–	–	1	1	–	–	–
Cancer, Malignant Disease	5	–	–	–	–	–	–	1	1	1	–	2
Rheumatic Fever	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis	2	–	1	1	–	–	–	–	–	–	–	–
Organic Heart Disease	19	1	–	–	–	–	–	–	4	5	3	6
Bronchitis	17	1	–	–	–	–	–	1	3	4	5	3
Pneumonia (all forms)	13	3	–	–	–	–	1	2	1	2	3	1
Other Diseases of Respiratory Organs	3	–	–	–	1	1	–	–	–	1	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	4	–	–	–	–	1	–	–	–	1	1	1
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	5	5	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	4	2	–	1	–	–	–	–	1	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	35	3	1	1	2	1	1	2	5	7	7	5
Diseases Ill-defined or Unknown	4	–	–	–	–	–	–	1	1	1	1	–
All Causes	133	17	8	3	3	5	6	10	18	24	20	19

GREENOCK—December 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	22	5	16	1	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	1	–	–	–	–	–	–	–	–	–
Whooping-cough	2	–	2	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	2	1	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	10	–	1	1	2	1	4	–	–	–	–	1
Tuberculous Meningitis	2	2	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	6	1	1	2	1	1	–	–	–	–	–	–
Cancer, Malignant Disease	13	–	–	–	–	–	–	1	4	4	3	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	4	1	3	–	–	–	–	–	–	–	–	–
Organic Heart Disease	14	–	–	–	–	1	1	–	3	2	3	4
Bronchitis	19	5	1	–	–	1	–	–	1	2	4	5
Pneumonia (all forms)	30	10	14	–	–	2	1	2	–	1	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa and Enteritis (under 2 years)	4	2	2	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	1	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	1	–	–	–	–
Other Diseases of Digestive System (under 2 years)	2	2	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	2	–	–	–	–	–	1	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	10	9	1	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	5	–	1	–	–	1	1	1	–	1	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	36	3	2	1	1	2	–	1	4	6	5	11
Diseases Ill-defined or Unknown	2	–	1	–	–	–	–	–	–	–	–	1
All Causes	190	41	47	7	4	9	8	7	12	17	15	23

PERTH—December 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	2	–	–	1	1	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	2	–	–	–	–	1	–	–	1	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	–	1	1	–	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	6	1	–	–	–	–	1	–	–	2	1	1
Bronchitis	8	2	1	–	–	–	–	–	–	2	3	–
Pneumonia (all forms)	5	2	1	–	–	1	–	1	–	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	1	–	–	–	–	–	–	–	1	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	1	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	3	–	–	–	1	–	–	–	–	–	1	1
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	17	1	–	–	–	–	1	1	1	4	3	6
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	1	–	–
All Causes	57	12	4	2	2	2	2	2	4	10	8	9

COATBRIDGE—December 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	13	2	10	1	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	4	–	–	1	–	–	1	1	1	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	–	–	–	–	–	1	–	–	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	–	1	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	9	1	–	–	–	1	–	1	2	–	2	2
Bronchitis	14	3	2	–	–	–	–	–	1	3	2	3
Pneumonia (all forms)	13	1	8	–	–	–	2	–	1	1	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	4	–	–	–	1	–	–	–	1	–	1	1
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	1	–	–	–	–	–	1	–	–	–	–	–
Other Defined Diseases	10	–	–	1	–	1	1	–	–	1	1	5
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	1	–	–
All Causes	79	14	20	3	1	2	5	2	7	7	7	11

MOTHERWELL—December 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	1	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	3	–	–	–	–	2	–	1	–	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	1	–	–	–	–	–	–	–	–	1	–
Cancer, Malignant Disease	2	–	–	–	–	–	–	–	2	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	4	–	–	–	–	2	–	1	–	–	1	–
Bronchitis	8	3	–	–	–	–	–	–	1	2	1	1
Pneumonia (all forms)	9	1	3	–	–	–	1	1	1	–	1	1
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	2	1	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	–	1	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	7	–	–	–	–	–	–	1	–	3	2	1
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	4	1	–	–	–	1	–	–	–	2	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	9	1	–	–	–	–	–	2	1	1	1	3
Diseases Ill-defined or Unknown	2	–	–	–	–	–	–	–	–	–	2	–
All Causes	63	14	7	–	–	6	1	6	6	8	9	6

KIRKCALDY—December 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	7	–	5	2	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	1	–	–	–	–	–	–	–	–	–	1	–
Phthisis, Pulmonary Tuberculosis	2	–	–	–	–	1	1	–	–	–	–	–
Tuberculous Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	1	–	–	2	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	3	–	–	–	–	–	–	–	1	–	2	–
Bronchitis	15	4	–	–	–	–	–	–	3	2	5	1
Pneumonia (all forms)	2	1	1	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	3	–	–	–	–	–	–	1	–	–	1	1
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	1	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	1	–	–	–	–	–	–	1	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	16	1	–	–	–	–	–	2	–	3	5	5
Diseases Ill-defined or Unknown	1	–	1	–	–	–	–	–	–	–	–	–
All Causes	61	9	8	3	–	2	1	5	4	5	17	7

CAUSES OF DEATH (corrected for Transfers).

HAMILTON—December 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	22	7	14	1	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	3	–	1	–	–	–	–	2	–	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	3	–	1	–	–	–	–	–	1	–	–	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	4	–	–	–	–	–	–	–	2	–	1	1
Bronchitis	7	3	–	–	–	–	–	–	1	–	2	1
Pneumonia (all forms)	10	3	4	–	–	–	–	1	1	–	–	1
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	1	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	–	–	–	–	1	1	–
Puerperal Sepsis	1	–	–	–	–	1	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	–	–	–	1	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	12	–	1	1	–	–	1	–	1	–	5	3
Diseases Ill-defined or Unknown	4	1	–	–	–	–	–	1	–	–	1	1
All Causes	74	18	21	2	–	1	1	6	6	1	10	8

CLYDEBANK—December 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	1	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	6	–	–	–	–	1	2	2	1	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	2	1	1	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	6	–	–	–	–	2	–	–	–	2	2	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	3	–	–	–	–	–	–	1	–	1	1	–
Bronchitis	2	–	1	–	–	–	–	–	–	1	–	–
Pneumonia (all forms)	9	3	1	–	–	–	1	1	3	–	–	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	–	1	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	–	–	1	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	4	–	1	–	–	1	–	2	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	16	2	1	–	–	1	–	1	3	3	2	3
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	1	–	–
All Causes	58	12	7	–	–	5	3	7	7	9	5	3

KILMARNOCK—December 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	5	–	–	1	–	1	–	2	–	1	–	–
Tuberculous Meningitis	1	–	–	1	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	1	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease	6	–	–	–	–	–	–	–	2	2	1	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	3	–	–	–	–	–	–	1	1	1	–	–
Bronchitis	4	3	–	–	–	–	–	–	–	–	1	–
Pneumonia (all forms)	5	–	–	1	–	1	1	–	–	1	1	–
Other Diseases of Respiratory Organs	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Enteritis (under 2 years)	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	2	–	–	–	–	–	1	–	–	–	–	1
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	–	–	–	–	1	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	15	–	1	–	–	–	–	–	4	3	1	6
Diseases Ill-defined or Unknown	2	–	–	–	–	–	–	–	–	–	1	1
All Causes	47	5	2	3	–	2	2	3	8	8	5	9

FALKIRK—December 1915.

CAUSES OF DEATH.	All Ages.	Age. -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	1	–	1	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	1	–	–	–	–	1	–	–	–	–	–	–
Tuberculous Meningitis	2	–	1	–	1	–	–	–	–	–	–	–
Abdominal Tuberculosis	1	–	–	1	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	2	–	1	–	–	1	–	–	–	–	–	–
Cancer, Malignant Disease	3	–	–	–	–	–	–	1	–	–	1	1
Rheumatic Fever	1	–	–	–	–	1	–	–	–	–	–	–
Meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	2	–	–	–	–	–	–	1	–	–	–	1
Bronchitis	4	–	–	–	–	–	1	–	–	–	1	2
Pneumonia (all forms)	6	–	1	–	–	–	–	1	–	–	1	3
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	1	–	–	–
Diarrhœa and Enteritis (under 2 years)	3	2	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	1	–	–	–	1	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	–	–	–	–	–	–	1	–	–
Puerperal Sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	6	6	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	1	–	–	–	–	1	–	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	1	–	–	–	–
Other Defined Diseases	9	–	1	–	1	–	–	1	1	–	2	3
Diseases Ill-defined or Unknown	1	–	–	–	–	–	–	–	–	–	1	–
All Causes	49	10	6	1	3	4	1	5	2	1	6	10

CAUSES OF DEATH (corrected for Transfers).

AYR—December 1915.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	1	–	–	1	–	–	–	–	–	–	–	–
Whooping-cough	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria and Croup	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis, Pulmonary Tuberculosis	3	–	–	–	–	1	1	1	–	–	–	–
Tuberculous Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other Tuberculous Diseases	1	–	–	–	–	–	–	1	–	–	–	–
Cancer, Malignant Disease	5	–	–	–	–	–	–	–	–	3	1	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Organic Heart Disease	1	–	–	–	–	–	–	–	1	–	–	–
Bronchitis	2	–	–	–	–	–	–	–	–	1	–	1
Pneumonia (all forms)	7	2	5	–	–	–	–	–	–	–	–	–
Other Diseases of Respiratory Organs	1	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Enteritis (under 2 years)	2	1	1	–	–	–	–	–	–	–	–	–
Appendicitis and Typhlitis	–	–	–	–	–	–	–	–	–	–	–	–
All Liver Diseases (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System (under 2 years)	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis and Bright's Disease	1	–	–	1	–	–	–	–	–	–	–	–
Puerperal Sepsis	2	–	–	–	–	–	1	1	–	–	–	–
Other Diseases & Accidents of Pregnancy & Parturition	–	–	–	–	–	–	–	–	–	–	–	–
Congenital Debility and Malformation, including Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–
Violent Deaths, excluding Suicide	3	–	–	–	–	–	–	–	–	1	1	1
Suicide	–	–	–	–	–	–	–	–	–	–	–	–
Other Defined Diseases	10	1	–	–	–	–	–	–	–	4	–	5
Diseases Ill-defined or Unknown	4	1	1	–	–	–	–	–	–	–	2	–
All Causes	50	10	8	2	–	1	2	3	1	9	5	9

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth,

During the Month of December 1915.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-Level and 32°.	AIR TEMPERATURE. Mean of Maximum (A).	AIR TEMPERATURE. Mean of Minimum (B.)	AIR TEMPERATURE. Mean of A and B (Mean Temperature).	AIR TEMPERATURE. Difference from Average	AIR TEMPERATURE. Absolute Maximum and Minimum. Maximum	AIR TEMPERATURE. Absolute Maximum and Minimum. Day of Month.	AIR TEMPERATURE. Absolute Maximum and Minimum. Minimum.	AIR TEMPERATURE. Absolute Maximum and Minimum. Day of Month.	HYGROMETER. Mean at 9 A.M. and 9 P.M. Dry Bulb.	HYGROMETER. Mean at 9 A.M. and 9 P.M. Depression of Wet Bulb.	HYGROMETER. Mean at 9 A.M. and 9 P.M. Vapour Pressure.	HYGROMETER. Mean at 9 A.M. and 9 P.M. Humidity.	RAIN, AND OTHER FORMS OF PRECIPITATION. Number of Days.	RAIN, AND OTHER FORMS OF PRECIPITATION. Total Fall.	RAIN, AND OTHER FORMS OF PRECIPITATION. Difference from Average.	WIND DIRECTIONS. Number of Observations at 9 A.M. and 9 P.M. N	NE	E	SE	S	SW	W	NW	Calm or Variable.
	feet.	inch.	inch.	°	°	°	°	°		°		°	°	inch.	per cent.		inch.	inch.								
GLASGOW, Professor L. Becker, Ph.D., F.R.S.E.	184	29·286	29·493	42·0	35·7	38·9	+0·1	52	31st	27	9th	38·7	1·5	·206	88	24	5·54	+1·41	3	21	13	3	4	7	9	2	0
EDINBURGH, Professor R. A. Sampson, F.R.S.	441	29·022	29·507	42·3	34·6	38·5	+0·4	51	31st	28	9, 19	38·1	1·3	·203	88	24	4·34	+2·10	2	5	8	10	8	6	11	3	9
DUNDEE, Alex. Macrae, Curator of Cemeteries.	164	29·327	29·513	40·0	32·6	36·3	−1·2	48	23rd	25	3, 4, 9	36·3	0·7	·201	94	20	6·10	+3·40	2	19	2	12	0	11	4	12	0
ABERDEEN,* The Meteorological Office.	90	29·412	29·514	41·5	33·4	37·5	−0·5	48	31st	25	4, 5, 6	37·7	0·7	·212	94	27	5·98	+2·92	3	2	4	11	6	7	14	14	1
PAISLEY, The Coats Observatory.	107	29·385	29·506	42·2	34·9	38·6	−0·9	52	31st	26	9th	38·8	1·4	·209	89	24	5·73	+0·97	1	4	13	8	5	6	6	6	13
Leith, † James Bolam, Navigation School.	76	29·425	29·511	42·6	35·4	39·0	−0·6	53	31st	27	9, 10	38·6	1·3	·209	90	22	4·20	+1·91	4	4	12	12	4	10	14	0	2
GREENOCK, † Daniel Macalister, C.E., Greenock Waterworks.	233	29·231	29·500	43·2	34·3	38·8	−0·6	54	31st	26	9, 10	39·4	1·2	·218	91	24	6·44	−1·04	0	8	13	14	0	11	7	7	2
PERTH, Henry Coates, F.R.S.E., The Museum.	82	29·409	29·503	40·2	31·9	36·1	−1·8	49	31st	19	4th	35·6	0·9	·193	92	24	6·27	+3·11	7	3	14	4	2	2	3	4	23
Means	172	29·312	29·506	41·8	34·1	38·0	−0·6	..	..	..	..	37·9	1·1	·206	91	24	5·58	+1·85	3	8	10	9	4	7	9	6	6

North Latitude.—Glasgow, 55° 51′; Edinburgh, 55° 55′; Dundee, 56° 28′; Aberdeen, 57° 9′; Paisley, 55° 51′; Leith, 55° 58′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 11′.
West Longitude.—Glasgow, 4° 13′; Edinburgh, 3° 11′; Dundee, 2° 57′; Aberdeen, 2° 7′; Paisley, 4° 27′; Leith, 3° 8′; Greenock, 4° 46′; Perth, 3° 25′; Mean, 3° 32′.

* At King's College, at 7 A.M. and 6 P.M.

† At 9 A.M. only.